Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

January 29, 2018

Steve Waters
Veolia North America
6001 West Pershing Rd
Cicero, IL 60804

RE: Project: BIOSOLIDS MONTHLY
Pace Project No.: 40163567

Dear Steve Waters:
Enclosed are the analytical results for sample(s) received by the laboratory on January 17, 2018. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Some analyses have been subcontracted outside of the Pace Network. The subcontracted laboratory report has been attached.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Cindy Varga
cindy.varga@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: Rick Jania, Veolia Noeth America
Jackie Lawless, Veolia North America

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

CERTIFICATIONS

Project: BIOSOLIDS MONTHLY
Pace Project No.: 40163567

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150
Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

SAMPLE SUMMARY

Project: BIOSOLIDS MONTHLY
Pace Project No.: 40163567

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40163567001	**FCP011618**	Solid	01/16/18 11:46	01/17/18 10:00

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

SAMPLE ANALYTE COUNT

Project: BIOSOLIDS MONTHLY
Pace Project No.: 40163567

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40163567001	**FCP011618**	EPA 6010	JLD	8	PASI-G
		EPA 7471	AJT	1	PASI-G
		ASTM D2974-87	KTS	1	PASI-G
		EPA 160.4	JMN	1	PASI-G
		SM 2540G	JMN	1	PASI-G

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: BIOSOLIDS MONTHLY
Pace Project No.: 40163567

Sample: FCP011618 **Lab ID: 40163567001** Collected: 01/16/18 11:46 Received: 01/17/18 10:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP	Analytical Method: EPA 6010 Preparation Method: EPA 3050							
Arsenic	**6.6**	mg/kg	5.1	1	01/26/18 07:21	01/26/18 13:59	7440-38-2	
Cadmium	**3.2**	mg/kg	0.51	1	01/26/18 07:21	01/26/18 13:59	7440-43-9	
Copper	**432**	mg/kg	2.6	1	01/26/18 07:21	01/26/18 13:59	7440-50-8	
Lead	**63.8**	mg/kg	1.3	1	01/26/18 07:21	01/26/18 13:59	7439-92-1	
Molybdenum	**16.3**	mg/kg	1.0	1	01/26/18 07:21	01/26/18 13:59	7439-98-7	
Nickel	**40.6**	mg/kg	1.0	1	01/26/18 07:21	01/26/18 13:59	7440-02-0	
Selenium	**<5.1**	mg/kg	5.1	1	01/26/18 07:21	01/26/18 13:59	7782-49-2	
Zinc	**729**	mg/kg	4.1	1	01/26/18 07:21	01/26/18 13:59	7440-66-6	
7471 Mercury	Analytical Method: EPA 7471 Preparation Method: EPA 7471							
Mercury	**0.65**	mg/kg	0.077	1	01/24/18 06:29	01/24/18 12:34	7439-97-6	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	**6.2**	%	0.10	1		01/17/18 18:14		
160.4 Total Volatile Solids	Analytical Method: EPA 160.4							
Total Volatile Solids	**58.3**	% (w/w)	0.10	1		01/23/18 15:27		
2540G Total Percent Solids	Analytical Method: SM 2540G							
Total Solids	**94.9**	%	0.10	1		01/18/18 12:55		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: BIOSOLIDS MONTHLY
Pace Project No.: 40163567

QC Batch: 279632 | Analysis Method: EPA 7471
QC Batch Method: EPA 7471 | Analysis Description: 7471 Mercury
Associated Lab Samples: 40163567001

METHOD BLANK: 1641294 | Matrix: Solid
Associated Lab Samples: 40163567001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/kg	<0.037	0.037	01/24/18 12:06	

LABORATORY CONTROL SAMPLE: 1641295

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	.83	0.85	102	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1641296 1641297

Parameter	Units	40163617001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	<0.013	1	.99	1.0	1.0	101	101	85-115	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: BIOSOLIDS MONTHLY
Pace Project No.: 40163567

QC Batch: 279853 | Analysis Method: EPA 6010
QC Batch Method: EPA 3050 | Analysis Description: 6010 MET
Associated Lab Samples: 40163567001

METHOD BLANK: 1642194 | Matrix: Solid
Associated Lab Samples: 40163567001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/kg	<5.0	5.0	01/26/18 13:46	
Cadmium	mg/kg	<0.50	0.50	01/26/18 13:46	
Copper	mg/kg	<2.5	2.5	01/26/18 13:46	
Lead	mg/kg	<1.3	1.3	01/26/18 13:46	
Molybdenum	mg/kg	<1.0	1.0	01/26/18 13:46	
Nickel	mg/kg	<1.0	1.0	01/26/18 13:46	
Selenium	mg/kg	<5.0	5.0	01/26/18 13:46	
Zinc	mg/kg	<4.0	4.0	01/26/18 13:46	

LABORATORY CONTROL SAMPLE: 1642195

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	50	50.8	102	80-120	
Cadmium	mg/kg	50	51.3	103	80-120	
Copper	mg/kg	50	52.9	106	80-120	
Lead	mg/kg	50	50.4	101	80-120	
Molybdenum	mg/kg	50	50.2	100	80-120	
Nickel	mg/kg	50	50.1	100	80-120	
Selenium	mg/kg	50	50.8	102	80-120	
Zinc	mg/kg	50	53.1	106	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1642196 1642197

Parameter	Units	40163803001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Arsenic	mg/kg	5.0	49.7	49.7	52.8	51.1	96	93	75-125	3	20	
Cadmium	mg/kg	0.21J	49.7	49.7	49.3	48.5	99	97	75-125	1	20	
Copper	mg/kg	18.1	49.7	49.7	70.2	67.2	105	99	75-125	4	20	
Lead	mg/kg	7.2	49.7	49.7	52.1	50.3	90	87	75-125	3	20	
Molybdenum	mg/kg	1.7	49.7	49.7	46.2	45.1	90	87	75-125	2	20	
Nickel	mg/kg	19.8	49.7	49.7	64.0	63.2	89	87	75-125	1	20	
Selenium	mg/kg	<1.1	49.7	49.7	48.0	43.6	96	88	75-125	9	20	
Zinc	mg/kg	37.8	49.7	49.7	79.0	78.6	83	82	75-125	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: BIOSOLIDS MONTHLY
Pace Project No.: 40163567

QC Batch: 279333
QC Batch Method: ASTM D2974-87
Associated Lab Samples: 40163567001

Analysis Method: ASTM D2974-87
Analysis Description: Dry Weight/Percent Moisture

SAMPLE DUPLICATE: 1639770

Parameter	Units	40163567001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	6.2	6.2	0	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: BIOSOLIDS MONTHLY
Pace Project No.: 40163567

QC Batch: 279647 | Analysis Method: EPA 160.4
QC Batch Method: EPA 160.4 | Analysis Description: 160.4 Total Volatile Solids
Associated Lab Samples: 40163567001

METHOD BLANK: 1641369 | Matrix: Solid
Associated Lab Samples: 40163567001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Total Volatile Solids	% (w/w)	<0.10	0.10	01/23/18 15:24	

LABORATORY CONTROL SAMPLE: 1641370

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Volatile Solids	% (w/w)	443	418	94	80-120	

SAMPLE DUPLICATE: 1641371

Parameter	Units	40163567001 Result	Dup Result	RPD	Max RPD	Qualifiers
Total Volatile Solids	% (w/w)	58.3	58.0	0	5	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: BIOSOLIDS MONTHLY
Pace Project No.: 40163567

QC Batch: 279375 | Analysis Method: SM 2540G
QC Batch Method: SM 2540G | Analysis Description: 2540G Total Solids
Associated Lab Samples: 40163567001

METHOD BLANK: 1639928 | Matrix: Solid
Associated Lab Samples: 40163567001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Total Solids	%	<0.10	0.10	01/18/18 12:47	

LABORATORY CONTROL SAMPLE: 1639929

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Solids	%	838	746	89	80-120	

SAMPLE DUPLICATE: 1639930

Parameter	Units	40163567001 Result	Dup Result	RPD	Max RPD	Qualifiers
Total Solids	%	94.9	94.8	0	5	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALIFIERS

Project: BIOSOLIDS MONTHLY
Pace Project No.: 40163567

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: BIOSOLIDS MONTHLY
Pace Project No.: 40163567

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40163567001	**FCP011618**	EPA 3050	279853	EPA 6010	279927
40163567001	**FCP011618**	EPA 7471	279632	EPA 7471	279691
40163567001	**FCP011618**	ASTM D2974-87	279333		
40163567001	**FCP011618**	EPA 160.4	279647		
40163567001	**FCP011618**	SM 2540G	279375		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical
www.pacelabs.com

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

40163567

Section A
Required Client Information:

Veolia North America	
6001 W. Pershing Rd	
Cicero, IL 60804	
Email To: steven.waters@veolia.com	
708.652.0575	Fax:
Requested Due Date/TAT:	

Section B
Required Project Information:

Report To: Same
Copy To: richard.jania@veolia.com,
Purchase Order No.: 407519
Project Name: BIOSOLIDS MONTHLY
Project Number:

Section C
Invoice Information:

Attention: Veolia Support Services North
Company Name: Veolia Support Services North
Address: 125 S 84th St Suite 175, Milwaukee, WI 53214
Pace Quote Reference:
Pace Project Manager: Cindy Varga
Pace Profile #: 5163

Page: of

REGULATORY AGENCY

__ NPDES __GROUND WATER __DRINKING WATER
__UST __RCRA OTHER X

SITE LOCATION: __GA X IL __IN __MI __NC __OH __SC __WI OTHER___

Section D Required Client Information

SAMPLE ID
One Character per box.
(A-Z, 0-9 / ,-)
Samples IDs MUST BE UNIQUE

Valid Matrix Codes

MATRIX	CODE
DRINKING WATER	DW
WATER	WT
WASTE WATER	WW
PRODUCT	P
SOIL/SOLID	SL
OIL	OL
WIPE	WP
AIR	AR
OTHER	OT
TISSUE	TS

ITEM #	SAMPLE ID	MATRIX CODE	SAMPLE TYPE G=GRAB C=COMP	COMPOSITE START DATE	COMPOSITE START TIME	COMPOSITE END/GRAB DATE	COMPOSITE END/GRAB TIME	SAMPLE TEMP AT COLLECTION	#OF CONTAINERS	Unpreserved	1 L plastic/ whirl	Pak Bag	SM 2540B TS	9222D FECAL COLIFORM*	6010 METALS - As,Cd, Cu,Pb,Mo,Ni,Se,Zn	7471 MERCURY	EPA 160.4 TVS	Residual Chlorine (Y/N)	Pace Project Number Lab I.D.
001 1	FCP011618 FECAL	SL		1/16/18	04:00	1/16/18	11:45		1		1			X					1-40zag*
2	FCP011618 METALS	SL		1/16/18	04:00	1/16/18	11:45		1	1			X		X		X	X	
3																			
4																			
5																			
6																			
7																			
8																			
9																			
10																			
11																			
12																			

Filtered (Y/N): N N N N N N

Requested Analysis

Additional Comments:

* Pace Courier to drop off at sub lab

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME
Richard Jania	1/16/18	11:55	Kathleen Arnold	1/16/18	1155
Kathleen Arnold	1/16/18	1700	CS Logistics	1/16/18	
CS Logistics	1/17/18	1000	[illegible]	1/17/18	1000

SAMPLE CONDITIONS

Temp In °C	Received on Ice Y/N	Custody Sealed Cooler Y/N	Samples Intact Y/N
	Y/N	Y/N	Y/N
	Y/N	Y/N	Y/N
3.5	Y/N	Y/N	Y/N
	Y/N	Y/N	Y/N

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: RICHARD JANIA

SIGNATURE of SAMPLER: Richard Jania

DATE Signed (MM / DD / YY): 1/16/18

SUBURBAN LABORATORIES, Inc.

CHAIN OF CUSTODY RECORD

40163567

Electronic Version

1950 S. Batavia Ave. Geneva, IL 60134 Tel. 708.544.3260 Fax: 708.544.8587 Toll Free: 800.783.LABS www.suburbanlabs.com

Company Name: Pace Analytical

Company Address: 1241 Bellevue St

City: Green Bay State: WI Zip: 54302

Phone: 920-321-9455 Fax: ☐ Fax Report

Email Address: cindy.varga@pacelabs.com ☑ Email Report

Project ID / Location: Veoila Biosolids Weekly/Cicero IL

Project Manager (Report to): Cindy Varga

Sample Collector(s):

TURNAROUND TIME REQUESTED

☑ Normal ☐ RUSH* *Additional Rush Charges Approved.

*Date & Time Needed:

Normal TAT is 5-7 work days for most work. Rush work must be pre-approved and additional charges apply.

Specify Regulatory Program: (Required) ☐ None/Info only

☐ LUST ☐ SRP ☐ SDWA

☐ 503 Sludge ☐ NPDES ☐ MWRDGC

☐ Disposal ☐ Other *Please specify in comment section below.

ANALYSIS & METHOD REQUESTED

Enter an "X" in box below for request

Page of

PO No.

Shipping Method

QC Reporting Level ☐ 1 ☐ 2 ☐ 3

LAB USE ONLY

SLI Order No.

Sample containers supplied by customer? ☐ Yes

Temperature of Received Samples 1 °C

Samples received within 24 hours of collection? ☐ Yes

	SAMPLE IDENTIFICATION (Please use 1 line per container type)	COLLECTION DATE	COLLECTION TIME	MATRIX	GRAB/ COMP.	CONTAINERS Qty	CONTAINERS SIZE & TYPE	PRESERVATIVE	9222D Fecal Coliform	R	Condition	Split	LAB #
1	FCP 011601 Fecal	1/16/17	1145	SL	GRAB/	1	120 ml sterile	Nathiosulfate	X				
2													
3													
4													
5													
6													
7													
8													
9													
10													
11													
12													

MATRIX: Drinking Water (DW), Soil (S), Waste Water (WW), Surface Water(SW), Ground Water (GW), Solid Waste (WA), Sludge (U), Wipe (P) **CONTAINER:** 2oz, 4oz, 8oz, 40ml Vial, 500ml, Liter (L), Tube, Glass (G), Plastic (P) **PRESERVATIVE:** H_2SO_4, HCl, HNO_3, Methanol (MeOH) NaOH, Sodium Bisulfate (NaB), NaThio

COMMENTS & SPECIAL INSTRUCTIONS:

CONDITION CODES

1. Improper/damaged container/cap
2. Improper preservation
3. Insufficient sample volume
4. Headspace/air bubbles for VOCs
5. Received past holding time
6. Received frozen
7. Label conflicts with COC

1. Relinquished By	Date	2. Relinquished By	Date	3. Relinquished By	Date	4. Relinquished By	Date
Kathy Wendel	1/16/17						
Received By ☒ Ice	Time 13:18	Received By ☐ Ice	Time	Received By ☐ Ice	Time	Received By ☐ Ice	Time

Submission of samples subject to Terms and Conditions on back. Rev. 2/01/05 Please fill out this form completely, print, sign & submit with samples. Keep a copy for your records.

Sample Condition Upon Receipt

Pace Analytical Services, LLC. - Green Bay WI
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Pace Analytical™

Project #: **WO#: 40163567**

40163567

Client Name: Veolia N. AM

Courier: ☐ Fed Ex ☐ UPS ☐ Client ☐ Pace Other: CS Logistics

Tracking #:

Custody Seal on Cooler/Box Present: ☑ yes ☐ no Seals intact: ☑ yes ☐ no

Custody Seal on Samples Present: ☐ yes ☑ no Seals intact: ☐ yes ☐ no

Packing Material: ☑ Bubble Wrap ☑ Bubble Bags ☐ None ☐ Other

Thermometer Used SR-17 **Type of Ice:** Wet Blue Dry None ☑ Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 3.5 /Corr: 3.5 **Biological Tissue is Frozen:** ☐ yes ☐ no

Temp Blank Present: ☑ yes ☐ no

Person examining contents:
Date: 1/17/18
Initials:

Temp should be above freezing to 6°C.
Biota Samples may be received at ≤ 0°C.

		Comments:
Chain of Custody Present:	☑Yes ☐No ☐N/A	1.
Chain of Custody Filled Out:	☑Yes ☐No ☐N/A	2.
Chain of Custody Relinquished:	☑Yes ☐No ☐N/A	3.
Sampler Name & Signature on COC:	☑Yes ☐No ☐N/A	4.
Samples Arrived within Hold Time:	☑Yes ☐No ☐N/A	5.
- VOA Samples frozen upon receipt	☐Yes ☐No	Date/Time:
Short Hold Time Analysis (<72hr):	~~☑Yes~~ ☑No ☐N/A	6.
Rush Turn Around Time Requested:	☐Yes ☑No ☐N/A	7.
Sufficient Volume:	☑Yes ☐No ☐N/A	8.
Correct Containers Used:	☑Yes ☐No ☐N/A	9.
-Pace Containers Used:	☑Yes ☐No ☐N/A	
-Pace IR Containers Used:	☐Yes ☐No ☑N/A	
Containers Intact:	☑Yes ☐No ☐N/A	10.
Filtered volume received for Dissolved tests	☐Yes ☐No ☑N/A	11.
Sample Labels match COC:	☑Yes ☐No ☐N/A	12. Client label on received containers has ID "FCP01/6/8 metals" (see note)
-Includes date/time/ID/Analysis Matrix: S		
All containers needing preservation have been checked. (Non-Compliance noted in 13.)	☐Yes ☐No ☑N/A	13. ☐ HNO3 ☐ H2SO4 ☐ NaOH ☐ NaOH +ZnAct
All containers needing preservation are found to be in compliance with EPA recommendation. (HNO3, H2SO4 ≤2; NaOH+ZnAct ≥9, NaOH ≥12)	☐Yes ☐No ☑N/A	
exceptions: VOA, coliform, TOC, TOX, TOH, O&G, WIDROW, Phenolics, OTHER:	☐Yes ☑No	Initial when completed / Lab Std #ID of preservative / Date/Time:
Headspace in VOA Vials (>6mm):	☐Yes ☐No ☑N/A	14.
Trip Blank Present:	☐Yes ☑No ☐N/A	15.
Trip Blank Custody Seals Present	☐Yes ☐No ☑N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: If checked, see attached form for additional comments ☐

Person Contacted: Date/Time:

Comments/ Resolution:

NOTE: Volume for Fecal test was dropped off at Sub lab, both samples were treated as one sample point for logging-in purposes (per PM) PS 1/17/18

Project Manager Review: **Date:** 1/17/18

F-GB-C-031-Rev.04 (12Dec2016) SCUR.xls
Pace Analytical Services LLC. - Green Bay WI

SUBURBAN LABORATORIES, Inc.

1950 S. Batavia Ave., Suite 150 Geneva, Illinois 60134
Tel. (708) 544-3260 • Toll Free (800) 783-LABS
Fax (708) 544-8587
www.suburbanlabs.com

January 25, 2018

Workorder: 1801914

Cindy Varga
Pace Analytical - WI
1241 Bellevue Street Suite 9
Green Bay, WI 54302

TEL: (920) 469-2436
FAX:
RE: Veolia Biosolids- Cicero IL

Dear Cindy Varga:

Suburban Laboratories, Inc. received 1 sample(s) on 1/16/2018 for the analyses presented in the following report.

All data for the associated quality control (QC) met EPA, method, or internal laboratory specifications except where noted in the case narrative. If you are comparing these results to external QC specifications or compliance limits and have any questions, please contact us.

This final report of laboratory analysis consists of this cover letter, case narrative, analytical report, dates report, and any accompanying documentation including, but not limited to, chain of custody records, raw data, and letters of explanation or reliance. This report may not be reproduced, except in full, without the prior written approval of Suburban Laboratories, Inc.

If you have any questions regarding these test results, please call me at (708) 544-3260.

Sincerely,

Pat Rodriguez
Project Manager
708-544-3260 ext 214
pat@suburbanlabs.com

Case Narrative

Client: Pace Analytical - WI
Project: Veolia Biosolids- Cicero IL
WorkOrder: 1801914
Temperature of samples upon receipt at SLI: 1 C

Date: January 25, 2018
PO #:
QC Level:
Chain of Custody #: EV

General Comments:
- All results reported in wet weight unless otherwise indicated. (dry = Dry Weight)
- Sample results relate only to the analytes of interest tested and to sample as received by the laboratory.
- Environmental compliance sample results meet the requirements of 35 IAC Part 186 unless otherwise indicated.
- Waste water analysis follows the rules set forth in 40 CFR part 136 except where otherwise noted.
- Accreditation by the State of Illinois is not an endorsement or a guarantee of the validity of data generated.
- For more information about the laboratories' scope of accreditation, please contact us at (708) 544-3260 or the Agency at (217) 782-6455.
- All radiological results are reported to the 95% confidence level.

Abbreviations:
- Reporting Limit: The concentration at which an analyte can be routinely detected on a day to day basis, and which also meets regulatory and client needs.
- Quantitation Limit: The lowest concentration at which results can be accurately quantitated.
- J: The analyte was positively identified above our Method Detection Limit and is considered detectable and usable; however, the associated numerical value is the approximate concentration of the analyte in the sample.
- ATC: Automatic Temperature Correction. - TNTC: Too Numerous To Count
- TIC: Tentatively Identified Compound (GCMS library search identification, concentration estimated to nearest internal standard).
- SS (Surrogate Standard): Quality control compound added to the sample by the lab.

Method References:
For a complete list of method references please contact us.
- E: USEPA Reference methods
- SW: USEPA, Test Methods for Evaluating Solid Waste (SW-846)
- M: Standard Methods for the Examination of Water and Wastewater
- USP: Latest version of United States Pharmacopeia

Workorder Specific Comments:

Suburban Laboratories, Inc.

1950 S. Batavia Ave., Suite 150, Geneva, IL 60134 (708) 544-3260

Laboratory Results

Client ID: Pace Analytical - WI
Project Name: Veolia Biosolids- Cicero IL

Report Date: January 25, 2018
Workorder: **1801914**

Client Sample ID: **FCP 011618 Fecal**
Lab ID: 1801914-001 **Date Received:** 01/16/2018 1:18 PM

Matrix: SLUDGE
Collection Date: 01/16/2018 11:45 AM

Parameter	Result	Report Limit	Qual.	Units	Dilution Factor	Date Analyzed	Batch ID
FECAL COLIFORM (MPN), CLASS A		Method: SM-9221E-Rev 18Ed, 1992				Analyst: MMM	
Fecal Coliform	<2	0		MPN/g-dry	1	01/16/2018 4:49 PM	R91898
PERCENT MOISTURE		Method: ASTM-D2216-Rev 2005				Analyst: CY	
Percent Moisture	5.7	1.0	c	wt%	1	01/19/2018 3:15 PM	R92015

Qualifiers:

*/x	Value exceeds Maximum Contaminant Level
B	Analyte detected in the associated Method Blank
C	Value is below Minimum Concentration Limit
c	Analyte not in SLI scope of accreditation
E	Estimated, detected above quantitation range
G	Refer to case narrative page for specific comments
H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limit (QL)
N	Tentatively identified compounds
ND	Not Detected at the Reporting Limit
P	Present
Q	Accreditation is not available from Wisconsin
R	RPD outside accepted recovery limits
S	Spike Recovery outside accepted recovery limits
T	Analyte detected in sample trip blank
V	EPA requires field analysis/filtration. Lab analysis would be considered past hold time.

SUBURBAN LABORATORIES, Inc.

1950 S. Batavia Ave. Geneva, IL 60134 Tel. 708.544.3260 Fax: 708.544.8587 Toll Free: 800.783.LABS www.suburbanlabs.com

CHAIN OF CUSTODY RECORD

Electronic Version

Company Name: Pace Analytical
Company Address: 1241 Bellevue St
City: Green Bay State: WI Zip: 54302
Phone: 920-321-9455 Fax: ☐ Fax Report
Email Address: cindy.varga@pacelabs.com ☑ Email Report
Project ID / Location: Veoila Biosolids Weekly/Cicero IL
Project Manager (Report to): Cindy Varga
Sample Collector(s):

TURNAROUND TIME REQUESTED
☑ Normal ☐ RUSH* *Additional Rush Charges Approved.
*Date & Time Needed:
Normal TAT is 5-7 work days for most work. Rush work must be pre-approved and additional charges apply.

Specify Regulatory Program: (Required) ☐ None/Info only
☐ LUST ☐ SRP ☐ SDWA
☐ 503 Sludge ☐ NPDES ☐ MWRDGC
☐ Disposal ☐ Other *Please specify in comment section below.

ANALYSIS & METHOD REQUESTED
Enter an "X" in box below for request

Page of
PO No.
Shipping Method
QC Reporting Level ☐ 1 ☐ 2 ☐ 3

LAB USE ONLY
SLI Order No. 1801914
Sample containers supplied by customer? ☐ Yes
Temperature of Received Samples 1 °C
Samples received within 24 hours of collection? ☐ Yes

	SAMPLE IDENTIFICATION (Please use 1 line per container type)	COLLECTION DATE	COLLECTION TIME	MATRIX	GRAB/ COMP.	CONTAINERS Qty	CONTAINERS SIZE & TYPE	PRESERVATIVE	9222D Fecal Coliform	R	Condition	Split	LAB #
1	FCP011618 Fecal	1/16/18	1145	SL	GRAB/	1	120 ml sterile	Nathiosulfate	X				1A
2													
3													
4													
5													
6													
7													
8													
9													
10													
11													
12													

MATRIX: Drinking Water (DW), Soil (S), Waste Water (WW), Surface Water(SW), Ground Water (GW), Solid Waste (WA), Sludge (U), Wipe (P) CONTAINER: 2oz, 4oz, 8oz, 40ml Vial, 500ml, Liter (L), Tube, Glass (G), Plastic (P) PRESERVATIVE: H_2SO_4, HCl, HNO_3, Methanol (MeOH) NaOH, Sodium Bisulfate (NaB), NaThio

COMMENTS & SPECIAL INSTRUCTIONS:

CONDITION CODES
1. Improper/damaged container/cap
2. Improper preservation
3. Insufficient sample volume
4. Headspace/air bubbles for VOCs
5. Received past holding time
6. Received frozen
7. Label conflicts with COC

1. Relinquished By	Date	2. Relinquished By	Date	3. Relinquished By	Date	4. Relinquished By	Date
Kathryn Bender	1/16/18						
Received By ☒ Ice	Time 13:18	Received By ☐ Ice	Time	Received By ☐ Ice	Time	Received By ☐ Ice	Time

Submission of samples subject to Terms and Conditions on back. Rev. 2/01/05 Please fill out this form completely, print, sign & submit with samples. Keep a copy for your records.