

WH 152

Potter, Katharyn S. (DNREC)

From: info@midwayseptics.com
Sent: Wednesday, January 08, 2020 10:35 AM
To: Potter, Katharyn S. (DNREC)
Subject: Re: Clean Delaware

We would like to add CDI and we will haul in sewage.

Thank you,
Terri Bower
Office Manager
Midway Services, Inc.
9446 Willow Pond Lane
Lincoln, DE 19960
302-422-8603
midwayseptics.com

On Wed, Jan 8, 2020 at 9:21 AM Potter, Katharyn S. (DNREC) <Katharyn.Potter@delaware.gov> wrote:

Terri;

Thank you for the letter.

As I'm understanding it, you want to add Clean DE back as a disposal facility. What waste stream(s) will you be transporting to Clean DE?

Also, this would entail a public notice and I would need the \$210 public notice fee from you.

The entire amendment process will take approximately 30 days.

Kathy

From: info@midwayseptics.com <info@midwayseptics.com>
Sent: Wednesday, January 08, 2020 8:03 AM
To: Potter, Katharyn S. (DNREC) <Katharyn.Potter@delaware.gov>
Subject: Fwd: Clean Delaware

Good morning!

Please see the attached letter, please tell me what to do next!

Thank you,

Terri Bower

Office Manager

Midway Services, Inc.

9446 Willow Pond Lane

Lincoln, DE 19960

302-422-8603

midwayseptics.com

----- Forwarded message -----

From: **Gerry Desmond** <gerry@cleandelaware.com>

Date: Tue, Jan 7, 2020 at 3:52 PM

Subject: Clean Delaware

To: Terri Bower <info@midwayseptics.com>

Terri-

See attached. We look forward to resuming work with you guys.

Gerry

--

Gerry Desmond

office (302) 684-4221

fax (302) 684-1850

P.O. Box 123, Milton, DE, 19968

www.cleandelaware.com

**Clean Delaware, LLC
P.O. Box 123
Milton, DE 19968**

January 7, 2020

DNREC
Division of Water Resources
89 Kings Highway
Dover, DE 19901

Re: Midway Services

To whom it may concern,

I'm writing to confirm that Clean Delaware, LLC continues to be able to handle and treat sewage pumped from residential septic systems in Kent and Sussex counties by Midway Services of Lincoln, DE. The product will be disposed of at our wastewater treatment facility near Routes 5 and 16 in Milton, DE.

All wastewater received is subject to the terms and conditions of D.N.R.E.C. permit AGU 1702-S-03. Currently, our permit lists Midway Services as an approved hauler to the facility.

Midway Services currently holds a Delaware Waste Haulers license and discharges into the Kent County Treatment Plant.

Please contact me if I can answer additional questions or provide additional information.

Thanks for your attention,



Gerry Desmond
Clean Delaware, LLC