DNREC-WHS REQUEST FOR LEGAL SERVICES

ATTORNEY-CLIENT PRIVILEGED ENFORCEMENT CONFIDENTIAL

Date: 12/17/2019	Eileen Butler, Planner IV	For Legal Office Only	
Requested by	WHS – Strategic Services Eileen.Butler@delaware.gov	Legal number:	
Director Approval:	Timothy Ratsep, Division Director	-	:*
Site Name & Number:	Final Regulations Takings Review	Date assigned:	
Program Administrator:	Jason W. Sunde	DAG	
Check the appropriate box: Program:			
Federal Heating Fuel	Boiler Safety X UST (Underground Storage Tank) Temporary Rebate	• •	AST (Aboveground Storage Tank)
Legal Services: Legislation Regulations Litigation Secretary's Order Legal question Letter	LIEN NOV NOIT Consent Decree FOIA	☐ Environmental ☐ Cost Recovery ☐ Loan Documen ☐ Site Access Ag ☐ Other (explain)	nts reement

The Division of Waste and Hazardous Substances - Compliance and Permitting Section (WHS-CAPS) is requesting a legal opinion providing judgment as to whether the attached regulations, amending Delaware's *Regulations Governing Underground Storage Tank Systems*, represent a taking of private property without compensation as required by 29 *Del*. C. § 605.

A public hearing was conducted on August 27, 2019, to receive comments on the proposed amendments labeled *Proposed Revised Regulatory Amendments to 7 De Admin Code 1351:*

Underground Storage Tank Systems (Start action Notice # 2016-10) The WHS-CAPS proposed to adopt the amendments in order to maintain its Underground Storage Tank System program and to remain current with EPA's Underground Storage Tank program. No changes to the proposed regulation resulted from the hearing.

Attached for your convenience are the following documents, (1) 2016 Proposed Amendments, (2) Hearing Officers Report dated November 1, 2019, and, (3) Secretary's Order No. 2019-WH-0047 which ordered promulgation and implementation of the proposed amendments.

If you have any questions or need any additional information, please contact Eileen Butler at 395-2520. WHS – CAP requests that DAG Robert Phillips be assigned to this review.