



# NON-HAZARDOUS LIQUID WASTE TRANSPORTERS PERMIT APPLICATION

Groundwater Discharges Section, Division of Water  
DE Department of Natural Resources and Environmental  
Control

89 Kings Highway, Dover DE 19901  
(302) 739-9948

1. Permit Number (For renewals only):

DE-WH-1012

## 2. Company Information

Company Name: Streett Septic Services

Telephone: 302-258-3164

Fax:

Address (street, city, state and zip code): PO Box 142, Greenwood, Delaware, 19950

Company Email Address & Contact Name: justin.streett@gmail.com, Justin Streett

## 3. Owner/President Business Information

Name: Justin Streett

Business Telephone: 3022583164

Business Address if different from above (street, city, state and zip code):

## 4. Vehicle(s) Information (Attach additional sheets if necessary to identify each vehicle used for transport.)

	Make	Model	Year	Vehicle Type (Tank, Trailer, Etc.)	License Plate Number	State of Registration	Capacity (gal)
1	Kenworth	W900B	1985	Truck Mount Vacuum Tank	C34078	Delaware	3,300

\* Please submit a Certificate of Insurance for each vehicle listed demonstrating commercial automobile liability insurance with a combined single limit of at least \$100,000.

*Certificate of insurance uploaded: **Policy COI.pdf**, **COI S 2142651.pdf***

## 5. Please Check Type(s) of Waste Being Transported and Provide the Information Requested in the Indicated Sections for Each Waste Type Checked

	<input checked="" type="checkbox"/>	Waste Type	Quantity Collected
i.	<input checked="" type="checkbox"/>	Septage	3,300 gal/yr
ii.	<input type="checkbox"/>	Holding Tank Waste	gal/yr
iii.	<input type="checkbox"/>	Grease Trap Waste and/or Cooking Oil Waste	gal/yr
iv.	<input type="checkbox"/>	Portable Toilet Waste	gal/yr
v.	<input type="checkbox"/>	Municipal or Industrial Biosolids	# wet tons/yr
vi.	<input type="checkbox"/>	Sludge From Package Treatment Plants	# wet tons/yr
	<input type="checkbox"/>		

### Documents required for all new permit applications *and* renewals:

- Attach an Operation Plan detailing the following:
  - a spill reporting and clean-up plan,
  - plans for cleaning vehicles,
  - recordkeeping procedures and
  - days and hours of operation.
- Attach a list of all disposal facilities to be used. Include a copy of the permit/authorization letter from each disposal facility stating the company is currently authorized to discharge the requested waste stream (i.e. septage, holding tank waste, portable toilet waste, etc.) to the facility. Authorization documentation is required for both new and renewal applications.

### **7 DelC §6023(d): No person shall haul, convey or transport any liquid waste in any container without a license issued by the Department.**

Septage
<p>1. Attach a list of all Class F Licensees currently working for the company.</p> <p>If there are no Class F licensees currently working for the company, please note according to Section 4.1.6 of the State of Delaware Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, all individuals who will be responsible for removal, transportation or disposal of the solid and liquid contents of septic tanks, cesspools, grease traps, seepage pits, holding tanks, portable toilets or other wastewater treatment or disposal facilities must obtain a Class F license before pumping. In order for an individual to obtain a Class F license.</p>
<p>Class F Licenses uploaded: <i>Justin Streett On-Site Wastewater Liquid Waste Hauler (Class F) License (4).pdf</i></p>

Holding Tanks
<p>1. Attach a list of all Class F Licensees currently working for the company.</p> <p>If there are no Class F licensees currently working for the company, please note according to Section 4.1.6 of the State of Delaware Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, all individuals who will be responsible for removal, transportation or disposal of the solid and liquid contents of septic tanks, cesspools, grease traps, seepage pits, holding tanks, portable toilets or other wastewater treatment or disposal facilities must obtain a Class F license before pumping. In order for an individual to obtain a Class F license</p>
<p>Class F Licenses uploaded:</p>

<b>Grease Trap Waste and/or Cooking Oil Waste</b>
1. Attach a list of all disposal facilities to be used.
2. Attach a list of all Class F Licensees currently working for the company. If there are no Class F Licensees currently working for the company, please note according to Section 4.1.6 of the State of Delaware Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, all individuals who will be responsible for removal, transportation or disposal of the solid and liquid contents of septic tanks, cesspools, grease traps, seepage pits, holding tanks, portable toilets or other wastewater treatment or disposal facilities must obtain a Class F license before pumping. For a Class F License application, please contact the Licensing Coordinator at 302-739-9948.
Grease Trap Waste Disposal Facilities to be used: Class F Licenses Uploaded:

<b>Portable Toilets</b>
1. Attach a list of all Class F Licensees currently working for the company. If there are no Class F Licensees currently working for the company, please note according to Section 4.1.6 of the State of Delaware Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, all individuals who will be responsible for removal, transportation or disposal of the solid and liquid contents of septic tanks, cesspools, grease traps, seepage pits, holding tanks, portable toilets or other wastewater treatment or disposal facilities must obtain a Class F license before pumping.
Class F Licenses uploaded:
3. Quantity of portable toilets you own:

<b>Municipal and Industrial Biosolids</b>
1. Identify all Facilities the company will service by attaching a table listing the following: Facility Name of Sludge Generator # Estimated Volume of Sludge to be Transported # Disposal Facility* * If sludge is to be land applied, include the current Agricultural Utilization Permit Number for that facility.
Municipal and Industrial Biosolids <i>Disposal Facilities</i> :
2. Provide transportation routes from all generating facilities to all applicable disposal facilities.
Municipal and Industrial Biosolids <i>Transportation Routes</i> :
3. Indicate any treatment the sludge has undergone before transportation (for example anaerobic digestion, aerobic digestion, lime stabilization, composting, or dewatering).

Sludge Treatment Description Upload:
4. Provide results of a laboratory analysis of a representative sample of the sludge which was obtained not more than 6 months before submission of the application unless these results would be submitted as a part of the land application program. The analysis shall include, as a minimum, percent solids, pH, and the dry weight concentration of total nitrogen, ammonium, nitrate, total phosphorous, total potassium, cadmium, copper, mercury, nickel, lead, zinc, arsenic, selenium, and molybdenum.
Sludge From Package Treatment Plants Laboratory Analysis Uploaded:

<b>Sludge From Package Treatment Plants</b>
1. Identify all Facilities the company will service by attaching a table listing the following: Facility Name of Sludge Generator # Estimated Volume of Sludge to be Transported # Disposal Facility* * If sludge is to be land applied, include the current Agricultural Utilization Permit Number for that facility.
Sludge From Package Treatment Plants <i>Disposal Facilities:</i>
2. Provide transportation routes from all generating facilities to all applicable disposal facilities.
Sludge From Package Treatment Plants <i>Transportation Routes:</i>
3. Indicate any treatment the sludge has undergone before transportation (for example anaerobic digestion, aerobic digestion, lime stabilization, composting, or dewatering).
Sludge Treatment Description Upload:
4. Provide results of a laboratory analysis of a representative sample of the sludge which was obtained not more than 6 months before submission of the application unless these results would be submitted as a part of the land application program. The analysis shall include, as a minimum, percent solids, pH, and the dry weight concentration of total nitrogen, ammonium, nitrate, total phosphorous, total potassium, cadmium, copper, mercury, nickel, lead, zinc, arsenic, selenium, and molybdenum.
Sludge From Package Treatment Plants Laboratory Analysis Uploaded:

<b>Other Non-Hazardous Liquid Wastes</b>
1. Describe the source, nature and make-up of the non-hazardous liquid waste to be transported.
2. Will any of the wastes contain petroleum products (i.e. oil, gas, grease, etc.)? _____ Yes _____ No : no

\* Transportation of liquid wastes containing any petroleum products will require a permit from the Division of Waste & Hazardous Substances (302-739-9400).

### Operating Plan

Attach an Operation Plan detailing the following: a spill reporting and clean-up plan, plans for cleaning vehicles, recordkeeping procedures and days and hours of operation.

Operating Plan Upload: ***Operating Plan.docx***

### Disposal Facilities

Attach a list of all disposal facilities to be used. Include a copy of the permit/authorization letter from each disposal facility stating the company is currently authorized to discharge the requested waste stream (i.e. septage, holding tank waste, portable toilet waste, etc.) to the facility.

Disposal Facilities Upload: ***Streett Septic Services Discharge Letter 07.26.24.pdf***

### Proof of Bond (If applicable)

Proof of Bond - Part III B, Section 500 of the Guidance and Regulations Governing the Land Treatment of Wastes directs, as a requirement for keeping a permit issued under these Regulations, the permittee to file a bond or other security in the amount of Five Thousand Dollars (\$5,000) with the Department. The bond is to be payable to the Department and the obligation of the bond shall be conditioned upon the fulfillment of all requirements related to the permit. If this application is for permit renewal, please submit a copy of the current Transporters Bond certification.

Proof of Bond Upload: ***End Name Change.pdf , 25-26 Streett Justin Bond Renewal.pdf***

### 8. Certification

I certify that all information submitted as part of this application is true and correct to the best of my knowledge and belief.

Printed Name of Applicant:  
Justin Streett

Date Submitted via DNREC ePermitting:  
2025-09-10 18:32:02



# CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)  
09/25/2025

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

**IMPORTANT:** If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

<b>PRODUCER</b> Records - Gebhart Agency Inc. PO Box 1000  SMYRNA DE 19977		<b>CONTACT NAME:</b> Johanna Lynch <b>PHONE (A/C, No, Ext):</b> (302) 653-9211 <b>FAX (A/C No):</b> (302) 653-5803 <b>E-MAIL ADDRESS:</b> kyle.recordsgebhart@gmail.com	
<b>INSURED</b> Streett Septic Services LLC PO Box 142  Greenwood DE 19950		<b>INSURER(S) AFFORDING COVERAGE</b> <b>INSURER A:</b> SELECTIVE INSURANCE CO. OF THE SOUTHEAST <b>INSURER B:</b> <b>INSURER C:</b> <b>INSURER D:</b> <b>INSURER E:</b> <b>INSURER F:</b>	
		<b>NAIC #</b> 39926	


**COVERAGES** **CERTIFICATE NUMBER:** **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> <b>COMMERCIAL GENERAL LIABILITY</b> <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR  GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PROJECT <input type="checkbox"/> LOC OTHER:			S2142651	09/19/2025	09/19/2026	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 500,000 MED EXP (Any one person) \$ 15,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 3,000,000 PRODUCTS - COMP/OP A33 \$ 3,000,000 \$
	<input type="checkbox"/> <b>AUTOMOBILE LIABILITY</b> <input type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input checked="" type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS ONLY			S2142651	09/19/2025	09/19/2026	COMBINED SINGLE LIMIT (Ea accident) \$ 500,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
	<input type="checkbox"/> <b>UMBRELLA LIAB</b> <input type="checkbox"/> EXCESS LIAB DED RETENTION \$						EACH OCCURRENCE \$ AGGREGATE \$ \$
	<input type="checkbox"/> <b>WORKERS COMPENSATION AND EMPLOYERS' LIABILITY</b> ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y / N <input type="checkbox"/> N / A					PER STATUTE <input type="checkbox"/> OTHER <input type="checkbox"/> E.I. EACH ACCIDENT \$ E.I. DISEASE - EA EMPLOYEE \$ E.I. DISEASE - POLICY LIMIT \$

**DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES** (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)  
With respects to coverage for the 1985 Kenworth vin#1XKWD29X6FS326381.

<b>CERTIFICATE HOLDER</b> DNREC Department of Natural Resources & Environmental Control  Richardson & Robbins Building 89 Kings Hwy SW Dover DE 19901	<b>CANCELLATION</b> SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.  AUTHORIZED REPRESENTATIVE
---	--

<p style="text-align: center;"><b>State of Delaware</b>          Department of Natural Resources          and Environmental Control</p> <p style="text-align: center;">This certifies that  <b>Justin Streett</b>          has been issued a</p> <p style="text-align: center;"><b>On-Site Wastewater Liquid Waste Hauler (Class F) License</b>          License Number: <b>5496F</b>          Issued: 01/03/2025      Expires: 12/31/2025</p> <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 20px;"> <div style="border-top: 1px solid black; width: 150px; margin-bottom: 5px;"></div> <div style="text-align: center;">               Sarah Silves, Licensing Program Coordinator              DNREC Division of Water         </div> </div> <p style="font-size: small; margin-top: 5px;">Signature of Licensee</p>	<p style="font-size: small;">This license issued by the Secretary of the Department of Natural Resources and Environmental Control pursuant to the authorities set forth in 7 Del C Ch 60, Section 6023. Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems Delaware Administrative Code 7101.</p> <hr/> <p style="text-align: center; font-size: small;">For questions related to small systems in:</p> <table style="width: 100%; font-size: small;"> <tr> <td style="width: 33%; text-align: center;"> <u>New Castle County</u>              call 302-739-9947         </td> <td style="width: 33%; text-align: center;"> <u>Kent County</u>              call 302-739-9947         </td> <td style="width: 33%; text-align: center;"> <u>Sussex County</u>              call 302-856-4561         </td> </tr> </table> <hr/> <p style="font-size: small;">For questions related to large systems, call 302-739-9948.</p> <p style="text-align: center; font-size: small;">Division of Water Licensing Program          302-739-9116 · DOWLicensing@delaware.gov</p> <p style="text-align: center; font-weight: bold; font-size: small;">24 Hour Environmental Emergency Hotline:          800-662-8802</p>	<u>New Castle County</u> call 302-739-9947	<u>Kent County</u> call 302-739-9947	<u>Sussex County</u> call 302-856-4561
<u>New Castle County</u> call 302-739-9947	<u>Kent County</u> call 302-739-9947	<u>Sussex County</u> call 302-856-4561		



### License Card

Licensee, please cut your license card out and keep with you at all times when conducting business under this license.

### License Conditions

- 1) All activity shall be performed in accordance with The Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, amended January 11, 2014.
  
- 2) The activity authorized by the license shall only be performed under the name of the person on the face of the license.
  
- 3) The licensee is responsible for correct and complete information submitted to the Department (address, telephone number, employer, etc.).
  
- 4) The licensee is responsible for providing proof of ten (10) annual continuing education training hours relating to wastewater. Carryover credit hours from a previous year are not accepted.
  
- 5) For all new licensees, please refer to the chart below for continuing education training requirements for the current calendar year only.  
 If your license is issued in:
  - \* January - April (required to complete 10 hours)
  - \* May - July (required to complete 8 hours)\* August - October (required to complete 6 hours)
  - \* November - December (required to complete 0 hours)
  
- 6) Licenses issued are not transferable and expire on December 31st of each year.
  
- 7) All Class F licensees shall operate under a valid State of Delaware Non-Hazardous Liquid Waste Transporters Permit.
  
- 8) All Class F licensees shall be knowledgeable of the Non-Hazardous Liquid Transporters Permittee's Plan for the Prevention, Control and Clean-up of Accidental Discharges. A copy of the Plan is to be maintained on file with the Department.

9) All Class F licensees shall operate under a \$5,000 performance bond, or other form of security, is maintained on file with the Department for the duration of licensing.

10) All Class F licensees shall keep a copy of their Class F license identification card available for verification while performing any Class F license related work.

11) All Class F licensees shall enter into a "Sewage Holding Tank Maintenance Contract" with the property owner prior to pumping out holding tanks. A copy of the contract document must be submitted to the Department within 15 days of signing the contract.

12) All Class F licensees shall enter into a "Grease Trap Maintenance Contract" with the property owner prior to pumping out grease traps. A copy of the contract document must be submitted to the Department within 15 days of signing the contract. Class F licensees may not enter into a "Grease Trap Maintenance Contract" unless the Class F licensee has an approved facility to dispose of grease trap waste identified in the Non-Hazardous Liquid Waste Transporters Permit that he /she is operating under.

13) All Class F licensees shall not co-mingle septage and grease trap waste, unless specifically approved, in writing, by the facility(ies) that will be receiving the grease trap waste.

14) All Class F licensees shall conduct business in a manner that is compliant with the Safety, Tank Access and Tank Cleaning provisions of Section 7101 of the Delaware Administrative Code, as amended or revised.

15) All Class F licensees shall submit quarterly reports documenting the location, the 911 mailing address, and amount of septage removed in total gallons. This requirement becomes effective one (1) year after promulgation of these Regulations.

# Operation Plan

Streett Septic Services, LLC

P.O. Box 142

Greenwood, DE 19950

302-258-3164

Hours of Operation:

Monday - Friday

8:00 am - 5:00 pm

## **Emergency Contact Information**

*Emergency Contact(s) for Spills Less than 20 gallons :*

**Sussex County  
Clean Delaware  
(302) 684 - 4221**

**Kent County  
Weavers Sanitation  
(302) 653 - 8777**

*Emergency Contact(s) for Spills Greater Than 20 gallons and up to 3300 :*

**Sussex County  
DNREC  
(302) 856 - 4561**

**Kent County  
DNREC  
(302) 739 - 9948**

*Emergency Contact(s):*

**Fire/Paramedics/Police/Hazmat: 911**

**National Spill Response Center: 1-800-424-8801**

# Spill Reporting and Clean-Up:

The following general requirements are to be followed. They include:

- Spill Management:
  - Restricted access should be established for immediate protection of individuals and pets in the area.
    - Individuals attempting to contain the area should wear protective gear (i.e. rubber gloves, rubber boots, goggles/protective eyewear, rainsuit/bodysuit, facemask) as these individuals may come in contact with sewage.
    - For spills less than 20 gallons:
      - An attempt to vacuum the spills should be made, if it can be done so safely.
      - If unable to vacuum the spill or contain the area, emergency contact should be made to the emergency contacts listed above.
        - The spill should be covered with calcium hydroxide (hydrated lime).
    - For spills greater than 20 gallons and up to 3300 gallons
      - An attempt should be made to contain and secure the spill by placing calcium hydroxide (hydrated lime) over the spill.
      - Additional materials such as: plastic tarps, dirt, sandbags, DOT reflective triangles around the perimeter of the spill should be utilized to prevent the spill from spreading.
        - Limiting the spread of the sewage, only if it can be done so safely.
      - Contact should be made with emergency personnel by contacting the emergency contact information above. If contact can not be made with DNREC, the National Response Center should be contacted (contact information listed above).
      - If immediate assistance is needed on a major highway 911 should be contacted
        - When reporting to emergency responders prepare to provide the following information:
          - Your name and telephone number from where you are calling;
          - Exact address of the spill and direction of travel
          - Date, time, cause and type of incident
          - Current condition of the area
          - Extent of injuries, if any; and whether a continuing danger to life exists at the scene
    - An attempt to move the vehicle should never be made, doing so will cause contamination or damage to the vehicle.

- Repacking the sewage into leaking containers should not be made unless proper training by individual(s) has been completed.
- Dispatchers and/or supervisors should be made for further instructions

## Vehicle Cleaning Procedures

- **Daily Inspections:** Pre-trip and post-trip inspections are mandatory. Drivers must check:
  - Cargo/liquid waste vacuum tank(s) for cracks, corrosion, or leaks.
  - Hoses, fittings, and valves for wear or damage.
  - Safety equipment (spill kits, PPE, and 5-gallon rinse bucket).
- **Onboard Sanitation:**
  - A minimum of one 5-gallon water bucket must be carried on each truck to rinse vacuum hoses after use.
  - Rinsing must be done in a controlled manner to avoid untreated waste discharge onto soil.
- **Routine Cleaning:**
  - Trucks must be washed weekly at an approved wash facility to prevent buildup of sewage residue.
  - Tanks and hoses must be flushed with clean water at the end of each work week or sooner if buildup is observed.
- **After a Spill Incident:**
  - Any vehicle involved in a spill must undergo a full cleaning and inspection before being returned to service.
  - Cleaning logs must be signed by the driver and verified by a supervisor.

# Recordkeeping Procedures

- **Manual Records:**

- Each vehicle must carry a bound logbook for daily inspection and cleaning notes.
- Spill reports, maintenance logs, and cleaning checklists must be filled out immediately after completion.

- **Electronic Records:**

- All manual records will be scanned/uploaded weekly into the company's digital filing system.
- Records will be stored by date and vehicle number for easy reference.

- **Retention:**

- Spill reports, cleaning logs, and inspection records will be retained for a minimum of **3 years**.
- Records must be readily available for DNREC or other regulatory inspections.

# KENT COUNTY

555 Bay Rd Dover, DE 19901



# LEVY COURT

(302) 744-2300 www.kentcountyde.gov

## DEPARTMENT OF PUBLIC WORKS

Environmental Programs

(302) 335-6000

Fax (302) 335-0365

139 Milford Neck Rd., Milford, DE 19963

## DISCHARGE PERMIT FOR CLEANERS OF SEPTIC TANKS, CESSPOOLS, AND TEMPORARY TOILET FACILITIES

PERMIT NO. 67-00

Effective Date: July 1, 2025

Expiration Date: June 30, 2026

Issuing and Enforcement Authority: Kent County Levy Court  
Department of Public Works  
139 Milford Neck Rd.  
Milford, DE 19963

Business Name: Streett Septic Services  
Address: PO Box 142 Greenwood, DE 19950  
Phone/Fax: 302-258-3164  
Owner: Justin Streett  
Company Contact: \_\_\_\_\_

Truck No: 32 Tank Capacity: 3,300 gallons

Permit Fee = **\$190** per truck.

This is your company's permit to discharge sanitary wastes from residential/domestic septic tanks, cesspools and temporary toilet facilities, into the Kent County Sewer System at Pumping Station No. 1 (Smyrna) and Kent County Regional Resource Recovery Facility (Milford). The Public Works Director may, by written notice to the permit holders, reopen and modify this permit in any way and may change allowable discharge locations at any time.

Your signature on the Kent County Septage Hauler Permit Application verifies that you agree to the conditions set forth in this permit and all attachments, all relevant County Ordinances and the Code of Kent County. If a violation of any of the terms of the above occurs it may result in the suspension or revocation of this permit. It is further understood that subsequent amendments to the Code of Kent County are to be adhered to.

Approval: \_\_\_\_\_

Public Works Director or Authorized Designee

Date: 06/25/25

**Serving Kent County With Pride!**



## DEPARTMENT OF PUBLIC WORKS

Environmental Programs

(302) 335-6000

Fax (302) 335-0365

139 Milford Neck Rd., Milford, DE 19963

### Septic Tank Haulers Inspection Worksheet

Business Name: STREET SEPTIC SERVICES LLC  
County Permit: HAUL # 67-00  
State Hauler Permit #: WH405 WH-1012 09/24/25  
Vehicle Make/Model: KENWORTH 1985  
Vehicle Tag #: E34078  
Vehicle GVWR: 48,000

#### Inspection Per County Sanitary Code (Pass/Fail or other comments)

1. Permanent Display of Hauler Truck Number: YES, # 32 NO
2. Pressure Relief Valve Test (must be at 5 psi & gauge legible): ☒ PASS ☐ FAIL
3. Tank Capacity Permanently Displayed: YES, 3360 gallons NO
4. Other features or observable concerns (leaks or holes in hoses, etc.)  
\_\_\_\_\_  
\_\_\_\_\_

James Bush  
INSPECTOR SIGNATURE

06/18/2025  
DATE

**BOND TO ACCOMPANY AND FOR STATE OF DELAWARE**  
**NON-HAZARDOUS LIQUID TRANSPORTERS PERMIT NO. DE-WH-1012**

Delaware Non-Haz Liquid Transporters Permit Number:	
Bond Number:	7901200191
Effective Date:	July 31, 2025
Expiration Date:	July 30, 2026
Principal Name, Address, and Phone Number:	Justin L Street DBA Streett Septic Services, LLC 103 Mill St , Greenwood, DE 19950 302-258-3164
Obligee Name and Address:	Delaware Department of Natural Resources and Environmental Control Division of Water Resource Protection Section 89 Kings Highway, Dover DE 19901 (302) 739-9116
Surety Name, Address, Phone Number:	Nationwide Mutual Insurance Company 1100 Locust Street, Department 2006, Des Moines, IA 50391 866-387-0457
Agent Name, Agent Number, Address, Phone Number:	MICHAEL D FRANKOS AGENCY 375 W NORTH ST STE A, STE A, DOVER, DE 19904-6748 (302) 531-0831

Bond Number: 7901200191  
Effective Date: July 31, 2025  
Expiration Date: July 30, 2026

**BOND TO ACCOMPANY AND FOR STATE OF DELAWARE**  
**NON-HAZARDOUS LIQUID TRANSPORTERS PERMIT NO. DE-WH-1012**

KNOW ALL MEN BY THESE PRESENTS that:

Justin L Street DBA Streett Septic Services, LLC of  
103 Mill St Greenwood in the County of Sussex and State of  
DE as principal, and Nationwide Mutual Insurance Company  
of 1100 Locust Street, Department 2006 Des Moines in the County of Polk and State of  
IA as surety, legally authorized to do business in the State of Delaware, are  
held firmly bound unto the State of Delaware in the sum of Five Thousand Dollars (\$5,000), to be paid to the  
said State of Delaware for the use and benefit of the Department of Natural Resources and Environmental  
Control of said State, for which payment well and truly to be made, we do bind ourselves, our and each and  
every of our heirs, executors, administrators, successors, and assigns, jointly and severally for and in the whole  
firmly by these presents.

THE CONDITION OF THE ABOVE OBLIGATION IS SUCH that if the said above bounden principal,  
Justin L Street DBA Streett Septic Services, LLC, who has been issued by the  
Department of Natural Resources and Environmental Control of the State of Delaware a certain permit  
designated as Permit No. DE-WH-1012, and dated September 10th 2025, for the  
transportation of non-hazardous liquid waste, and is required to file with the Department of Natural Resources  
and Environmental Control a bond or other security, shall fulfill all the requirements of 7 Del. C. Chapter 60,  
the State of Delaware Regulations Governing the Design, Installation, and Operation of On-Site Wastewater  
Treatment and Disposal Systems (Section 5.3.32.4) and Permit No. DE-WH-1012, then this obligation shall  
be void or else to remain in full force and virtue.

Signed and sealed this 10th day of September, 2025.

SIGNED, SEALED AND DELIVERED IN  
the presence of:

CORPORATE SEAL

Witness: *[Signature]*

Justin L Street DBA Streett Septic Services, LLC  
NAME OF PERMITTEE

BY: *Justin L. Streett*

TITLE

CORPORATE SEAL

Attest:

Nationwide Mutual Insurance Company  
NAME OF SURETY

*Dorinda Laurel*

BY: *Shelby Ross*  
Shelby Ross  
Attorney-in-Fact



**NOTE:** If Attorney-In-Fact does not hold a current Delaware Agent's License (Resident or Non-Resident), this bond must be countersigned below:

NAME OF DELAWARE LICENSE AGENT  
(Resident or Non-Resident)

LICENSE NUMBER

BY: \_\_\_\_\_

ADDRESS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

KNOW ALL MEN BY THESE PRESENTS THAT:

Nationwide Mutual Insurance Company, an Ohio corporation

hereinafter referred to severally as the "Company" and collectively as "the Companies" does hereby make, constitute and appoint:

Shelby Ross

each in their individual capacity, its true and lawful attorney-in-fact, with full power and authority to sign, seal, and execute on its behalf any and all bonds and undertakings, and other obligatory instruments of similar nature, in penalties not exceeding the sum of

**Five Thousand and No/100 Dollars (\$5,000.00)**

and to bind the Company thereby, as fully and to the same extent as if such instruments were signed by the duly authorized officers of the Company; and all acts of said Attorney pursuant to the authority given are hereby ratified and confirmed.

This power of attorney is made and executed pursuant to and by authority of the following resolution duly adopted by the board of directors of the Company:

"RESOLVED, that the president, or any vice president be, and each hereby is, authorized and empowered to appoint attorneys-in-fact of the Company, and to authorize them to execute and deliver on behalf of the Company any and all bonds, forms, applications, memorandums, undertakings, recognizances, transfers, contracts of indemnity, policies, contracts guaranteeing the fidelity of persons holding positions of public or private trust, and other writings obligatory in nature that the business of the Company may require; and to modify or revoke, with or without cause, any such appointment or authority, provided, however, that the authority granted hereby shall in no way limit the authority of other duly authorized agents to sign and countersign any of said documents on behalf of the Company."

"RESOLVED FURTHER, that such attorneys-in-fact shall have full power and authority to execute and deliver any and all such documents and to bind the Company subject to the terms and limitations of the power of attorney issued to them, and to affix the seal of the Company thereto; provided, however, that said seal shall not be necessary for the validity of any such documents."

This power of attorney is signed and sealed under and by the following bylaws duly adopted by the board of directors of the Company.

Execution of Instruments. Any vice president, any assistant secretary or any assistant treasurer shall have the power and authority to sign or attest all approved documents, instruments, contracts, or other papers in connection with the operation of the business of the company in addition to the chairman of the board, the chief executive officer, president, treasurer or secretary; provided, however, the signature of any of them may be printed, engraved, or stamped on any approved document, contract, instrument, or other papers of the Company.

IN WITNESS WHEREOF, the Company has caused this instrument to be sealed and duly attested by the signature of its officer the 1st day of April, 2024.



Antonio C. Albanese, Vice President of Nationwide Mutual Insurance Company

#### ACKNOWLEDGMENT

STATE OF NEW YORK COUNTY OF KINGS: ss

On this 1st day of April, 2024, before me came the above-named officer for the Company aforesaid, to me personally known to be the officer described in and who executed the preceding instrument, and he acknowledged the execution of the same, and being by me duly sworn, deposes and says, that he is the officer of the Company aforesaid, that the seal affixed hereto is the corporate seal of said Company, and the said corporate seal and his signature were duly affixed and subscribed to said instrument by the authority and direction of said Company.



Sharon Liberman  
Notary Public, State of New York  
No. 91146427597  
Qualified in Kings County  
Commission Expires January 3, 2025

#### CERTIFICATE

I, Leslie F. Chinienti, Assistant Secretary of the Company, do hereby certify that the foregoing is a full, true and correct copy of the original power of attorney issued by the Company; that the resolution included therein is a true and correct transcript from the minutes of the meetings of the boards of directors and the same has not been revoked or amended in any manner; that said Antonio C. Albanese was on the date of the execution of the foregoing power of attorney the duly elected officer of the Company, and the corporate seal and his signature as officer were duly affixed and subscribed to the said instrument by the authority of said board of directors, and the foregoing power of attorney is still in full force and effect.

IN WITNESS WHEREOF, I have hereunto subscribed my name as Assistant Secretary, and affixed the corporate seal of said Company this 10th day of September, 2025.



Assistant Secretary