



NON-HAZARDOUS LIQUID WASTE TRANSPORTERS PERMIT APPLICATION

Groundwater Discharges Section, Division of Water
DE Department of Natural Resources and Environmental
Control
89 Kings Highway, Dover DE 19901
(302) 739-9948

1. Permit Number (For renewals only):	DE-WH-369
---------------------------------------	-----------

2. Company Information

Company Name: Scott West Construction Inc.	Telephone: 302-238-7242
	Fax:

Address (street, city, state and zip code): 35689 Kings Crossing Road, Millsboro, Delaware, 19966

Company Email Address & Contact Name: westseptic@gmail.com, Scott West

3. Owner/President Business Information

Name: Scott West	Business Telephone: 3022387242
------------------	--------------------------------

Business Address if different from above (street, city, state and zip code):

4. Vehicle(s) Information (Attach additional sheets if necessary to identify each vehicle used for transport.)

#	Make	Model	Year	Vehicle Type (Tank, Trailer, Etc.)	License Plate Number	State of Registration	Capacity (gal)
1	Peterbuilt	Peterbuilt	2008	tank	C101846	Delaware	2,800

* Please submit a Certificate of Insurance for each vehicle listed demonstrating commercial automobile liability insurance with a combined single limit of at least \$100,000.

*Certificate of insurance uploaded: **Current COI 26.pdf***

5. Please Check Type(s) of Waste Being Transported and Provide the Information Requested in the Indicated Sections for Each Waste Type Checked

		Waste Type	Quantity Collected
	✓		
i.	✓	Septage	290,000 gal/yr
ii.	✓	Holding Tank Waste	35,000 gal/yr
iii.		Grease Trap Waste and/or Cooking Oil Waste	gal/yr
iv.		Portable Toilet Waste	gal/yr
v.		Municipal or Industrial Biosolids	# wet tons/yr
vi.		Sludge From Package Treatment Plants	# wet tons/yr
vii.		Other Non-Hazardous Liquid Waste	gal/yr

Documents required for all new permit applications *and* renewals:

- Attach an Operation Plan detailing the following:
 - a spill reporting and clean-up plan,
 - plans for cleaning vehicles,
 - recordkeeping procedures and
 - days and hours of operation.
- Attach a list of all disposal facilities to be used. Include a copy of the permit/authorization letter from each disposal facility stating the company is currently authorized to discharge the requested waste stream (i.e. septage, holding tank waste, portable toilet waste, etc.) to the facility. Authorization documentation is required for both new and renewal applications.

7 DelC §6023(d): No person shall haul, convey or transport any liquid waste in any container without a license issued by the Department.

Septage
<p>1. Attach a list of all Class F Licensees currently working for the company.</p> <p>If there are no Class F licensees currently working for the company, please note according to Section 4.1.6 of the State of Delaware Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, all individuals who will be responsible for removal, transportation or disposal of the solid and liquid contents of septic tanks, cesspools, grease traps, seepage pits, holding tanks, portable toilets or other wastewater treatment or disposal facilities must obtain a Class F license before pumping. In order for an individual to obtain a Class F license.</p>
<p>Class F Licenses uploaded: <i>Class F License 2026.pdf</i></p>

Holding Tanks
<p>1. Attach a list of all Class F Licensees currently working for the company.</p> <p>If there are no Class F licensees currently working for the company, please note according to Section 4.1.6 of the State of Delaware Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, all individuals who will be responsible for removal, transportation or disposal of the solid and liquid contents of septic tanks, cesspools, grease traps, seepage pits, holding tanks, portable toilets or other wastewater treatment or disposal facilities must obtain a Class F license before pumping. In order for an individual to obtain a Class F license</p>
<p>Class F Licenses uploaded: <i>Class F License 2026.pdf</i></p>

Grease Trap Waste and/or Cooking Oil Waste

1. Attach a list of all disposal facilities to be used.
2. Attach a list of all Class F Licensees currently working for the company. If there are no Class F Licensees currently working for the company, please note according to Section 4.1.6 of the State of Delaware Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, all individuals who will be responsible for removal, transportation or disposal of the solid and liquid contents of septic tanks, cesspools, grease traps, seepage pits, holding tanks, portable toilets or other wastewater treatment or disposal facilities must obtain a Class F license before pumping. For a Class F License application, please contact the Licensing Coordinator at 302-739-9948.
Grease Trap Waste Disposal Facilities to be used: Class F Licenses Uploaded:

Portable Toilets
1. Attach a list of all Class F Licensees currently working for the company. If there are no Class F Licensees currently working for the company, please note according to Section 4.1.6 of the State of Delaware Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, all individuals who will be responsible for removal, transportation or disposal of the solid and liquid contents of septic tanks, cesspools, grease traps, seepage pits, holding tanks, portable toilets or other wastewater treatment or disposal facilities must obtain a Class F license before pumping.
Class F Licenses uploaded:
3. Quantity of portable toilets you own:

Municipal and Industrial Biosolids
1. Identify all Facilities the company will service by attaching a table listing the following: Facility Name of Sludge Generator # Estimated Volume of Sludge to be Transported # Disposal Facility* * If sludge is to be land applied, include the current Agricultural Utilization Permit Number for that facility.
Municipal and Industrial Biosolids <i>Disposal Facilities:</i>
2. Provide transportation routes from all generating facilities to all applicable disposal facilities.
Municipal and Industrial Biosolids <i>Transportation Routes:</i>
3. Indicate any treatment the sludge has undergone before transportation (for example anaerobic digestion, aerobic digestion, lime stabilization, composting, or dewatering).
Sludge Treatment Description Upload:

4. Provide results of a laboratory analysis of a representative sample of the sludge which was obtained not more than 6 months before submission of the application unless these results would be submitted as a part of the land application program. The analysis shall include, as a minimum, percent solids, pH, and the dry weight concentration of total nitrogen, ammonium, nitrate, total phosphorous, total potassium, cadmium, copper, mercury, nickel, lead, zinc, arsenic, selenium, and molybdenum.

Sludge From Package Treatment Plants Laboratory Analysis Uploaded:

Sludge From Package Treatment Plants

1. Identify all Facilities the company will service by attaching a table listing the following:
Facility Name of Sludge Generator # Estimated Volume of Sludge to be Transported # Disposal Facility*
* If sludge is to be land applied, include the current Agricultural Utilization Permit Number for that facility.

Sludge From Package Treatment Plants *Disposal Facilities*:

2. Provide transportation routes from all generating facilities to all applicable disposal facilities.

Sludge From Package Treatment Plants *Transportation Routes*:

3. Indicate any treatment the sludge has undergone before transportation (for example anaerobic digestion, aerobic digestion, lime stabilization, composting, or dewatering).

Sludge Treatment Description Upload:

4. Provide results of a laboratory analysis of a representative sample of the sludge which was obtained not more than 6 months before submission of the application unless these results would be submitted as a part of the land application program. The analysis shall include, as a minimum, percent solids, pH, and the dry weight concentration of total nitrogen, ammonium, nitrate, total phosphorous, total potassium, cadmium, copper, mercury, nickel, lead, zinc, arsenic, selenium, and molybdenum.

Sludge From Package Treatment Plants Laboratory Analysis Uploaded:

Other Non-Hazardous Liquid Wastes

1. Describe the source, nature and make-up of the non-hazardous liquid waste to be transported.

2. Will any of the wastes contain petroleum products (i.e. oil, gas, grease, etc.)?

_____ **Yes** _____ **No** :

* Transportation of liquid wastes containing any petroleum products will require a permit from the Division of Waste & Hazardous Substances (302-739-9400).

Operating Plan
Attach an Operation Plan detailing the following: a spill reporting and clean-up plan, plans for cleaning vehicles, recordkeeping procedures and days and hours of operation.
Operating Plan Upload: <i>Operation Plan.pdf</i>

Disposal Facilities
Attach a list of all disposal facilities to be used. Include a copy of the permit/authorization letter from each disposal facility stating the company is currently authorized to discharge the requested waste stream (i.e. septage, holding tank waste, portable toilet waste, etc.) to the facility.
Disposal Facilities Upload: <i>Inland Bays Letter 26.pdf , Town Of Laurel letter 26.pdf</i>

Proof of Bond (If applicable)
Proof of Bond - Part III B, Section 500 of the Guidance and Regulations Governing the Land Treatment of Wastes directs, as a requirement for keeping a permit issued under these Regulations, the permittee to file a bond or other security in the amount of Five Thousand Dollars (\$5,000) with the Department. The bond is to be payable to the Department and the obligation of the bond shall be conditioned upon the fulfillment of all requirements related to the permit. If this application is for permit renewal, please submit a copy of the current Transporters Bond certification.
Proof of Bond Upload: <i>Bond 26.pdf</i>

8. Certification	
I certify that all information submitted as part of this application is true and correct to the best of my knowledge and belief.	
Printed Name of Applicant: Scott West	Date Submitted via DNREC ePermitting: 2026-05-07 11:50:32

State of Delaware
Department of Natural Resources and Environmental Control
Division of Water
89 Kings Highway, Dover, Delaware, 19901

This certifies that
Scott J West
has been issued a

On-Site Wastewater Liquid Waste Hauler (Class F) License

License Number: 2423F

Valid from January 01, 2026 through December 31, 2026

In the State of Delaware pursuant to the authorities set forth in 7 Del C Ch 60, Section 6023, Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems Delaware Administrative Code 7101, Section 1.0.



Sarah Silves, Licensing Program Coordinator
DNREC Division of Water

This license may be revoked or suspended if the license holder violates any of the lawful rules or regulations of the board, any condition of this license, or the provisions of the act under which the license is issued.

Operation Plan for Scott L. West Construction

Contain the Spill

Contain the sewage spill to prevent it from spreading and contaminating a larger area. Most importantly, stop the spill from entering storm drains and nearby natural water sources. Turn off the main water supply, if possible, to prevent more water from entering the sewer. Clear out debris that is causing the sewage spill, if the cause is evident. Place sandbags, dirt or plastic tarps around the perimeter of the spill to stop the sewage from spreading.

Protect Yourself

Protect yourself and others from coming in contact with the sewage. Keep pets and children away. Wear protective clothing before dealing with the sewage spill to protect yourself against harmful bacteria, viruses and parasites.

The ideal way to protect yourself from contamination is to wear rubber gloves, rubber boots, a waterproof bodysuit, goggles and a mask. Chances are you do not have all these protective items on hand, so do your best with what you have to cover yourself. Things like sunglasses, jeans, a long sleeved jacket or a rain jacket, gardening gloves and waterproof hiking boots offer some protection. Cut head and armholes in a large plastic trash bag and wear the bag over your clothing for a little extra protection.

Discard all protective wear items after you finish cleaning the sewage spill and take a shower.

Clean the Spill

Clean small sewage spills--less than 10 gallons--using either garden lime or a wet/dry shop vac. Call an environmental waste cleanup company, or your city health department to clean up large sewage spills.

Liberalily sprinkle garden lime over the spill to absorb the sewage. Allow the lime to dry overnight. Once the lime is dry, scoop it up using a rake or shovel, and throw the sewage-contaminated lime in a trash bag. Throw the trash bag and shovel or rake in a trash receptacle. Wash the remnants of dried lime away from the ground by using a garden hose.

If you do not have garden lime, use a wet/dry shop vac to suck up a small sewage spill. Throw the shop vac and sewage contents contained within, in a trash receptacle.

Disinfect

Disinfect concrete and other man-made areas with bleach. We recommend using 3/4 cup Clorox bleach to one gallon of water. Scrub man-made surfaces with the bleach mixture and a brush broom or mop, being careful to not allow the bleach to enter storm drains or contaminate natural bodies of water.

Do not use bleach on grass, dirt or other natural surfaces. Instead, call an environmental waste clean-up company, septic tank company or your city health department and have them come out and disinfect the area.

Report

Hire a professional plumber to repair the problem that caused the sewage spill. Report the sewage spill to an environmental waste clean-up company or your city health department to have the area evaluated for severity of environmental contamination and further cleaned if necessary.

Scott L. West Construction hours of operations are Monday thru Friday 8-5pm.

Plans for Cleaning Vehicle

We clean and maintain vehicle in an approved spot once a week or as needed.

Record Keeping Procedures

We maintain all Sussex County Dump tickets and information from Homeowners for 7 years.

FINANCE DEPARTMENT

BILLING (302) 855-7871
COLLECTIONS (302) 855-7831
TREASURY (302) 855-7871
UTILITY PERMITS (302) 855-7719



Sussex County

DELAWARE
sussexcountyde.gov

KATRINA M. MEARS
MANAGER OF BUSINESS SERVICES

May 6, 2026

Scott West Construction Inc.
35689 Kings Crossing Road
Millsboro, DE 19966

Upon receipt of your State of Delaware Department of Natural Resources and Environmental Control (DNREC) Waste Hauler Permit, approving the use of the Inland Bays Regional Wastewater Facility, you will be allowed to discharge at the aforementioned facility, through the period ending June 30, 2027.

If you have questions, please do not hesitate to contact me at (302) 855-7701.

Sincerely,

SUSSEX COUNTY ENGINEERING DEPARTMENT

Blair Lutz
Account Specialist III

bll





Town of
LAUREL
DELAWARE

January 7, 2026

Scott L West Construction, Inc.
35689 Kings Crossing Road
Millsboro, Delaware 19966

REFERENCE: Sewage Dumping Permit for 2026

To Whom It May Concern:

Please be advised your company, Scott L West Construction, Inc. has a permit with the Town of Laurel, Delaware for calendar years 2026 to dump residential sewage at the town's wastewater septic receiving facility.

Should you have any questions, or need any further information, please feel free to contact me.

Sincerely,

THE TOWN OF LAUREL

Jamie T. Smith
Town Manager

BOND TO ACCOMPANY AND FOR STATE OF DELAWARE
NON-HAZARDOUS LIQUID TRANSPORTERS PERMIT NO. WH-369

Delaware Non-Haz Liquid Transporters Permit Number:	WH-369
Bond Number:	BX0085198
Effective Date:	05/19/2026
Expiration Date:	05/19/2027
Principal Name, Address, and Phone Number:	SCOTT L. WEST CONSTRUCTION, INC. 35689 KINGS CROSSING ROAD, Sussex , DE 19966 (302) 238-7242
Obligee Name and Address:	Delaware Department of Natural Resources and Environmental Control Division of Water Resource Protection Section 89 Kings Highway, Dover DE 19901 (302) 739-9116
Surety Name, Address, Phone Number:	Jet Insurance Company 6701 Carmel Rd, Suite 250, Charlotte, NC 28226 (855) 516-2815
Agent Name, Agent Number, Address, Phone Number:	Bond Exchange 6701 Carmel Road, Suite 250, Charlotte, NC 28226 (855) 516-2815

Bond Number: BX0085198
Effective Date: 05/19/2026
Expiration Date: 05/19/2027

BOND TO ACCOMPANY AND FOR STATE OF DELAWARE
NON-HAZARDOUS LIQUID TRANSPORTERS PERMIT NO. WH-369

KNOW ALL MEN BY THESE PRESENTS that:

SCOTT L. WEST CONSTRUCTION, INC. of
35689 KINGS CROSSING ROAD in the County of Sussex and State of
Delaware as principal, and Jet Insurance Company
of 6701 Carmel Rd, Suite 250 in the County of Mecklenburg and State of
North Carolina as surety, legally authorized to do business in the State of Delaware, are
held firmly bound unto the State of Delaware in the sum of Five Thousand Dollars (\$5,000), to be paid to the
said State of Delaware for the use and benefit of the Department of Natural Resources and Environmental
Control of said State, for which payment well and truly to be made, we do bind ourselves, our and each and
every of our heirs, executors, administrators, successors, and assigns, jointly and severally for and in the whole
firmly by these presents.

THE CONDITION OF THE ABOVE OBLIGATION IS SUCH that if the said above bounden principal,
SCOTT L. WEST CONSTRUCTION, INC., who has been issued by the
Department of Natural Resources and Environmental Control of the State of Delaware a certain permit
designated as Permit No. WH-369, and dated June 20th 2003, for the
transportation of non-hazardous liquid waste, and is required to file with the Department of Natural Resources
and Environmental Control a bond or other security, shall fulfill all the requirements of 7 Del. C. Chapter 60,
the State of Delaware Regulations Governing the Design, Installation, and Operation of On-Site Wastewater
Treatment and Disposal Systems (Section 5.3.32.4) and Permit No. WH-369, then this obligation shall
be void or else to remain in full force and virtue.

Signed and sealed this 19th day of May, 2026.

SIGNED, SEALED AND DELIVERED IN
the presence of:

CORPORATE SEAL

Witness: [Signature]

SCOTT L. WEST CONSTRUCTION, INC.
NAME OF PERMITTEE

BY: [Signature]

TITLE

CORPORATE SEAL



Attest:

Jet Insurance Company
NAME OF SURETY

[Signature]
Nick Brady, Director of Underwriting

BY: [Signature]
David Gonsalves, Attorney In Fact

NOTE: If Attorney-In-Fact does not hold a current Delaware Agent's License (Resident or Non-Resident), this bond must be countersigned below:

NOT REQUIRED
NAME OF DELAWARE LICENSE AGENT
(Resident or Non-Resident)

LICENSE NUMBER

BY: _____

ADDRESS: _____

JET INSURANCE COMPANY
POWER OF ATTORNEY

NOW ALL BY THESE PRESENTS: That **JET INSURANCE COMPANY**, a corporation organized and existing under the laws of the State of North Carolina, having its principal office in Charlotte, North Carolina does hereby constitute and appoint

Name	Limit of Liability per Bond
David Gonsalves	\$5,000.00

its true and lawful Attorney(s)-in-fact to execute, seal and deliver for and on its behalf as surety, any and all bonds, undertakings, contracts of indemnity, recognizances and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise, provided that the liability of such shall not exceed the limit stated above.

The execution of such instrument(s) in pursuance of these presents, shall be as binding upon **JET INSURANCE COMPANY** as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at the principal office.

The Power of Attorney is executed and may be certified so, and may be revoked, pursuant to and by authority of the following resolutions adopted by the Board of Directors of **JET INSURANCE COMPANY** by unanimous written consent dated August 03, 2018, of which the following is a true excerpt:

RESOLVED that the President, or any Vice President, acting with any Secretary or Assistant Secretary, shall have power and authority to appoint Attorney(s)-in-fact, and to authorize them to execute on behalf of the Company, attach the Seal of the Company thereto and deliver, bonds, undertakings, contracts of indemnity, recognizances and other writings obligatory in the nature thereof; to prescribe their respective duties and the respective limits of their authority; and to revoke, at any time, any such Attorney-in-fact and revoke the authority given.

Further, this Power of Attorney is signed and sealed by facsimile pursuant to resolution of the Board of Directors of the Company adopted by unanimous written consent dated August 3, 2018, of which the following is a true excerpt:

RESOLVED that the signature of any authorized officer and the Seal of the Company may be affixed by facsimile to any Power of Attorney or certification thereof authorizing the execution on behalf of the Company and delivery of any bond, undertaking, contract of indemnity, recognizance and other writings obligatory in the nature thereof, and such signature and seal when so used shall have the same force and effect as though manually affixed.

IN WITNESS WHEREOF, **JET INSURANCE COMPANY** has caused this instrument to be signed and its corporate seal to be affixed by its authorized officer, this 17th day of May, 2023.



JET INSURANCE COMPANY

Spencer Siino

Richard Popp

STATE OF NORTH CAROLINA
County of Mecklenburg

Spencer Siino, President


Richard Popp, Secretary

On this 17th day of May, 2023 before me came the individuals who executed the preceding instrument, to me personally known, and being by me duly sworn, said that each is the herein described and authorized officer of Jet Insurance Company; that the seal affixed to said instrument is the Corporate Seal of said Company; that the Corporate Seal and each signature were duly affixed by order of the Board of Directors of said Company.

Sara C. Holt

IN WITNESS WHEREOF, I have hereunto set my hand at Jet Insurance Company offices the day and year above written.

Sara C. Holt
Notary Public, State of North Carolina
County of Mecklenburg
My Commission Expires 09/11/2027



I, Richard Popp, Secretary of **JET INSURANCE COMPANY**, do hereby certify that the above and foregoing is a true and correct copy of a Power of Attorney executed by **JET INSURANCE COMPANY**, which is still in full force and effect.



IN WITNESS WHEREOF, I have thereunto set my hand and attached the seal of said Company this 19th day of May, 2026.

Richard Popp

Richard Popp, Secretary