



# NON-HAZARDOUS LIQUID WASTE TRANSPORTERS PERMIT APPLICATION

Groundwater Discharges Section, Division of Water  
DE Department of Natural Resources and Environmental  
Control

89 Kings Highway, Dover DE 19901  
(302) 739-9948

1. Permit Number (For renewals only):

DE-WH-1000

## 2. Company Information

Company Name: Complete Site Solutions LLC

Telephone: 856-887-6782

Fax:

Address (street, city, state and zip code): 101 Robins Run E., Swedesboro, New Jersey, 08085

Company Email Address & Contact Name: Jason@completessnj.com, Jason Cressman

## 3. Owner/President Business Information

Name: Jason Cressman

Business Telephone: 8568876782

Business Address if different from above (street, city, state and zip code):

## 4. Vehicle(s) Information (Attach additional sheets if necessary to identify each vehicle used for transport.)

|   | Make         | Model | Year | Vehicle Type<br>(Tank,<br>Trailer, Etc.) | License<br>Plate<br>Number | State of<br>Registration | Capacity<br>(gal) |
|---|--------------|-------|------|------------------------------------------|----------------------------|--------------------------|-------------------|
| 1 | Peterbilt    | 330   | 2010 | Truck with<br>tank                       | XJFB72                     | New Jersey               | 750               |
| 2 | Freightliner | M2    | 2025 | Truck with<br>tank                       | XRKZ98                     | New Jersey               | 1200              |
| 3 | Freightliner | M2    | 2024 | Truck With<br>Tank                       | XPKL92                     | New Jersey               | 1200              |
| 4 | Ford         | F600  | 2025 | truck with<br>tank                       | XRLC52                     | New Jersey               | 850               |

\* Please submit a Certificate of Insurance for each vehicle listed demonstrating commercial automobile liability insurance with a combined single limit of at least \$100,000.

*Certificate of insurance uploaded: **DNREC COI.pdf**, **DNREC COI.pdf**, **Waste Water Transporter Bond .pdf***

## 5. Please Check Type(s) of Waste Being Transported and Provide the Information Requested in the Indicated Sections for Each Waste Type Checked

|      | <input checked="" type="checkbox"/> | Waste Type                                 | Quantity Collected |
|------|-------------------------------------|--------------------------------------------|--------------------|
| i.   | <input type="checkbox"/>            | Septage                                    | gal/yr             |
| ii.  | <input type="checkbox"/>            | Holding Tank Waste                         | gal/yr             |
| iii. | <input type="checkbox"/>            | Grease Trap Waste and/or Cooking Oil Waste | gal/yr             |
| iv.  | <input checked="" type="checkbox"/> | Portable Toilet Waste                      | 10,000 gal/yr      |

|      |  |                                      |               |
|------|--|--------------------------------------|---------------|
| v.   |  | Municipal or Industrial Biosolids    | # wet tons/yr |
| vi.  |  | Sludge From Package Treatment Plants | # wet tons/yr |
| vii. |  | Other Non-Hazardous Liquid Waste     | gal/yr        |

### Documents required for all new permit applications *and* renewals:

- Attach an Operation Plan detailing the following:
  - a spill reporting and clean-up plan,
  - plans for cleaning vehicles,
  - recordkeeping procedures and
  - days and hours of operation.
- Attach a list of all disposal facilities to be used. Include a copy of the permit/authorization letter from each disposal facility stating the company is currently authorized to discharge the requested waste stream (i.e. septage, holding tank waste, portable toilet waste, etc.) to the facility. Authorization documentation is required for both new and renewal applications.

### **7 DelC §6023(d): No person shall haul, convey or transport any liquid waste in any container without a license issued by the Department.**

| Septage                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>1. Attach a list of all Class F Licensees currently working for the company.</p> <p>If there are no Class F licensees currently working for the company, please note according to Section 4.1.6 of the State of Delaware Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, all individuals who will be responsible for removal, transportation or disposal of the solid and liquid contents of septic tanks, cesspools, grease traps, seepage pits, holding tanks, portable toilets or other wastewater treatment or disposal facilities must obtain a Class F license before pumping. In order for an individual to obtain a Class F license.</p> |
| <p>Class F Licenses uploaded:</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

| Holding Tanks                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>1. Attach a list of all Class F Licensees currently working for the company.</p> <p>If there are no Class F licensees currently working for the company, please note according to Section 4.1.6 of the State of Delaware Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, all individuals who will be responsible for removal, transportation or disposal of the solid and liquid contents of septic tanks, cesspools, grease traps, seepage pits, holding tanks, portable toilets or other wastewater treatment or disposal facilities must obtain a Class F license before pumping. In order for an individual to obtain a Class F license</p> |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

Class F Licenses uploaded:

### Grease Trap Waste and/or Cooking Oil Waste

1. Attach a list of all disposal facilities to be used.
2. Attach a list of all Class F Licensees currently working for the company.  
If there are no Class F Licensees currently working for the company, please note according to Section 4.1.6 of the State of Delaware Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, all individuals who will be responsible for removal, transportation or disposal of the solid and liquid contents of septic tanks, cesspools, grease traps, seepage pits, holding tanks, portable toilets or other wastewater treatment or disposal facilities must obtain a Class F license before pumping. For a Class F License application, please contact the Licensing Coordinator at 302-739-9948.

Grease Trap Waste Disposal Facilities to be used:  
Class F Licenses Uploaded:

### Portable Toilets

1. Attach a list of all Class F Licensees currently working for the company.  
If there are no Class F Licensees currently working for the company, please note according to Section 4.1.6 of the State of Delaware Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, all individuals who will be responsible for removal, transportation or disposal of the solid and liquid contents of septic tanks, cesspools, grease traps, seepage pits, holding tanks, portable toilets or other wastewater treatment or disposal facilities must obtain a Class F license before pumping.

Class F Licenses uploaded: **Jason 2026 License.pdf**

3. Quantity of portable toilets you own: **500**

### Municipal and Industrial Biosolids

1. Identify all Facilities the company will service by attaching a table listing the following:  
Facility Name of Sludge Generator # Estimated Volume of Sludge to be Transported # Disposal Facility\*  
\* If sludge is to be land applied, include the current Agricultural Utilization Permit Number for that facility.

Municipal and Industrial Biosolids *Disposal Facilities:*

2. Provide transportation routes from all generating facilities to all applicable disposal facilities.

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Municipal and Industrial Biosolids <i>Transportation Routes</i> :                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 3. Indicate any treatment the sludge has undergone before transportation (for example anaerobic digestion, aerobic digestion, lime stabilization, composting, or dewatering).                                                                                                                                                                                                                                                                                                                                    |
| Sludge Treatment Description Upload:                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 4. Provide results of a laboratory analysis of a representative sample of the sludge which was obtained not more than 6 months before submission of the application unless these results would be submitted as a part of the land application program. The analysis shall include, as a minimum, percent solids, pH, and the dry weight concentration of total nitrogen, ammonium, nitrate, total phosphorous, total potassium, cadmium, copper, mercury, nickel, lead, zinc, arsenic, selenium, and molybdenum. |
| Sludge From Package Treatment Plants Laboratory Analysis Uploaded:                                                                                                                                                                                                                                                                                                                                                                                                                                               |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sludge From Package Treatment Plants</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 1. Identify all Facilities the company will service by attaching a table listing the following:<br>Facility Name of Sludge Generator # Estimated Volume of Sludge to be Transported # Disposal Facility*<br>* If sludge is to be land applied, include the current Agricultural Utilization Permit Number for that facility.                                                                                                                                                                                     |
| Sludge From Package Treatment Plants <i>Disposal Facilities</i> :                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 2. Provide transportation routes from all generating facilities to all applicable disposal facilities.                                                                                                                                                                                                                                                                                                                                                                                                           |
| Sludge From Package Treatment Plants <i>Transportation Routes</i> :                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 3. Indicate any treatment the sludge has undergone before transportation (for example anaerobic digestion, aerobic digestion, lime stabilization, composting, or dewatering).                                                                                                                                                                                                                                                                                                                                    |
| Sludge Treatment Description Upload:                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 4. Provide results of a laboratory analysis of a representative sample of the sludge which was obtained not more than 6 months before submission of the application unless these results would be submitted as a part of the land application program. The analysis shall include, as a minimum, percent solids, pH, and the dry weight concentration of total nitrogen, ammonium, nitrate, total phosphorous, total potassium, cadmium, copper, mercury, nickel, lead, zinc, arsenic, selenium, and molybdenum. |
| Sludge From Package Treatment Plants Laboratory Analysis Uploaded:                                                                                                                                                                                                                                                                                                                                                                                                                                               |

|                                                                                                 |
|-------------------------------------------------------------------------------------------------|
| <b>Other Non-Hazardous Liquid Wastes</b>                                                        |
| 1. Describe the source, nature and make-up of the non-hazardous liquid waste to be transported. |
|                                                                                                 |

|                                                                                                                                                                                                                                                                                                                      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>2. Will any of the wastes contain petroleum products (i.e. oil, gas, grease, etc.)?<br/>         _____ <b>Yes</b> _____ <b>No</b> : no</p> <p>* Transportation of liquid wastes containing any petroleum products will require a permit from the Division of Waste &amp; Hazardous Substances (302-739-9400).</p> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Operating Plan</b>                                                                                                                                                                |
| <p>Attach an Operation Plan detailing the following: a spill reporting and clean-up plan, plans for cleaning vehicles, recordkeeping procedures and days and hours of operation.</p> |
| <p>Operating Plan Upload: <b><i>Operating Plan DNREC.docx</i></b></p>                                                                                                                |

|                                                                                                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Disposal Facilities</b>                                                                                                                                                                                                                                                                                     |
| <p>Attach a list of all disposal facilities to be used. Include a copy of the permit/authorization letter from each disposal facility stating the company is currently authorized to discharge the requested waste stream (i.e. septage, holding tank waste, portable toilet waste, etc.) to the facility.</p> |
| <p>Disposal Facilities Upload: <b><i>Delcora Approval Letter.pdf</i></b></p>                                                                                                                                                                                                                                   |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Proof of Bond (If applicable)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <p>Proof of Bond - Part III B, Section 500 of the Guidance and Regulations Governing the Land Treatment of Wastes directs, as a requirement for keeping a permit issued under these Regulations, the permittee to file a bond or other security in the amount of Five Thousand Dollars (\$5,000) with the Department. The bond is to be payable to the Department and the obligation of the bond shall be conditioned upon the fulfillment of all requirements related to the permit. If this application is for permit renewal, please submit a copy of the current Transporters Bond certification.</p> |
| <p>Proof of Bond Upload:</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

|                                                                                                                                         |                                                                      |
|-----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|
| <b>8. Certification</b>                                                                                                                 |                                                                      |
| <p>I certify that all information submitted as part of this application is true and correct to the best of my knowledge and belief.</p> |                                                                      |
| <p>Printed Name of Applicant:<br/>Jason Cressman</p>                                                                                    | <p>Date Submitted via DNREC ePermitting:<br/>2026-07-15 08:05:34</p> |

## CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

06/08/2026

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

**IMPORTANT:** If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

|                                                                                                 |  |                                                                                                                                                                                    |  |
|-------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>PRODUCER</b><br>Dempsey, Weiss & Associates<br>418 Route 77<br><br>Elmer NJ 08318            |  | <b>CONTACT</b><br>NAME: Mercedez Giddins<br>PHONE (A/C, No, Ext): 856-358-3900<br>E-MAIL ADDRESS: mercedez.giddins@american-national.com<br>FAX (A/C, No): 856-358-3939            |  |
| <b>INSURED</b><br>Complete Site Solutions LLC<br>101 Robins Run East<br><br>Swedesboro NJ 08085 |  | <b>INSURER(S) AFFORDING COVERAGE</b><br>INSURER A: United Farm Family Ins. Co.<br>INSURER B: Farm Family Casualty Ins. Co.<br>INSURER C:<br>INSURER D:<br>INSURER E:<br>INSURER F: |  |
|                                                                                                 |  | <b>NAIC #</b><br>29963<br>19801                                                                                                                                                    |  |

## COVERAGES

## CERTIFICATE NUMBER:

## REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. \*LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS. LIMITS SHOWN ARE INCLUSIVE OF AMOUNTS REQUESTED BY THE CERTIFICATE HOLDER AND MAY NOT REFLECT POLICY LIMIT AMOUNTS IN EXCESS OF THOSE REQUESTED. \*Not Applicable in WY

| INSR LTR | TYPE OF INSURANCE                                                                                                                                                                                                                                                                                                                                                                                     | ADDL INSD                                    | SUBR WVD | POLICY NUMBER | POLICY EFF (MM/DD/YYYY) | POLICY EXP (MM/DD/YYYY) | LIMITS                                                                                                                                                                                                                                   |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|----------|---------------|-------------------------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A        | <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY<br><input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR<br>GEN'L AGGREGATE LIMIT APPLIES PER:<br><input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC<br>OTHER:                                                                                       |                                              |          | 2901X8737     | 01/18/2026              | 01/18/2027              | EACH OCCURRENCE \$ 1,000,000<br>DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 300,000<br>MED EXP (Any one person) \$ 5,000<br>PERSONAL & ADV INJURY \$ 1,000,000<br>GENERAL AGGREGATE \$ 2,000,000<br>PRODUCTS - COMP/OP AGG \$ 2,000,000 |
| A        | <input type="checkbox"/> AUTOMOBILE LIABILITY<br><input type="checkbox"/> ANY AUTO<br><input type="checkbox"/> OWNED AUTOS ONLY <input checked="" type="checkbox"/> SCHEDULED AUTOS<br><input checked="" type="checkbox"/> HIRED AUTOS ONLY <input checked="" type="checkbox"/> NON-OWNED AUTOS ONLY<br><input checked="" type="checkbox"/> Comp \$500 <input checked="" type="checkbox"/> Coll \$500 |                                              |          | 2901C4865     | 01/18/2026              | 01/18/2027              | COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000<br>BODILY INJURY (Per person) \$<br>BODILY INJURY (Per accident) \$<br>PROPERTY DAMAGE (Per accident) \$                                                                                |
| B        | <input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR<br><input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE<br>DED <input checked="" type="checkbox"/> RETENTION \$ 10,000                                                                                                                                                               |                                              |          | 2901E3551     | 01/18/2026              | 01/18/2027              | EACH OCCURRENCE \$ 3,000,000<br>AGGREGATE \$ 3,000,000                                                                                                                                                                                   |
| B        | <input checked="" type="checkbox"/> WORKERS COMPENSATION AND EMPLOYERS' LIABILITY<br>ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH)<br>If yes, describe under DESCRIPTION OF OPERATIONS below                                                                                                                                                                            | Y/N<br><input checked="" type="checkbox"/> Y | N/A      | 2902W8325     | 01/18/2026              | 01/18/2027              | <input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER<br>E.L. EACH ACCIDENT \$ 500,000<br>E.L. DISEASE - EA EMPLOYEE \$ 500,000<br>E.L. DISEASE - POLICY LIMIT \$ 500,000                                      |

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

2024 FRHT 1FVACWFC9RHUR3860 value \$174,000 minus \$500 comp/collision deductible  
2025 FRHT 3ALACWFC3SDWB3174 value \$172,729 minus \$500 comp/collision deductible  
2010 PTRB 2NPLHM6X6AM795182 value \$100,000 minus \$500 comp/collision deductible  
2025 F600 1FDFF6KTXSDA00257 value \$138,000 minus \$500 comp/collision deductible  
Certificate holder is named as loss payee with respects to the above-mentioned equipment.

## CERTIFICATE HOLDER

## CANCELLATION

DNREC Division Of Water  
89 Kings Highway  
Dover, DE 19901

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

State of Delaware  
Department of Natural Resources and Environmental Control  
Division of Water  
89 Kings Highway, Dover, Delaware, 19901

This certifies that

**Jason Cressman**

has been issued a

On-Site Wastewater Liquid Waste Hauler (Class F) License  
License Number: 6140F

Valid from January 01, 2026 through December 31, 2026

In the State of Delaware pursuant to the authorities set forth in 7 Del C Ch 60, Section 6023. Regulations  
Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal  
Systems Delaware Administrative Code 7101, Section 1.0.



---

Sarah Silves, Licensing Program Coordinator  
DNREC Division of Water

This license may be revoked or suspended if the license holder violates any of the lawful rules or regulations  
of the board, any condition of this license, or the provisions of the act under which the license is issued.

#### License Conditions

1) All activity shall be performed in accordance with The Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, amended January 11, 2014.

2) The activity authorized by the license shall only be performed under the name of the person on the face of the license.

3) The licensee is responsible for correct and complete information submitted to the Department (address, telephone number, employer, etc.).

4) The licensee is responsible for providing proof of ten (10) annual continuing education training hours relating to wastewater. Carryover credit hours from a previous year are not accepted.

5) For all new licensees, please refer to the chart below for continuing education training requirements for the current calendar year only. If your license is issued in:

\* January - April (required to complete 10 hours)

\* May - July (required to complete 8 hours)\* August - October (required to complete 6 hours)

\* November - December (required to complete 0 hours)

6) Licenses issued are not transferable and expire on December 31st of each year.

7) All Class F licensees shall operate under a valid State of Delaware Non-Hazardous Liquid Waste Transporters Permit.

8) All Class F licensees shall be knowledgeable of the Non-Hazardous Liquid Transporters Permittee's Plan for the Prevention, Control and Clean-up of Accidental Discharges. A copy of the Plan is to be maintained on file with the Department.

9) All Class F licensees shall operate under a \$5,000 performance bond, or other form of security, is maintained on file with the Department for the duration of licensing.

10) All Class F licensees shall keep a copy of their Class F license identification card available for verification while performing any Class F license related work.

11) All Class F licensees shall enter into a "Sewage Holding Tank Maintenance Contract" with the property owner prior to pumping out holding tanks. A copy of the contract document must be submitted to the Department within 15 days of signing the contract.

12) All Class F licensees shall enter into a "Grease Trap Maintenance Contract" with the property owner prior to pumping out grease traps. A copy of the contract document must be submitted to the Department within 15 days of signing the contract. Class F licensees may not enter into a "Grease Trap Maintenance Contract" unless the Class F licensee has an approved facility to dispose of grease trap waste identified in

the Non-Hazardous Liquid Waste Transporters Permit that he/she is operating under.

13) All Class F licensees shall not co-mingle septage and grease trap waste, unless specifically approved, in writing, by the facility(ies) that will be receiving the grease trap waste.

14) All Class F licensees shall conduct business in a manner that is compliant with the Safety, Tank Access and Tank Cleaning provisions of Section 7101 of the Delaware Administrative Code, as amended or revised.

15) All Class F licensees shall submit quarterly reports documenting the location, the 911 mailing address, and amount of septage removed in total gallons. This requirement becomes effective one (1) year after promulgation of these Regulations.

## Operating Plan

### Reporting a spill

In the event of a major spill, it is our driver's responsibility to notify the department or local authorities in the event of a hazardous or dangerous condition. After reporting the incident, they will document the incident with our office. In the event of minor spills or leaks, we keep cleaning supplies on the truck to address those issues without a concern.

### Plans for cleaning vehicles

A visual inspection of our vehicles will be done daily. Upon visual inspection, if the vehicle needs maintenance or cleaning then it will be addressed before it leaves our facility. Maintenance of the vehicles will be kept up to date by our mechanic.

### Record keeping procedures

For our vehicles we keep all service records on file for our routine maintenance. As far as our handled waste, we keep all our waste tickets. In case of an issue with any waste, we have the locations where we pump documented so we can find the source of the problem.

### Hours of operation

Monday-Friday 7 am- 5:30 pm

Saturday/Sunday on call



DELAWARE COUNTY REGIONAL WATER QUALITY CONTROL AUTHORITY

P.O. BOX 999 • CHESTER, PA 19016-0999

January 27, 2025

VIA EMAIL  
READ RECEIPT REQUESTED

Via email – [jason@completessnj.com](mailto:jason@completessnj.com)

Jason Cressman  
Complete Site Solutions LLC  
101 Robins Run E  
Swedesboro, NJ 08085

RE: Septic Waste Hauler Permit #122125

Dear Mr. Cressman:

DELCORA has completed its review of your Permit Application and Certificate of Insurance, and all documents are in order.

Enclosed is Permit #122125, which is valid for two (2) years. A copy of DELCORA's Resolution No. 2011-08 and Pricing Resolution No. 2023-08 are also enclosed.

Sincerely,

Christopher L. Lenton  
Facilities Superintendent

CLL:smf  
Enclosures

cc: M. DiSantis  
V. DiSantis  
M. Dorrin, Jr.  
M. Krause  
D. Zetusky  
Permit File w/complete permit & original application

DELAWARE COUNTY REGIONAL WATER  
QUALITY CONTROL AUTHORITY  
(DELCORA)

WASTE HAULER PERMIT

FOR SEPTAGE OF DOMESTIC ORIGIN, HOLDING TANKS,  
DOMESTIC OR INDUSTRIAL WASTEWATER, GREASE TRAPS

PERMIT #122125

|                            |                                                                  |
|----------------------------|------------------------------------------------------------------|
| Waste Hauler's Name:       | COMPLETE SITE SOLUTIONS LLC                                      |
| Mailing Address:           | 101 ROBINS RUN E, SWEDESBORO, NJ 08085                           |
| Authorized Representative: | JASON CRESSMAN                                                   |
| Phone:                     | 856-887-6782                                                     |
| Email:                     | <a href="mailto:JASON@COMPLETESNJ.COM">JASON@COMPLETESNJ.COM</a> |

is hereby authorized to discharge hauled septage to the Western Regional Treatment Plant (WRTP) located at 3201 West Front Street, Chester, Pennsylvania in accordance with the conditions set forth in this permit and Standard Conditions for Permits. Compliance with this permit does not relieve the permittee of its obligation to comply with any or all applicable pretreatment regulations, standards, or requirements under Federal, State, or local laws, including any such regulations, standards, requirements, or laws that may become effective during the term of this permit.

Noncompliance with any term or condition of this permit shall constitute a violation of the DELCORA Standards, Rules and Regulations of the Western Service Area, as amended, and Resolution No. 2011-08, as amended.

This permit shall become effective on **January 1, 2025**, and shall expire at midnight on **January 31, 2027 (2-year term to last day of permit month)**.

If the permittee wishes to continue to discharge after the expiration date of this permit, an application must be filed for a renewal permit in accordance with the requirements of **Section A, No. 10 – Duty to Reapply**, a minimum of 60 days prior to the expiration date.

By:   
Christopher L. Lenton  
Facilities Superintendent

Issued this 27<sup>th</sup> day of January 2025

Rev. 2-2023

**DELCORA  
WASTEWATER TREATMENT  
SEPTAGE MANAGEMENT PLAN  
STANDARD CONDITIONS FOR PERMITS**

**SECTION A – GENERAL CONDITIONS**

1. Severability

The provisions of this permit are severable, and if any provisions of this permit, or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

2. Duty to Comply

The permittee must comply with all conditions of this permit. Failure to comply with the requirements of this permit may be grounds for administrative action, or enforcement proceedings including civil or criminal penalties, injunctive relief, and summary abatements.

3. Duty to Mitigate

The permittee shall take all reasonable steps to minimize or correct any adverse impact to the publicly owned treatment plant (POTW) or the environment resulting from noncompliance with this permit, including such accelerated or additional monitoring as necessary to determine the nature and impact of the noncomplying discharge.

4. Permit Conditions

To protect the DELCORA W RTP from possible hazardous or problem-causing discharges from waste haulers, the permittee must adhere to the following conditions:

- a. Right of Refusal to Accept Waste – DELCORA has the right to refuse any hauled waste load.
- b. Prohibited Discharges – Waste haulers shall be prohibited from discharging wastes which would violate any prohibited discharge standards of the General Pretreatment Regulations [40 CFR 403.5(b)] or any local prohibited discharges.
- c. Septage Permitting System – Licensed septage haulers shall obtain a valid permit from DELCORA and comply with all the conditions of this permit. The permit may be suspended or revoked according to the policies outlined in the Regulations. Haulers shall apply for this permit on forms provided by DELCORA and shall submit an application containing the following information:

- (1) Name, company name, address, telephone number.

- (2) Vehicle identification, make and capacity.
  - (3) Information on the quantity and type of hauled waste.
  - (4) Signed and notarized statement certifying that the information presented in the application is correct.
- d. Manifest – Haulers shall complete a “Waste Manifest” form upon arrival at the plant. This form is to reflect the complete capacity and actual volume of the truck regardless of whether the truck is full or partially full.
- e. Septage/Hauled Waste Disposal –
- (1) Septage/hauled waste shall only be discharged to DELCORA's septage receiving facility. The hauler shall be responsible for cleaning the area surrounding the discharge disposal location after discharge.
  - (2) Septage/hauled waste shall be discharged only within the hours of 7:00 A.M. and 7:00 P.M., Monday through Saturday; except on certain Holidays as listed in Attachment A. Septage/hauled waste discharge shall be allowed only under the supervision of DELCORA. Gallonage and hours for delivery of waste may be reduced, extended, increased, or otherwise changed or altered by and at the discretion of DELCORA. DELCORA personnel may require that the load be dumped over a period of a half-hour or more, depending upon the flow and characteristics of the incoming sewage at DELCORA's Western Regional Treatment Plant.
  - (3) Each hauler shall furnish the following items to DELCORA personnel upon arrival at the plant:
    - (a) Load manifest form (provided by DELCORA) which states the hauling company, hauler name, vehicle license number, quantity and source (owner and address) of the septage, actual volume and truck capacity, and a certification statement signed by the hauler and generator, attesting to the accuracy of the information provided on the load manifest form.
    - (b) One (1) grab sample of the load taken by the hauler under supervision by DELCORA personnel. DELCORA reserves the right to refuse to accept any load that is suspected of being or has been determined through sampling and analysis to be detrimental to the operations of the plant, the safety of its workers, or to the health or welfare of the public. DELCORA reserves the right to require composite samples.
    - (c) DELCORA may require the waste hauler to provide a waste analysis prior to discharge.
  - (4) The hauler shall maintain a copy of his/her permit.

- (5) The manifest form must be reviewed by DELCORA WRTP personnel prior to discharge. Failure to accurately record every load, falsification of data, or failure to transmit the form to the plant operator prior to discharge may result in revocation of this permit and criminal penalties may be deemed appropriate.
- (6) The capacity of each truck shall be posted on the truck, along with any identification sticker issued by the Pennsylvania Department of Environmental Protection (PADEP) or DELCORA.
- (7) All trucks delivering solid or liquid waste to DELCORA WRTP for processing are subject to all Rules and Regulations of the Pennsylvania Waste Transportation Safety Program (WTSP) (Chapter Section 62 of Act 90 of 2002), which requires all owners of waste transportation vehicles (trucks registered for more than 17,000 pounds and trailers registered for more than 10,000 pounds) that regularly transport municipal or residual waste to a processing disposal facility in the Commonwealth to obtain written authorization from the Department of Environmental Protection.

WTSP authorization is not applicable to vehicles currently registered by the PA-DEP to transport residential septage ("DEP Residential Septage Permit", per §285.225). DELCORA **will not accept** any waste delivered by any vehicle failing to properly display official PA-DEP issued WTSP stickers or does not have a registered Residential Septage Permit Number permanently displayed according to the permit regulations.

- (8) The following trucks may discharge septage and holding tank wastewaters to the DELCORA WRTP:

|                    |                          |                       |
|--------------------|--------------------------|-----------------------|
| <u>Vehicle No.</u> | <u>License No. State</u> | <u>Truck Capacity</u> |
|--------------------|--------------------------|-----------------------|

**SEE ATTACHED LIST**

- f. Septage Records/Waste Tracking – The permitted waste hauler is responsible for maintaining a record of the waste tracking sources of waste identified on the manifest form for a period of three (3) years beyond the form date. The manifest form will include information such as:
  - Name and address of each customer
  - Types of wastes collected
  - Approximate volume(s) received
  - Known or suspected pollutants
  - Certification that the waste is not hazardous
  - Truck Capacity
- g. Compliance Record – No statement contained in this Section shall exempt the hauler from complying with all Federal, state or local requirements.



# Truck Waste Company/Vehicle Modification Form

Company: Complete Site Solutions LLC

| <u>VEHICLE NO.</u> | <u>LICENSE NO.</u> | <u>CAPACITY</u> | <u>STATE (ABBREV.)</u> |
|--------------------|--------------------|-----------------|------------------------|
|                    | XLKV85             | 450             | NJ                     |
|                    | XJFC28             | 550             | NJ                     |
|                    | XJFB72             | 750             | NJ                     |
|                    | XPCL92             | 1200            | NJ                     |

EXHIBIT "A-1"



## PERMIT APPLICATION SEPTAGE/DOMESTIC WASTE

### VEHICLE INFORMATION

| <u>VEHICLE NO.</u> | <u>LICENSE NO.</u> | <u>CAPACITY</u> | <u>STATE (ABBREV.)</u> |
|--------------------|--------------------|-----------------|------------------------|
| 1.                 | XLKV85             | 450             | NJ                     |
| 2.                 | XJFC28             | 550             | NJ                     |
| 3.                 | XJFB72             | 750             | NJ                     |

XPCL92

1200

(use additional sheet, if necessary)

NJ

### BUSINESS SUMMARY

ATTEST:

Dated 11/21/20

\_\_\_\_\_  
(SECRETARY/ASSISTANT SECRETARY)

*Jason Cressman*

\_\_\_\_\_  
(SIGNATURE OF APPLICANT)

[Affix  
CORPORATE  
SEAL]

WITNESS:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

\_\_\_\_\_  
(PARTNERSHIP-APPLICANT)

\*BY \_\_\_\_\_ Partner

\*BY \_\_\_\_\_ Partner

\*BY \_\_\_\_\_ Partner

\*Attach an appropriate authorization evidencing the authority of one general partner to act in behalf of a partnership.

WITNESS:

\_\_\_\_\_

*Jason Cressman*

\_\_\_\_\_  
(SIGNATURE OF INDIVIDUAL)

Trading & doing business as:

Complete Site Solutions LLC

## 5. Permit Modification

This permit may be modified for good causes including, but not limited to, the following:

- a. To incorporate any new or revised Federal, State, or local treatment standards or requirements.
- b. Material or substantial alterations or additions to the discharger's discharge volume or character which were not considered in drafting the effective permit.
- c. A change in any condition in either the septage hauler or the DELCORA WRTP that requires either a temporary or permanent reduction or elimination of the authorized discharge.
- d. Information indicating that the permitted discharge poses a threat to DELCORA's treatment systems, personnel or the receiving waters.
- e. Violation of any terms or conditions of the permit.
- f. Misrepresentation or failure to disclose fully all relevant facts in the permit application or in any required reporting.
- g. To correct typographical or other errors in the permit.
- h. To reflect transfer of the facility ownership and/or operation to a new owner/operator.
- i. Upon request of the permittee, provided such request does not create a violation of any applicable requirements, standards, laws, or rules and regulations.

The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance, does not stay any permit condition.

## 6. Permit Termination

This permit may be terminated for the following reasons:

- a. Falsifying manifests
- b. Tampering with equipment
- c. Failure to meet effluent limitations
- d. Failure to pay fines
- e. Failure to pay disposal charges
- f. Failure to maintain insurance

7. Permit Appeals – The permittee may petition to appeal the terms of this permit within thirty (30) days of the notice.

This petition must be in writing; failure to submit a petition for review shall be deemed to be a waiver of the appeal. In its petition, the permittee must indicate the permit provisions objected to, the reasons for this objection, and the alternative condition, if any, it seeks to be placed in the permit.

The effectiveness of this permit shall not be stayed pending reconsideration by DELCORA. If, after considering the petition and any arguments put forth by the Superintendent, DELCORA determines that reconsideration is proper, it shall remand the permit and reissue. Those permit provisions being reconsidered by DELCORA shall be stayed pending reissuance.

8. Property Rights

The issuance of this permit does not convey any property rights of any sort, or any exclusive privileges, nor does it authorize any injury to private or any invasion of personal rights, nor any violation of Federal, State, or local laws or regulations.

9. Limitation on Permit Transfer

Permits may be reassigned or transferred to a new owner and/or operator with prior approval of DELCORA:

- a. The permittee must give at least thirty (30) days advance notice to DELCORA.
- b. The notice must include a written certification by the new owner which:
  - (i) States that the new owner has no immediate intent to change the facility's operations and processes.
  - (ii) Identifies the specific date on which the transfer is to occur.
  - (iii) Acknowledge full responsibility for complying with the existing permit.

10. Duty to Reapply

If the permittee wishes to continue an activity regulated by this permit after the expiration date of this permit, the permittee must submit an application for a new permit at least 60 days before the expiration date of this permit.

11. Continuation of Expired Permits

An expired permit will continue to be effective and enforceable until the permit is reissued if:

- a. The permittee has submitted a complete permit application at least thirty (30) days prior to the expiration date of the user's existing permit.

## 12. Definitions

- a. Composite Sample – A sample that is collected over time, formed either by continuous sampling or by missing discrete samples. The sample may be composited either as a time composite sample: composed of discrete sample aliquots collected in one container at constant time intervals providing representative samples irrespective of stream flow; or as a flow proportional composite sample: collected either as a constant sample volume at time intervals proportional to stream flow, or collected by increasing the volume of each aliquot as the flow increases while maintaining a constant time interval between the aliquots.
- b. Grab Sample – An individual sample collected in less than 15 minutes, without regard for flow or time.
- c. Instantaneous Maximum Concentration – The maximum concentration allowed in any single grab sample.
- d. Upset – Means an exceptional incident in which there is unintentional and temporary noncompliance with technology-based permit effluent limitations because of factors beyond the reasonable control of the permittee, excluding such factors as operational error, improperly designed or inadequate treatment facilities, or improper operation and maintenance or lack thereof.

## 13. General Prohibitive Standards

The permittee shall comply with all the prohibitive discharge standards in Article 201 and Article 202 of DELCORA's Regulations.

Discharge of wastewaters into the Sewer System of the Western Regional Treatment Plant containing the following constituents is hereby prohibited:

- a. Discharges from any user containing more than 100 mg/L of petroleum oil, non-biodegradable cutting oils, or other products of mineral origin.
- b. Except as otherwise provided, no hauler shall discharge or cause to be discharged into the Sewer System, any Domestic Waste, Industrial Waste or other matter or substance:
  - (1) Having a temperature higher than 120°F or less than 32°F, or containing heat in amounts which will inhibit biological activity in the sewage treatment plant resulting in interference, but in no case heat in such quantities that the temperature of the influent of the treatment plant exceeds 104°F.
  - (2) Containing any liquids, solids or gases, with a closed cup flashpoint of less than 140°F, which by reason of their nature or quantity are, or may be, sufficient either alone or by interaction with other substances to cause fire or explosion or

be injurious in any other way to the treatment plant or to the operation of the treatment plant. At no time shall two successive readings on any explosion hazard meter, at the point of discharge into the system (or at any point in the system) be more than five percent (5%), nor any single reading over ten percent (10%) of the Lower Explosive Limit (LEL) as ready by the meter. Prohibited materials include, but are not limited to: gasoline, benzene, naphtha, fuel oil, paint products, kerosene, toluene, xylene, ethers, ketones, aldehydes, peroxides, chlorates, perchlorates, bromates, carbides, hydrides, sulfides, or any other flammable or explosive substances which DELCORA, the Commonwealth of Pennsylvania, Department of Environmental Protection, or the US Environmental Protection Agency has notified the User is a fire hazard or a hazard to the DELCORA W RTP.

- (3) Containing any noxious or malodorous gas or substance, which either singly or by interaction with other wastes, is in the judgment of DELCORA capable of creating a public nuisance or hazard to life or preventing entry into sewers for their maintenance and repair.
- (4) Containing any solid or viscous substances in quantities or of size capable of causing obstruction to the flow in sewers, or other interference with the proper operation of the wastewater facilities. Such substances include, but are not limited to: ashes, cinders, sand, mud, straw, shavings, metal, glass, bones, rags, feathers, tar, plastic, wood, paunch manure, butchers offal, human whole blood or blood products, betonite, lye, building materials, rubber, hair, leather, porcelain, china, ceramic wastes, asphalt, paint, waxes, or any other solids or viscous substances capable of causing obstruction to the flow in the Sewer System or other interference with the proper operation of the Sewer System or the W RTP.
- (5) Containing garbage that has not been ground to such a degree that all particles will be carried freely in suspension under flow conditions normally prevailing in the public sewers, with no particles under any circumstances, greater than one-half (1/2) inch in any dimension. Garbage grinding for the purpose of discharge to the sewer system shall be applied only to food waste from processors preparing food for consumption on the premises.
- (6) Any substance which may cause the W RTP effluent or any other product of the treatment plant thereof such as residues, sludges, or scums to be unsuitable for reclamation and reuse or to interfere with the reclamation process. In no case, shall a substance discharged to the sewer system cause the W RTP to be in non-compliance with sludge use or disposal criteria, guidelines or regulations affecting sludge use or disposal developed pursuant to the Solid Waste Disposal Act, the Clean Air Act, the Toxic Substances Control Act or Commonwealth criteria applicable to the sludge management method being used.
- (7) Any substance which will cause the treatment plant to violate its NPDES Permit or the receiving water quality standards, causing pass through or interference.

- (8) Containing Total Solids of such character and quantity that unusual attention or expense is required to handle such materials at the W RTP, except as may be approved by DELCORA or as otherwise provided herein.
- (9) Containing any toxic radioactive isotopes in excess of that allowed by State or Federal Law and without special permit.
- (10) Prohibited by any permit issued by the Commonwealth of Pennsylvania, or by the U.S. Environmental Protection Agency or any other Federal Agency.
- (11) Containing wastes which are not amenable to biological treatment or reduction in existing treatment facilities, specifically non-biodegradable complex carbon compounds.
- (12) Any waters which are used for the purpose of diluting wastes which would otherwise exceed applicable maximum concentration limitations. DELCORA may impose mass limitations on Users which are using dilution to meet applicable Categorical Pretreatment Standards or Requirements or in other cases where the imposition of mass limitations are appropriate. DELCORA will also permit categorical industries under the Pretreatment Program.
- (13) Material considered a hazardous waste under the Resource Conservation or Recovery Act (RCRA).
- (14) Medical or infectious wastes, including blood and blood products.
- (15) Radioactive wastes, as defined by the Commonwealth of Pennsylvania.
- (16) Wastes in excess of the limits defined in Attachment B for septic wastes and/or Attachment C for industrial wastewaters.
- (17) Grease in excess of the allotted allocation.

## **SECTION B. – RECORDS**

### **1. Retention of Records**

- a. The permittee shall retain records of copies of all reports required by this permit, and records of all data used to complete the application for this permit, for a period of at least three years from the date of the sample, measurement, report or application.
- b. All records that pertain to matters that are the subject of special orders or any other enforcement or litigation activities brought by DELCORA shall be retained and preserved by the permittee until all enforcement activities have concluded and all periods of limitation with respect to any and all appeals have expired.

2. Record Contents (Applicable when the permittee performs sampling)

- a. The date, exact place, time and methods of sampling or measurements, and sample preservation techniques or procedures;
- b. Who performed the sampling or measurements;
- c. The date(s) analyses were performed;
- d. Who performed the analyses;
- e. The analytical techniques or methods used; and
- f. The results of such analyses.

3. Falsifying Information

Knowingly making any false statement on any report or other document required by this permit or knowingly rendering any monitoring device or method inaccurate, is a crime and may result in the imposition of criminal sanctions and/or civil penalties.

**SECTION C. – ADDITIONAL REPORTING REQUIREMENTS**

1. Planned Changes

The permittee shall give notice to DELCORA WRTP 60 days prior to any change in the nature of the discharge.

2. Noncompliance Anticipated

The permittee shall give advance notice to DELCORA WRTP of any planned changes or activities which may result in noncompliance with permit requirements.

3. Duty to Provide Information

The permittee shall furnish to DELCORA WRTP any information which DELCORA may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. The permittee shall also, upon request, furnish to DELCORA within 5 days copies of any records required to be kept by this permit.

4. Signatory Requirements (use whichever alternative best applies)

All applications, reports, or information submitted to DELCORA must contain the following certification statement and be signed as required in Sections (a), (b), (c) or (d) below:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of this person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

- a. By a responsible corporate officer, if the User submitting the reports is a corporation. For the purpose of this paragraph, a responsible corporate officer means:
  - (i) a president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision-making functions for the corporation, or;
- b. By a general partner or proprietor if the User submitting the reports is a partnership or sole proprietorship respectively.
- c. By a duly authorized representative of the individual designated in paragraph (a) or (b) of this section if:
  - (i) the authorization is made in writing by the individual designated in paragraph (a) or (b);
  - (ii) the authorization specifies either an individual or a position having responsibility for the overall operation of the company from which the discharge originates, such as the position of the company manager, or a position of equivalent responsibility, or having overall responsibility for environmental matters for the company; and
  - (iii) the written authorization is submitted to DELCORA.
- d. If an authorization under paragraph (c) of this section is no longer accurate because a different individual or position has responsibility for the overall environmental matters for the company, a new authorization satisfying the requirements of paragraph (c) of this section must be submitted to DELCORA prior to or together with any reports to be signed by an authorized representative.

5. Civil and Criminal Liability

Nothing in this permit shall be construed to relieve the permittee from civil and/or criminal penalties for noncompliance under Article 400 of the DELCORA Regulations or State or Federal laws or regulations.

6. Recovery of Costs Incurred

In addition to civil and criminal liability, the permittee violating any of the provisions of this permit or Article 201 and Article 202 of the Regulations or causing damage to or otherwise inhibiting the DELCORA WRTP wastewater disposal system shall be liable to DELCORA for any expense, loss, or damage caused by such violation or discharge. The DELCORA WRTP shall bill the permittee for the costs incurred by DELCORA for any cleaning, repair or replacement work caused by the violation or discharge. Refusal to pay the assessed costs shall constitute a separate violation of Article 502 of the Regulations.

**SECTION D – SPECIAL CONDITIONS**

1. The permittee must carry liability insurance, and provide satisfactory evidence of it to DELCORA, in such amounts and form as determined by DELCORA. Such insurance shall afford compensation for taking corrective action and for bodily injury, and for property damage to the third persons caused by accidental releases. The permittee shall execute the DELCORA insurance certificate or provide alternate proof of coverage. The permittee may still obtain additional insurance coverage as may be deemed necessary for his or her own protection.

**ATTACHMENT A**

**DELCORA HOLIDAY SCHEDULE\*  
DELIVERY HOURS**

---

**HOLIDAY HOURS  
WASTE ACCEPTED 5:00 AM TO 7:00 PM**

**Martin Luther King, Jr. Day  
President's Day  
Good Friday  
Columbus Day  
General Election Day  
Veteran's Day  
Day after Thanksgiving  
Day before Christmas**



**HOLIDAY SCHEDULE  
NO WASTE ACCEPTED ON THESE HOLIDAYS**

**New Year's Day  
Memorial Day  
Independence Day  
Labor Day  
Thanksgiving Day  
Christmas Day**

## ATTACHMENT B

### DELAWARE COUNTY REGIONAL WATER QUALITY CONTROL AUTHORITY (DELCORA)

100 East Fifth Street  
Post Office Box 999  
Chester, Pennsylvania 19016-0999

### ACCEPTANCE CRITERIA FOR HAULED WASTE (SEPTAGE, HOLDING TANKS, GREASE TRAPS)

### UP TO AND INCLUDING 15% SOLIDS

#### Total Metals

| <u>Metals</u> | <u>Dry Weight<br/>Maximum (mg/kg)</u> |
|---------------|---------------------------------------|
| Arsenic       | 50.0                                  |
| Cadmium       | 55.0                                  |
| Chromium      | 2000.0                                |
| Copper        | 2850.0                                |
| Lead          | 550.0                                 |
| Mercury       | 35.0                                  |
| Molybdenum    | 75.0                                  |
| Nickel        | 420.0                                 |
| Selenium      | 65.0                                  |
| Zinc          | 5000.0                                |

#### Other Parameters/Total Analysis

|                             |                             |
|-----------------------------|-----------------------------|
| pH                          | $5.0 \leq X \leq 11.0$ S.U. |
| PCBs                        | 5.0                         |
| Sulfide (H <sub>2</sub> S)  | 200.0                       |
| Cyanide                     | 25.0                        |
| Oil & Grease <sup>(1)</sup> | 150,000.0                   |
| TPH                         | 150,000.0                   |
| Phenolics                   | 100.0                       |
| Reactive Cyanide            | 25.0                        |
| Reactive Sulfide            | 200.0                       |
| Flashpoint                  | >150°F                      |
| Ignitability                | >60°C                       |
| Corrosivity                 | Not Corrosive               |
| Total Solids                | <15%                        |
| Total Volatile Solids       | No Limit                    |

<sup>(1)</sup> Not applicable to grease trap wastes.

## TCLP Parameters

| <u>Metals</u>                 | <u>Maximum Allowable Level, mg/L</u> |     |
|-------------------------------|--------------------------------------|-----|
|                               | Arsenic                              | 0.5 |
| Barium                        | 10.0                                 |     |
| Cadmium                       | 0.1                                  |     |
| Chromium                      | 0.5                                  |     |
| Copper                        | 1.9                                  |     |
| Lead                          |                                      | 0.5 |
| Mercury                       | 0.02                                 |     |
| Selenium                      | 0.1                                  |     |
| Silver                        |                                      | 0.5 |
| Nickel                        | 2.2                                  |     |
| Zinc                          |                                      | 3.0 |
| <u>Other</u>                  |                                      |     |
| Phenol                        | 7.0                                  |     |
| Cyanide                       | 2.0                                  |     |
| <u>Volatile Organics</u>      |                                      |     |
| Benzene                       | <0.5                                 |     |
| Carbon Tetrachloride          | <0.5                                 |     |
| Chloroform                    | 5.0                                  |     |
| 1,2-Dichloroethane            | <5.0                                 |     |
| 1,1-Dichloroethylene          | <0.7                                 |     |
| Methyl Ethyl Ketone           | 5.0                                  |     |
| Pyridine                      | <5.0                                 |     |
| Tetrachloroethylene           | <0.7                                 |     |
| Trichloroethylene             | <0.5                                 |     |
| Vinyl Chloride                | <0.2                                 |     |
| Chlorobenzene                 | 5.0                                  |     |
| <u>Semi-Volatile Organics</u> |                                      |     |
| o-Cresol                      | 5.0                                  |     |
| m-Cresol                      | 5.0                                  |     |
| p-Cresol                      | 5.0                                  |     |
| 1,4-Dichlorobenzene           | 5.0                                  |     |
| 2,4-Dinitrotoluene            | <0.13                                |     |
| Hexachlorobenzene             | <0.13                                |     |
| Hexachloro- 1,3-Butadiene     | <0.5                                 |     |
| Hexachloroethane              | <3.0                                 |     |
| Nitrobenzene                  | <2.0                                 |     |
| Pentachlorophenol             | 5.0                                  |     |
| 2,4,5-Trichlorophenol         | 5.0                                  |     |
| 2,4,6-Trichlorophenol         | <2.0                                 |     |
| <u>Herbicides/Pesticides</u>  |                                      |     |
| Chlordane                     | <0.03                                |     |
| Endrin                        | <0.02                                |     |
| Heptachlor                    | <0.008                               |     |
| Lindane                       | <0.4                                 |     |
| Methoxychlor                  | 5.0                                  |     |
| Toxaphene                     | <0.5                                 |     |
| 2,4-D                         | 5.0                                  |     |
| 2,4,5-TP (Silvex)             | <1.0                                 |     |

## **ATTACHMENT C**

### **DELAWARE COUNTY REGIONAL WATER QUALITY CONTROL AUTHORITY (DELCORA)**

100 East Fifth Street  
Post Office Box 999  
Chester, Pennsylvania 19016-0999

### **ACCEPTANCE CRITERIA FOR INDUSTRIAL WASTEWATERS**

In accordance with Section 106 of Resolution No. 2013-12 (Local Limits) - attached.

NOTE: The fats, oil, and grease (F.O.G.) content of wastewaters from food manufacturing facilities cannot exceed 20,000 mg/L of F.O.G. from vegetable and animal sources. All other industrial wastewaters containing F.O.G. from mineral sources must be < 100 mg/L per Resolution No. 2011-04 (DELCORA Standards, Rules & Regulations of 2011), Section 218 – Oils, Greases.

**BOND TO ACCOMPANY AND FOR STATE OF DELAWARE**  
**NON-HAZARDOUS LIQUID TRANSPORTERS PERMIT NO. DE-WH-1000**

|                                                     |                                                                                                                                                                              |
|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Delaware Non-Haz Liquid Transporters Permit Number: | DE-WH-1000                                                                                                                                                                   |
| Bond Number:                                        | 1067D                                                                                                                                                                        |
| Effective Date:                                     | 7/7/2026                                                                                                                                                                     |
| Expiration Date:                                    | 7/6/2027                                                                                                                                                                     |
| Principal Name, Address, and Phone Number:          | Complete Site Solutions, LLC<br>101 Robins Run E, Swedesboro NJ 08085<br>856-430-9130                                                                                        |
| Obligee Name and Address:                           | Delaware Department of Natural Resources and Environmental Control<br>Division of Water<br>Resource Protection Section<br>89 Kings Highway, Dover DE 19901<br>(302) 739-9116 |
| Surety Name, Address, Phone Number:                 | The Service Insurance Company, Inc.<br>80 Main Street, Suite 330, West Orange, NJ 07052<br>973-731-7652                                                                      |
| Agent Name, Agent Number, Address, Phone Number:    | N/A issued home office                                                                                                                                                       |




Bond Number: 1067D  
Effective Date: 07/07/2026  
Expiration Date: 07/06/2027

**BOND TO ACCOMPANY AND FOR STATE OF DELAWARE**  
**NON-HAZARDOUS LIQUID TRANSPORTERS PERMIT NO. DE-WH-1000**

KNOW ALL MEN BY THESE PRESENTS that:

Complete Site Solutions, LLC of  
101 Robins Run E, Swedesboro in the County of Gloucester and State of  
New Jersey as principal, and The Service Insurance Company, Inc. d/b/a  
Service Guarantee and Surety Company  
of 80 Main Street, Suite 330, West Orange in the County of Essex and State of  
New Jersey as surety, legally authorized to do business in the State of Delaware, are  
held firmly bound unto the State of Delaware in the sum of Five Thousand Dollars (\$5,000), to be paid to the  
said State of Delaware for the use and benefit of the Department of Natural Resources and Environmental  
Control of said State, for which payment well and truly to be made, we do bind ourselves, our and each and  
every of our heirs, executors, administrators, successors, and assigns, jointly and severally for and in the whole  
firmly by these presents.

THE CONDITION OF THE ABOVE OBLIGATION IS SUCH that if the said above bounden principal,  
Complete Site Solutions, LLC, who has been issued by the  
Department of Natural Resources and Environmental Control of the State of Delaware a certain permit  
designated as Permit No. DE-WH-1000, and dated June 26 2022, for the  
transportation of non-hazardous liquid waste, and is required to file with the Department of Natural Resources  
and Environmental Control a bond or other security, shall fulfill all the requirements of 7 Del. C. Chapter 60,  
the State of Delaware Regulations Governing the Design, Installation, and Operation of On-Site Wastewater  
Treatment and Disposal Systems (Section 5.3.32.4) and Permit No. DE-WH-1000, then this obligation shall  
be void or else to remain in full force and virtue.



Signed and sealed this 7th day of July, 2026.

SIGNED, SEALED AND DELIVERED IN  
the presence of:

CORPORATE SEAL

Witness: \_\_\_\_\_

Complete Site Solutions, LLC

NAME OF PERMITTEE

BY: \_\_\_\_\_

owner

TITLE

The Service Insurance Company, Inc. d/b/a  
Service Guarantee and Surety Company

NAME OF SURETY

BY: \_\_\_\_\_

James S. Burger, President



Attest:

Mari Cergueni

**NOTE:** If Attorney-In-Fact does not hold a current Delaware Agent's License (Resident or Non-Resident), this bond must be countersigned below:

N/A issued home office

NAME OF DELAWARE LICENSE AGENT  
(Resident or Non-Resident)

LICENSE NUMBER

BY: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

### ACKNOWLEDGMENTS

STATE OF \_\_\_\_\_ )  
 ) ss.:  
COUNTY OF \_\_\_\_\_ )

On this \_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_, before me personally came \_\_\_\_\_, to me known, who, being by me duly sworn, did depose and say that he/she is the \_\_\_\_\_ of \_\_\_\_\_, the entity identified above as Principal/Contractor and which executed the above instrument, and that he/she signed his/her name hereto by authority of the Board of Directors of Principal/Contractor or otherwise is duly authorized to execute this document and bind Principal/Contractor to the terms and conditions hereof.



\_\_\_\_\_  
Notary Public

STATE OF NEW JERSEY )  
 ) ss.:  
COUNTY OF ESSEX )

On this 7th day of **July**, 2026, before me personally came James S. Burger, to me known, who, being by me duly sworn, did depose and say that he/she is the President of The Service Insurance Company, Inc., the entity identified above as Surety and which executed the above instrument, and that he/she signed his/her name hereto by authority of the Board of Directors of Surety or otherwise is duly authorized to execute this document and bind Surety to the terms and conditions hereof.

Maria Cerqueira  
Notary Public

MARIA E. CERQUEIRA  
Notary Public, State of New Jersey  
Comm. # 2360557  
My Commission Expires 6/4/2027



**THE SERVICE INSURANCE COMPANY, INC.**(in CT, GA, KY, MA, MD, MS, MT, NH, NJ, NY, PA, RI, TN & WV)  
(d/b/a Service Guarantee and Surety Company in DC, DE, NC & SC)Service Guarantee and Surety Company (used in FL by: The Service Insurance Company, Inc.), in AL  
Service Guarantee and Surety Co. (used in VA by: The Service Insurance Company, Inc.)**POWER OF ATTORNEY**

KNOW ALL MEN BY THESE PRESENTS: That THE SERVICE INSURANCE COMPANY, INC., 80 Main Street #330, West Orange, NJ 07052, a corporation of the State of New Jersey (d/b/a Service Guarantee and Surety Company in DC, DE, NC & SC), Service Guarantee and Surety Company (used in FL by: The Service Insurance Company, Inc.) and in AL, Service Guarantee and Surety Co. (used in VA by: The Service Insurance Company, Inc.) pursuant to authority granted by Article VIII, Section 7 of the By-Laws of said Company, which reads as follows: "CONTRACTS. The Board of Directors may authorize any officers, to execute any surety bond instrument in the name of and on behalf of the corporation, and such authority may be general or confined to specific instances."



Does hereby nominate, constitute and appoint Glen T. Burger and James S. Burger, its true and lawful agents and Attorney(s)-in-Fact, to make, execute, seal and deliver for, and on its behalf as surety, and its act and deed: any and all bond undertakings, and consents of surety, no one bond to exceed an aggregated penal sum liability of \$5,000,000 (Five Million Dollars).

Does hereby nominate, constitute and appoint not applicable executed in home office of not applicable executed in home office Insurance Agency as its true and lawful Attorney(s)-in-Fact for the following purpose: to make, execute and deliver those bond undertakings and Consents of Surety on behalf of the Company to any Obligor for those bid bond, performance bond, payment bond and other bond undertakings not to exceed an aggregated penal sum liability of \$5,000,000 (Five Million Dollars).

Said Insurance Agency Attorney(s)-In-Fact shall obtain prior approval confirmed in writing from the Company with a bond number provided by the Company's home office prior to issuing any bonds. Said Attorney(s)-In-Fact by executing the attached bond(s), hereby represents and warrants under oath that the Company has granted it/him/her prior approval and furnished the bond number for the attached bonds, which has been logged and recorded at the Company's home office. The Company shall not cover, honor or pay any claims for unauthorized bonds, and the Obligor may confirm the validity of the attached bond on receipt by contacting the Company in writing at 973-731-7889 (fax) or jburger@serviceinsurancecompany.com.


IN WITNESS WHEREOF, the said Treasurer and President have hereunto subscribed their names and affixed the Corporate Seal of the said The Service Insurance Company, Inc., this 6th day of June, A.D. 2022

THE SERVICE INSURANCE COMPANY, INC.

BY:   
GLEN T. BURGER, TREASURERBY:   
JAMES S. BURGER, PRESIDENTSTATE OF NEW JERSEY )  
) SS  
CITY OF WEST ORANGE )

On this 6th day of June, A.D. 2022, before the subscribed, a Notary Public of the State of New Jersey, duly commissioned and qualified, came the above named Treasurer and President of The Service Insurance Company, Inc., to me personally known to be the individuals and officers described in and who executed the preceding instrument, and they each acknowledge the execution of the same, and being by me duly sworn severally and each for himself depose the saith, that they are the said officers of the Company aforesaid, and that the seal is affixed to the preceding instruments, is the Corporate Seal of said Company, and that the Corporate Seal and their signatures as such officers were duly affixed and subscribed to the said instrument by the authority and direction of the said Corporation.

MARIA E. CERQUEIRA  
Notary Public, State of New Jersey  
Comm. # 2360557  
My Commission Expires 6/4/2027

  
Notary Public in the State of New Jersey

**CERTIFICATE**


I, the undersigned, President of The Service Insurance Company, Inc., The Company, do hereby certify that the original Power of Attorney in which the forgoing is full, true and correct copy, is in full force and effect on the date of this certificate; and I do further certify that the President who executed the said Power of Attorney was specially authorized by the Board of Directors to appoint any Attorney in Fact as provided in Article VIII, Section 7, of the By-Laws of The Service Insurance Company, Inc.

This Certificate may be signed by facsimile under and by authority of the following resolution of the Board of Directors of The Service Insurance Company, Inc.

Resolved: "That the facsimile or mechanically reproduced signature of the Company President, whether made heretofore or hereafter, whenever appearing upon a certified copy of any power of attorney issued by the Company, shall be valid and binding upon the Company with the same force and effect as though manually affixed."

COMPANY EMBOSSED CORPORATE SEAL MUST  
APPEAR ON BOND FORM AND POWER OF ATTORNEY

IN TESTIMONY WHEREOF, I have hereunto subscribed my name and affixed the Corporate Seal of the said Company, this 7 day of July, 2022

  
JAMES S. BURGER, PRESIDENT

