



NON-HAZARDOUS LIQUID WASTE TRANSPORTERS PERMIT APPLICATION

Groundwater Discharges Section, Division of Water
DE Department of Natural Resources and Environmental
Control

89 Kings Highway, Dover DE 19901
(302) 739-9948

1. Permit Number (For renewals only): DE-WH-028

2. Company Information

Company Name: Sawyers Sanitation Service, Inc.

Telephone: 302-678-8240

Fax:

Address (street, city, state and zip code): 370 Black Stallion Rd , Townsend, Delaware, 19734

Company Email Address & Contact Name: sawyerssanitation@gmail.com, Daryl Jester

3. Owner/President Business Information

Name: Daryl Jester

Business Telephone: 3026788240

Business Address if different from above (street, city, state and zip code):

4. Vehicle(s) Information (Attach additional sheets if necessary to identify each vehicle used for transport.)

	Make	Model	Year	Vehicle Type (Tank, Trailer, Etc.)	License Plate Number	State of Registration	Capacity (gal)
1	FL	FL70	1998	tank truck	C61713	Delaware	2,500
2	Freightliner	Freightliner	2000	tank truck	C11575	Delaware	3600
3	Freightliner	Freightliner	1997	tank truck	C44866	Delaware	3600
4	Kenworth	T880	2018	tractor/tank trailer	CL121524	Delaware	5500
5	Western Star	CON	2015	tank truck	CL124738	Delaware	5000

* Please submit a Certificate of Insurance for each vehicle listed demonstrating commercial automobile liability insurance with a combined single limit of at least \$100,000.

*Certificate of insurance uploaded: **COI for DNREC Permit Renewal.pdf**, **COI for DNREC Permit Renewal.pdf***

5. Please Check Type(s) of Waste Being Transported and Provide the Information Requested in the Indicated Sections for Each Waste Type Checked

	✓	Waste Type	Quantity Collected
i.	✓	Septage	1,000,000 gal/yr
ii.	✓	Holding Tank Waste	50,000 gal/yr
iii.	✓	Grease Trap Waste and/or Cooking Oil Waste	25,000 gal/yr
iv.		Portable Toilet Waste	gal/yr
v.		Municipal or Industrial Biosolids	# wet tons/yr

vi.		Sludge From Package Treatment Plants	# wet tons/yr
vii.		Other Non-Hazardous Liquid Waste	gal/yr

Documents required for all new permit applications *and* renewals:

- Attach an Operation Plan detailing the following:
 - a spill reporting and clean-up plan,
 - plans for cleaning vehicles,
 - recordkeeping procedures and
 - days and hours of operation.
- Attach a list of all disposal facilities to be used. Include a copy of the permit/authorization letter from each disposal facility stating the company is currently authorized to discharge the requested waste stream (i.e. septage, holding tank waste, portable toilet waste, etc.) to the facility. Authorization documentation is required for both new and renewal applications.

7 DelC §6023(d): No person shall haul, convey or transport any liquid waste in any container without a license issued by the Department.

Septage
1. Attach a list of all Class F Licensees currently working for the company. If there are no Class F licensees currently working for the company, please note according to Section 4.1.6 of the State of Delaware Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, all individuals who will be responsible for removal, transportation or disposal of the solid and liquid contents of septic tanks, cesspools, grease traps, seepage pits, holding tanks, portable toilets or other wastewater treatment or disposal facilities must obtain a Class F license before pumping. In order for an individual to obtain a Class F license.
Class F Licenses uploaded: <i>Sawyers Class F Licenses 2026.pdf</i>

Holding Tanks
1. Attach a list of all Class F Licensees currently working for the company. If there are no Class F licensees currently working for the company, please note according to Section 4.1.6 of the State of Delaware Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, all individuals who will be responsible for removal, transportation or disposal of the solid and liquid contents of septic tanks, cesspools, grease traps, seepage pits, holding tanks, portable toilets or other wastewater treatment or disposal facilities must obtain a Class F license before pumping. In order for an individual to obtain a Class F license
Class F Licenses uploaded: <i>Sawyers Class F Licenses 2026.pdf , Sawyers Class F Licenses 2026.pdf</i>

Grease Trap Waste and/or Cooking Oil Waste
1. Attach a list of all disposal facilities to be used.
2. Attach a list of all Class F Licensees currently working for the company. If there are no Class F Licensees currently working for the company, please note according to Section 4.1.6 of the State of Delaware Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, all individuals who will be responsible for removal, transportation or disposal of the solid and liquid contents of septic tanks, cesspools, grease traps, seepage pits, holding tanks, portable toilets or other wastewater treatment or disposal facilities must obtain a Class F license before pumping. For a Class F License application, please contact the Licensing Coordinator at 302-739-9948.
Grease Trap Waste Disposal Facilities to be used: <i>Sawyers Grease Trap Disposal 2026.docx , sawyer 13-01 (1).pdf</i> Class F Licenses Uploaded: <i>Sawyers Class F Licenses 2026.pdf , Sawyers Class F Licenses 2026.pdf</i>

Portable Toilets
1. Attach a list of all Class F Licensees currently working for the company. If there are no Class F Licensees currently working for the company, please note according to Section 4.1.6 of the State of Delaware Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, all individuals who will be responsible for removal, transportation or disposal of the solid and liquid contents of septic tanks, cesspools, grease traps, seepage pits, holding tanks, portable toilets or other wastewater treatment or disposal facilities must obtain a Class F license before pumping.
Class F Licenses uploaded:
3. Quantity of portable toilets you own:

Municipal and Industrial Biosolids
1. Identify all Facilities the company will service by attaching a table listing the following: Facility Name of Sludge Generator # Estimated Volume of Sludge to be Transported # Disposal Facility* * If sludge is to be land applied, include the current Agricultural Utilization Permit Number for that facility.
Municipal and Industrial Biosolids <i>Disposal Facilities:</i>
2. Provide transportation routes from all generating facilities to all applicable disposal facilities.
Municipal and Industrial Biosolids <i>Transportation Routes:</i>

3. Indicate any treatment the sludge has undergone before transportation (for example anaerobic digestion, aerobic digestion, lime stabilization, composting, or dewatering).
Sludge Treatment Description Upload:
4. Provide results of a laboratory analysis of a representative sample of the sludge which was obtained not more than 6 months before submission of the application unless these results would be submitted as a part of the land application program. The analysis shall include, as a minimum, percent solids, pH, and the dry weight concentration of total nitrogen, ammonium, nitrate, total phosphorous, total potassium, cadmium, copper, mercury, nickel, lead, zinc, arsenic, selenium, and molybdenum.
Sludge From Package Treatment Plants Laboratory Analysis Uploaded:

Sludge From Package Treatment Plants
1. Identify all Facilities the company will service by attaching a table listing the following: Facility Name of Sludge Generator # Estimated Volume of Sludge to be Transported # Disposal Facility* * If sludge is to be land applied, include the current Agricultural Utilization Permit Number for that facility.
Sludge From Package Treatment Plants <i>Disposal Facilities</i> :
2. Provide transportation routes from all generating facilities to all applicable disposal facilities.
Sludge From Package Treatment Plants <i>Transportation Routes</i> :
3. Indicate any treatment the sludge has undergone before transportation (for example anaerobic digestion, aerobic digestion, lime stabilization, composting, or dewatering).
Sludge Treatment Description Upload:
4. Provide results of a laboratory analysis of a representative sample of the sludge which was obtained not more than 6 months before submission of the application unless these results would be submitted as a part of the land application program. The analysis shall include, as a minimum, percent solids, pH, and the dry weight concentration of total nitrogen, ammonium, nitrate, total phosphorous, total potassium, cadmium, copper, mercury, nickel, lead, zinc, arsenic, selenium, and molybdenum.
Sludge From Package Treatment Plants Laboratory Analysis Uploaded:

Other Non-Hazardous Liquid Wastes
1. Describe the source, nature and make-up of the non-hazardous liquid waste to be transported.

2. Will any of the wastes contain petroleum products (i.e. oil, gas, grease, etc.)?

_____ **Yes** _____ **No** : no

* Transportation of liquid wastes containing any petroleum products will require a permit from the Division of Waste & Hazardous Substances (302-739-9400).

Operating Plan

Attach an Operation Plan detailing the following: a spill reporting and clean-up plan, plans for cleaning vehicles, recordkeeping procedures and days and hours of operation.

Operating Plan Upload: ***DNREC Permit Renewal 2026 .docx***

Disposal Facilities

Attach a list of all disposal facilities to be used. Include a copy of the permit/authorization letter from each disposal facility stating the company is currently authorized to discharge the requested waste stream (i.e. septage, holding tank waste, portable toilet waste, etc.) to the facility.

Disposal Facilities Upload: ***Sawyers Disposal Facilities 2026.docx , PERMITS SIGNED (1).pdf , Sawyer's Sanitation Septic Permit 4-9-2026 (1).pdf , NCC Waster Hauler Permit 2026.pdf , sawyer 13-01 (1).pdf***

Proof of Bond (If applicable)

Proof of Bond - Part III B, Section 500 of the Guidance and Regulations Governing the Land Treatment of Wastes directs, as a requirement for keeping a permit issued under these Regulations, the permittee to file a bond or other security in the amount of Five Thousand Dollars (\$5,000) with the Department. The bond is to be payable to the Department and the obligation of the bond shall be conditioned upon the fulfillment of all requirements related to the permit. If this application is for permit renewal, please submit a copy of the current Transporters Bond certification.

Proof of Bond Upload: ***Sawyers Bond 2026 DNREC Renewal.pdf***

8. Certification

I certify that all information submitted as part of this application is true and correct to the best of my knowledge and belief.

Printed Name of Applicant:
Daryl Jester

Date Submitted via DNREC ePermitting:
2026-07-10 12:26:07



SAWYSAN-01

SKEITHLEY

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
6/30/2026

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Pratt Insurance, Inc. 4 Village Square Smyrna, DE 19977	CONTACT NAME:	FAX (A/C, No):
	PHONE (A/C, No, Ext): (302) 653-6681	
INSURED Sawyers Sanitation Services Inc PO Box 538 Smyrna, DE 19977	INSURER(S) AFFORDING COVERAGE	NAIC #
	INSURER A: Atlantic States	22586
	INSURER B: Peninsula Indemnity Company	
	INSURER C:	
	INSURER D:	
	INSURER E:	
	INSURER F:	

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSD WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	☒ COMMERCIAL GENERAL LIABILITY ☐ CLAIMS-MADE ☒ OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: ☐ POLICY ☐ PRO. ACCT ☐ LOC ☐ OTHER		1000480558	6/29/2026	6/29/2027	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Per occurrence) \$ 500,000 MED EXP (Any one person) \$ 15,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000
A	☒ AUTOMOBILE LIABILITY ☒ ANY AUTO OWNED AUTOS ONLY ☒ HIRE AUTOS ONLY ☒ SCHEDULED AUTOS ☒ NON-OWNED AUTOS ONLY		1000190255	6/29/2026	6/29/2027	COMBINED SINGLE LIMIT (Li & auto) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
A	☒ UMBRELLA LIAB EXCESS LIAB DED ☒ RETENTION \$ 10,000 ☒ OCCUR CLAIMS-MADE		1000481055	6/29/2026	6/29/2027	EACH OCCURRENCE \$ 1,000,000 AGGREGATE \$ 1,000,000
B	☒ WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/OWNER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N Y N/A	1000033696	6/29/2026	6/29/2027	☒ PER STATUTE ☐ OTH-ER E L EACH ACCIDENT \$ 500,000 E L DISEASE - EA EMPLOYEE \$ 500,000 E L DISEASE - POLICY LIMIT \$ 500,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

The following Executive Officer(s) have elected to be Excluded under Workers Compensation Coverage(s): Daryl Andrew Jester & Heather Jester

Ref: 1997 Freightliner, License #C44856-DE
#C11575-DE

1998 Freightliner, License #C61713-DE

2000 Freightliner, License

CERTIFICATE HOLDER

CANCELLATION

Delaware Department of Natural Resources and
Environmental Control
89 Kings Hwy
Dover, DE 19901

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

State of Delaware
Department of Natural Resources and Environmental Control
Division of Water
89 Kings Highway, Dover, Delaware, 19901

This certifies that

Daryl A Jester

has been issued a

On-Site Wastewater Liquid Waste Hauler (Class F) License

License Number: 5112F

Valid from January 01, 2026 through December 31, 2026

In the State of Delaware pursuant to the authorities set forth in 7 Del C Ch 60, Section 6023. Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems Delaware Administrative Code 7101, Section 1.0.



Sarah Silves, Licensing Program Coordinator
DNREC Division of Water

This license may be revoked or suspended if the license holder violates any of the lawful rules or regulations of the board, any condition of this license, or the provisions of the act under which the license is issued.

State of Delaware
Department of Natural Resources and Environmental Control
Division of Water
89 Kings Highway, Dover, Delaware, 19901

This certifies that

James J Yates

has been issued a

On-Site Wastewater Liquid Waste Hauler (Class F) License
License Number: 5262F

Valid from January 01, 2026 through December 31, 2026

In the State of Delaware pursuant to the authorities set forth in 7 Del C Ch 60, Section 6023, Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems Delaware Administrative Code 7101, Section 1.0.



Sarah Silves, Licensing Program Coordinator
DNREC Division of Water

This license may be revoked or suspended if the license holder violates any of the lawful rules or regulations of the board, any condition of this license, or the provisions of the act under which the license is issued.

State of Delaware
Department of Natural Resources and Environmental Control
Division of Water
89 Kings Highway, Dover, Delaware, 19901

This certifies that

Coty D Munson

has been issued a

On-Site Wastewater Liquid Waste Hauler (Class F) License

License Number: 6154F

Valid from January 01, 2026 through December 31, 2026

In the State of Delaware pursuant to the authorities set forth in 7 Del C Ch 60, Section 6023. Regulations
Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal
Systems Delaware Administrative Code 7101, Section 1.0.



Sarah Silves, Licensing Program Coordinator
DNREC Division of Water

This license may be revoked or suspended if the license holder violates any of the lawful rules or regulations
of the board, any condition of this license, or the provisions of the act under which the license is issued.

State of Delaware
Department of Natural Resources
and Environmental Control

This certifies that
Donald W Scotton Jr.
 has been issued a

On-Site Wastewater Liquid Waste Hauler (Class F) License
 License Number: **5569F**

Issued: 09/01/2025

Expires: 12/31/2026

Signature of Licensee

[Signature]
 Sarah Silver, Licensing Program Coordinator
 DNREC Division of Water

This license is issued by the Secretary of the Department of Natural Resources and Environmental Control pursuant to the authority set forth in Title 7, Chapter 40, Section 4023, Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, Delaware Administrative Code 7101.

For agencies related to small systems:

New Castle County
 call 902-739-4547

Kent County
 call 302-739-4547

Sussex County
 call 302-316-4547

For agencies related to larger systems: call 302-239-9918

Division of Water Licensing Program
 302-739-9116 DNRELicensing@delaware.gov

24 Hour Environmental Emergency Hotline:
 800-662-8802

License Card

Licensee, please cut your license card out and keep with you at all times when conducting business under this license.

License Conditions

- 1) All activity shall be performed in accordance with The Regulations Governing the Design, Installation and Operation of On-site Wastewater Treatment and Disposal Systems, amended January 11, 2014.
- 2) The activity authorized by the license shall only be performed under the name of the person on the face of the license.
- 3) The licensee is responsible for correct and complete information submitted to the Department (address, telephone number, employer, etc.).
- 4) The licensee is responsible for providing proof of ten (10) annual continuing education training hours relating to wastewater. Carryover credit hours from a previous year are not accepted.
- 5) For all new licensees, please refer to the chart below for continuing education training requirements for the current calendar year only.
 If your license is issued in:
 * January - April (required to complete 10 hours)
 * May - July (required to complete 8 hours)* August - October (required to complete 6 hours)
 * November - December (required to complete 4 hours)

6) Licenses issued are not transferable and expire on December 31st of each year.

7) All Class F licensees shall operate under a valid State of Delaware Non-Hazardous Liquid Waste Transporters Permit.

Operation Plan

- Lime and shovel are carried on all trucks for spills and clean up. Any spill over 20 gallons is reported and backup is called.
- Our trucks and vehicles are cleaned weekly in an approved area for cleaning.
- Records for Sawyer's Sanitation are kept for a minimum of 7 years.
- Days and hours of operation are Monday through Friday 7:00 am to 3:30 pm. Emergency service is available if needed for local towns and contractors after hours and holidays.

Disposal Facilities

- Kent County Treatment Plant in Milford, DE
- Kent County Dump Site in Smyrna, DE
- New Castle County Dump Site on Airport Road, New Castle DE
- DELCORA, Chester, PA

Septage and Holding Tanks

Class F Licenses:

Daryl A Jester, Jr

James J Yates

Coty Munson

Donald Wayne Scotton

Grease Trap Waste

1. New Castle County Airport Road, New Castle DE

Additional Truck Info

- | | | | | | |
|--------------------------|---------------|-------|------------|----|------|
| iii. Tank Truck | Freightliner | 1997 | C44866 | DE | 3600 |
| iv. Tractor/Tank Trailer | Kenworth T880 | 2018 | CL121524 | | 5500 |
| v. Tank Truck | Western Star. | 2015. | CL 124738. | | 5000 |
| vi. Tank Truck | FL70. | 1998. | C61713. | | 2500 |

KENT COUNTY

555 Bay Rd Dover, DE 19901



LEVY COURT

(302) 744-2300 www.kentcountytde.gov

DEPARTMENT OF PUBLIC WORKS

Environmental Programs

(302) 335-6000

Fax (302) 335-0365

139 Milford Neck Rd., Milford, DE 19963

DISCHARGE PERMIT FOR CLEANERS OF SEPTIC TANKS, CESSPOOLS, AND TEMPORARY TOILET FACILITIES

PERMIT NO. 14-00

Effective Date: July 1, 2026

Expiration Date: June 30, 2027

Issuing and Enforcement Authority: Kent County Levy Court
Department of Public Works
139 Milford Neck Rd.
Milford, DE 19963

Business Name: Sawyer's Sanitation

Address: PO Box 538 Smyrna, DE 19977

Phone/Fax: 302-678-8240

Owner: Daryl A Jester

Company Contact: sawyerssanitation@gmail.com

Truck No: 2 Tank Capacity: 2,500 gallons

Permit Fee = \$190 per truck.

This is your company's permit to discharge sanitary wastes from residential/domestic septic tanks, cesspools and temporary toilet facilities, into the Kent County Sewer System at Pumping Station No. 1 (Smyrna) and Kent County Regional Resource Recovery Facility (Milford). The Public Works Director may, by written notice to the permit holders, reopen and modify this permit in any way and may change allowable discharge locations at any time.

Your signature on the Kent County Septage Hauler Permit Application verifies that you agree to the conditions set forth in this permit and all attachments, all relevant County Ordinances and the Code of Kent County. If a violation of any of the terms of the above occurs it may result in the suspension or revocation of this permit. It is further understood that subsequent amendments to the Code of Kent County are to be adhered to.

Approval:

A handwritten signature in blue ink, appearing to read "James Lusk".

Public Works Director or Authorized Designee

Date:

06/16/26

Serving Kent County With Pride!

KENT COUNTY

555 Bay Rd Dover, DE 19901



LEVY COURT

(302) 744-2300 www.kentcountyde.gov

DEPARTMENT OF PUBLIC WORKS

Environmental Programs

(302) 335-6000

Fax (302) 335-0365

139 Milford Neck Rd., Milford, DE 19963

DISCHARGE PERMIT FOR CLEANERS OF SEPTIC TANKS, CESSPOOLS, AND TEMPORARY TOILET FACILITIES

PERMIT NO. 14-00

Effective Date: July 1, 2026

Expiration Date: June 30, 2027

Issuing and Enforcement Authority: Kent County Levy Court
Department of Public Works
139 Milford Neck Rd.
Milford, DE 19963

Business Name: Sawyer's Sanitation

Address: PO Box 538 Smyrna, DE 19977

Phone/Fax: 302-678-8240

Owner: Daryl A Jester

Company Contact: sawyerssanitation@gmail.com

Truck No: 4 Tank Capacity: 3,600 gallons

Permit Fee = \$190 per truck.

This is your company's permit to discharge sanitary wastes from residential/domestic septic tanks, cesspools and temporary toilet facilities, into the Kent County Sewer System at Pumping Station No. 1 (Smyrna) and Kent County Regional Resource Recovery Facility (Milford). The Public Works Director may, by written notice to the permit holders, reopen and modify this permit in any way and may change allowable discharge locations at any time.

Your signature on the Kent County Septage Hauler Permit Application verifies that you agree to the conditions set forth in this permit and all attachments, all relevant County Ordinances and the Code of Kent County. If a violation of any of the terms of the above occurs it may result in the suspension or revocation of this permit. It is further understood that subsequent amendments to the Code of Kent County are to be adhered to.

Approval:

A handwritten signature in blue ink, appearing to read "James Smith", is written over a horizontal line.

Public Works Director or Authorized Designee

Date:

06/16/28

Serving Kent County With Pride!

KENT COUNTY

555 Bay Rd Dover, DE 19901



LEVY COURT

(302) 744-2300 www.kentcountyde.gov

DEPARTMENT OF PUBLIC WORKS

Environmental Programs

(302) 335-6000

Fax (302) 335-0365

139 Milford Neck Rd., Milford, DE 19963

DISCHARGE PERMIT FOR CLEANERS OF SEPTIC TANKS, CESSPOOLS, AND TEMPORARY TOILET FACILITIES

PERMIT NO. 14-00

Effective Date: July 1, 2026

Expiration Date: June 30, 2027

Issuing and Enforcement Authority: Kent County Levy Court
Department of Public Works
139 Milford Neck Rd.
Milford, DE 19963

Business Name: Sawyer's Sanitation

Address: PO Box 538 Smyrna, DE 19977

Phone/Fax: 302-678-8240

Owner: Daryl A Jester

Company Contact: sawyerssanitation@gmail.com

Truck No: 5 Tank Capacity: 5,500 gallons

Permit Fee = \$190 per truck.

This is your company's permit to discharge sanitary wastes from residential/domestic septic tanks, cesspools and temporary toilet facilities, into the Kent County Sewer System at Pumping Station No. 1 (Smyrna) and Kent County Regional Resource Recovery Facility (Milford). The Public Works Director may, by written notice to the permit holders, reopen and modify this permit in any way and may change allowable discharge locations at any time.

Your signature on the Kent County Septage Hauler Permit Application verifies that you agree to the conditions set forth in this permit and all attachments, all relevant County Ordinances and the Code of Kent County. If a violation of any of the terms of the above occurs it may result in the suspension or revocation of this permit. It is further understood that subsequent amendments to the Code of Kent County are to be adhered to.

Approval:

A handwritten signature in blue ink, appearing to read "James Turk".

Public Works Director or Authorized Designee

Date:

06/16/26

Serving Kent County With Pride!

KENT COUNTY

555 Bay Rd Dover, DE 19901



LEVY COURT

(302) 744-2300 www.kentcountyde.gov

DEPARTMENT OF PUBLIC WORKS

Environmental Programs

(302) 335-6000

Fax (302) 335-0365

139 Milford Neck Rd., Milford, DE 19963

DISCHARGE PERMIT FOR CLEANERS OF SEPTIC TANKS, CESSPOOLS, AND TEMPORARY TOILET FACILITIES

PERMIT NO. 14-00

Effective Date: July 1, 2026

Expiration Date: June 30, 2027

Issuing and Enforcement Authority: Kent County Levy Court
Department of Public Works
139 Milford Neck Rd.
Milford, DE 19963

Business Name: Sawyer's Sanitation

Address: PO Box 538 Smyrna, DE 19977

Phone/Fax: 302-678-8240

Owner: Daryl A Jester


Company Contact: sawyerssanitation@gmail.com

Truck No: 6 Tank Capacity: 5,000 gallons

Permit Fee = \$190 per truck.

This is your company's permit to discharge sanitary wastes from residential/domestic septic tanks, cesspools and temporary toilet facilities, into the Kent County Sewer System at Pumping Station No. 1 (Smyrna) and Kent County Regional Resource Recovery Facility (Milford). The Public Works Director may, by written notice to the permit holders, reopen and modify this permit in any way and may change allowable discharge locations at any time.

Your signature on the Kent County Septage Hauler Permit Application verifies that you agree to the conditions set forth in this permit and all attachments, all relevant County Ordinances and the Code of Kent County. If a violation of any of the terms of the above occurs it may result in the suspension or revocation of this permit. It is further understood that subsequent amendments to the Code of Kent County are to be adhered to.

Approval: 
Public Works Director or Authorized Designee

Date: 06/16/26

Serving Kent County With Pride!



DEPARTMENT OF PUBLIC WORKS
187-A OLD CHURCHMANS ROAD
NEW CASTLE, DE 19720
(302) 395-5700

January 30, 2026

Heather Jester
Sawyer's Sanitation Service, Inc.
P.O. Box 538
Smyrna, DE 19977

**RE: Special Approval #2013-01
Waste hauler grease trap/interceptor wastewater discharge
Sawyer Sanitation Service, Inc., Smyrna, DE**

Dear Ms. Jester:

With reference to the above noted Special Approval that expires December 31, 2025, we are hereby extending the special approval permit to discharge wastewater as part of the waste hauling contracts for grease trap customers. The discharge into the County sewer system at the Airport Road Receiving Station is approved subject to the following conditions:

1. The discharge for this approval shall only be from the grease trap/interceptors listed as your contract locations (attached). Any additions to this list must be approved by the Department, prior to discharge.
2. Discharges will only be accepted between the hours of 6am and 11pm Monday through Sunday.
3. The permitted discharge shall be monitored by the permit holder in compliance with the following schedule:

<u>Effluent Constituent</u>	<u>Measurement Frequency</u>	<u>Sample Type</u>
pH	1/ Year	Grab
BOD	1/ Year	Grab
TSS	1/ Year	Grab
Oil and Grease	1/ Year	Grab
Volume	per load	Estimated Gallons per load

4. A report including the results of all monitoring for the discharges and the total flow volume discharged shall be submitted quarterly.

Ms. Jester
Special Approval 13-01
January 30, 2026

5. The permittee shall be billed according to the current waste hauler charge per 1,000 gallons discharged and an administrative fee of \$200 per quarter. The waste hauler contracted to haul the waste shall have the issued NCC waste hauler permit, the appropriate DNREC documentation, along with the NCC special approval permit issued to the owner, present in the hauling vehicle at all times.
6. This special approval expires *December 31, 2026*.

Should you have any questions or require additional information regarding this Special Approval, please contact Vince DiSciullo via e-mail at vincent.disciullo@newcastlede.gov or phone (302) 395-5325.

Best Regards,



Patrick Boettcher
Environmental Program Manager III
New Castle County Department of Public Works

cc: NCC File
Alison Quimby; e-mail aboyer@wilmingtonde.gov



DEPARTMENT OF PUBLIC WORKS
187-A OLD CHURCHMANS ROAD
NEW CASTLE, DE 19720
(302) 395-5700

Grease Trap	Pumping Frequency	Gallons
Back Creek Country Club	Grease Qrtly, Septic 1x yer	
Boondocks	Every 3 Months	1,000
Byler's Store	Grease every other month, Septic once a month	1,000
Capital Cadia	Every other month	50
Cool Spring's	Every month	50
Dover Dairy Queen	Once a Quarter	50
Dover Interfaith Mission	Every 3 months	50
Dover Place	Every other month	1,000
Giacomo's Greentree	Every month	50
Haass Butcher Shop	Every 3 months	2,000
Hollywood Diner	Every 3 months	1,000
IHOP Restaurant	Every 3 months	3,600
Little Creek Grill	Every 3 months	50
Mamie Warren	Every month	1,000
McGlynn's	Every month	1,000
Meding's Seafood	Every 3 months, Station Memorial & Labor Day	1,500
Milford Senior Center	Every month	50
Our Daily Bread	Every 3 months-Text to set	50
Pat's Pizzeria-Dover	Every 3 months	1,000
Pat's Pizzeria-Middletown	Every other month	50
Pat's Pizzeria-Smyrna	Every other month	50
Restaurant 55	Every month	50
Rice Restaurant	Every other month	1,000
Sbarro Pizza	Every month	50
Smyrna Diner	Every 3 months	1,000
Spence's Bazaar	Every 6 months	50
State Street Assisted Living	Every month	2,000
T.G.I. Friday	Every month	1,000
Tony's Sausage House	Every 3 months	50
Vincenzo's	Every 3 months	50
Walt Bagley	Every 3 months	50
Westminster	Every 2 weeks	3,000
Woodside Shopping Center	Every 3 weeks	1,500

NEW CASTLE COUNTY
Department of Public Works
87 Reads Way
New Castle, Delaware 19720

WASTE HAULER PERMIT

In accordance with the provisions of the New Castle County Code, Chapter 38, entitled "Discharge of Hauled Waste", and any applicable Federal or State law or regulation:

Company Name and Address: SAWYER'S SANITATION SERV., INC
P.O. BOX 538
SMYRNA, DE 19977-

Contact Name: DARYL JESTER
Contact Phone: (302)678-8240

is granted permission to discharge wastewater into the New Castle County Sewer System at the Sanitary Waste Depository located at the Airport Pump Station on McCathur Drive, New Castle, Delaware for the vehicle designated as:

New Castle County Permit Number: 322
Transponder Access Button: 414142
State of Registration: DE
Vehicle License Number: CL121524
Maximum Capacity (Gallons): 5,500

subject to the permit conditions established herein.

Effective Date: 1/1/2026
Expiration Date: 12/31/2026

Date: January 07, 2026

Signed: Michael D. Harris

Michael D. Harris
Stormwater & Environmental Programs Division Manager

NEW CASTLE COUNTY
Department of Public Works
87 Reads Way
New Castle, Delaware 19720

WASTE HAULER PERMIT

In accordance with the provisions of the New Castle County Code, Chapter 38, entitled "Discharge of Hauled Waste", and any applicable Federal or State law or regulation:

Company Name and Address: SAWYER'S SANITATION SERV., INC
P.O. BOX 538
SMYRNA, DE 19977-

Contact Name: DARYL JESTER

Contact Phone: (302)678-8240

is granted permission to discharge wastewater into the New Castle County Sewer System at the Sanitary Waste Depository located at the Airport Pump Station on McCathur Drive, New Castle, Delaware for the vehicle designated as:

New Castle County Permit Number: 267
Transponder Access Button: 414141
State of Registration: DE
Vehicle License Number: C44866
Maximum Capacity (Gallons): 3,600

subject to the permit conditions established herein.

Effective Date: 1/1/2026

Expiration Date: 12/31/2026

Date: January 07, 2026

Signed: Michael D. Harris

Michael D. Harris
Stormwater & Environmental Programs Division Manager

NEW CASTLE COUNTY
Department of Public Works
87 Reads Way
New Castle, Delaware 19720

WASTE HAULER PERMIT

In accordance with the provisions of the New Castle County Code, Chapter 38, entitled "Discharge of Hauled Waste", and any applicable Federal or State law or regulation:

Company Name and Address: SAWYER'S SANITATION SERV., INC
P.O. BOX 538
SMYRNA, DE 19977-

Contact Name: DARYL JESTER

Contact Phone: (302)678-8240

is granted permission to discharge wastewater into the New Castle County Sewer System at the Sanitary Waste Depository located at the Airport Pump Station on McCathur Drive, New Castle, Delaware for the vehicle designated as:

New Castle County Permit Number: 266
Transponder Access Button: 414140
State of Registration: DE
Vehicle License Number: C11575
Maximum Capacity (Gallons): 3,600

subject to the permit conditions established herein.

Effective Date: 1/1/2026

Expiration Date: 12/31/2026

Date: January 07, 2026

Signed: Michael D. Harris

Michael D. Harris
Stormwater & Environmental Programs Division Manager

NEW CASTLE COUNTY
Department of Public Works
87 Reads Way
New Castle, Delaware 19720

WASTE HAULER PERMIT

In accordance with the provisions of the New Castle County Code, Chapter 38, entitled "Discharge of Hauled Waste", and any applicable Federal or State law or regulation:

Company Name and Address: SAWYER'S SANITATION SERV., INC
P.O. BOX 538
SMYRNA, DE 19977-

Contact Name: DARYL JESTER

Contact Phone: (302)678-8240

is granted permission to discharge wastewater into the New Castle County Sewer System at the Sanitary Waste Depository located at the Airport Pump Station on McCathur Drive, New Castle, Delaware for the vehicle designated as:

New Castle County Permit Number: WH151

Transponder Access Button:

State of Registration:

Vehicle License Number:

Maximum Capacity (Gallons):

subject to the permit conditions established herein.

Effective Date: 1/1/2026

Expiration Date: 12/31/2026

Date: January 07, 2026

Signed: Michael D. Harris

Michael D. Harris
Stormwater & Environmental Programs Division Manager

NEW CASTLE COUNTY
Department of Public Works
87 Reads Way
New Castle, Delaware 19720

WASTE HAULER PERMIT

In accordance with the provisions of the New Castle County Code, Chapter 38, entitled "Discharge of Hauled Waste", and any applicable Federal or State law or regulation:

Company Name and Address: SAWYER'S SANITATION SERV., INC
P.O. BOX 538
SMYRNA, DE 19977-

Contact Name: DARYL JESTER
Contact Phone: (302)678-8240

is granted permission to discharge wastewater into the New Castle County Sewer System at the Sanitary Waste Depository located at the Airport Pump Station on McCathur Drive, New Castle, Delaware for the vehicle designated as:

New Castle County Permit Number: 54547
Transponder Access Button: 415284
State of Registration: DE
Vehicle License Number: CL124738
Maximum Capacity (Gallons): 5,000

subject to the permit conditions established herein.

Effective Date: 1/1/2026
Expiration Date: 12/31/2026

Date: January 07, 2026

Signed: Michael D. Harris

Michael D. Harris
Stormwater & Environmental Programs Division Manager

NEW CASTLE COUNTY
Department of Public Works
87 Reads Way
New Castle, Delaware 19720

WASTE HAULER PERMIT

PERMIT CONDITIONS

A. General

1. The named permit holder shall be expressly subject to all provisions of Chapter 38 of the New Castle County Code, all related Federal and State laws and regulations, fees, and user charges, as well as penalties and enforcement actions brought or assessed for violating permit conditions.

2. The discharge from the permitted vehicle shall be limited to the effluent quality, quantity, and source limitations as they appear on the approved application form.

3. The green (original) copy of this permit shall be maintained within the permitted vehicle **AT ALL TIMES**. This wastehauler permit is issued in the name of the permit holder and shall not be reassigned or transferred or sold to a new owner, new user, or a new or changed operation.

4. This permit holder may be held liable for any damages or additional expenses caused in full or in part by the permit holder. The Manager of Special Services may recover reasonable attorneys fees, court costs, monitoring, and other expenses associated with enforcement activities.

5. All reports and correspondence related to this permit shall be submitted to the following Address:

Stormwater & Environmental Programs Division Manager
New Castle County Department of Public Works
187-A Old Churchmans Road
New Castle, DE 19720

By Fax at 302-395-5802

B. Monthly Discharge Reports

A report containing the date, time, and source of each individual discharge for this permitted vehicle shall be filed with the Department of Public Works **EACH MONTH**. The reports shall be completed in the attached format and must be received by this Department not later than the 20th of the following month. The preferred method of transmittal of these reports shall be by Fax. A copy of the monthly discharge report is enclosed. All records and information resulting from the reporting activities required by this permit shall be retained for three (3) years.

C. Sewer User Charges

1. Annual Permit Fees (Each Vehicle): \$136.00

2. User Fees (based on 80% of the vehicle capacity for each discharge): \$ 60.00 per 1000 gallons.

NEW CASTLE COUNTY
Department of Public Works
87 Reads Way
New Castle, Delaware 19720

WASTE HAULER PERMIT

PERMIT CONDITIONS

A. General

1. The named permit holder shall be expressly subject to all provisions of Chapter 38 of the New Castle County Code, all related Federal and State laws and regulations, fees, and user charges, as well as penalties and enforcement actions brought or assessed for violating permit conditions.
2. The discharge from the permitted vehicle shall be limited to the effluent quality, quantity, and source limitations as they appear on the approved application form.
3. The green (original) copy of this permit shall be maintained within the permitted vehicle AT ALL TIMES. This wastehauler permit is issued in the name of the permit holder and shall not be reassigned or transferred or sold to a new owner, new user, or a new or changed operation.
4. This permit holder may be held liable for any damages or additional expenses caused in full or in part by the permit holder. The Manager of Special Services may recover reasonable attorneys fees, court costs, monitoring, and other expenses associated with enforcement activities.
5. All reports and correspondence related to this permit shall be submitted to the following Address:

Stormwater & Environmental Programs Division Manager
New Castle County Department of Public Works
187-A Old Churchmans Road
New Castle, DE 19720

By Fax at 302-395-5802

B. Monthly Discharge Reports

A report containing the date, time, and source of each individual discharge for this permitted vehicle shall be filed with the Department of Public Works EACH MONTH. The reports shall be completed in the attached format and must be received by this Department not later than the 20th of the following month. The preferred method of transmittal of these reports shall be by Fax. A copy of the monthly discharge report is enclosed. All records and information resulting from the reporting activities required by this permit shall be retained for three (3) years.

C. Sewer User Charges

1. Annual Permit Fees (Each Vehicle): \$136.00
2. User Fees (based on 80% of the vehicle capacity for each discharge): \$ 60.00 per 1000 gallons.



DELAWARE COUNTY REGIONAL WATER QUALITY CONTROL AUTHORITY

P.O. BOX 999 • CHESTER, PA 19016-0999

April 9, 2026

VIA EMAIL
READ RECEIPT REQUESTED

Via email – sawyerssanitation@gmail.com

Heather Jester
Sawyer's Sanitation Services, Inc.
P.O. Box 538
Smyrna, DE 19977

RE: Septic Waste Hauler Permit #010926

Dear Ms. Jester:

DELCORA has completed its review of your Permit Application and Certificate of Insurance, and all documents are in order.

Enclosed is Permit #010926, which is valid for two (2) years. A copy of DELCORA's Resolution No. 2011-08 and Pricing Resolution No. 2023-08 are also enclosed.

Sincerely,

Christopher L. Lenton
Managing Director

CLL:smf
Enclosures

cc: M. DiSantis
V. DiSantis
Sludge Team
Permit File w/complete permit & original application

DELAWARE COUNTY REGIONAL WATER
QUALITY CONTROL AUTHORITY
(DELCORA)

WASTE HAULER PERMIT

FOR SEPTAGE OF DOMESTIC ORIGIN, HOLDING TANKS,
DOMESTIC OR INDUSTRIAL WASTEWATER, GREASE TRAPS

PERMIT #010926

Waste Hauler's Name: SAWYER'S SANITATION SERVICES, INC.
Mailing Address: P.O. BOX 538, SMYRNA, DE 19977
Authorized Representative: HEATHER OR DARYL JESTER
Phone: 302-678-8246
Email: SAWYERSSANITATION@GMAIL.COM

is hereby authorized to discharge hauled septage to the Western Regional Treatment Plant (WRTP) located at 3201 West Front Street, Chester, Pennsylvania in accordance with the conditions set forth in this permit and Standard Conditions for Permits. Compliance with this permit does not relieve the permittee of its obligation to comply with any or all applicable pretreatment regulations, standards, or requirements under Federal, State, or local laws, including any such regulations, standards, requirements, or laws that may become effective during the term of this permit.

Noncompliance with any term or condition of this permit shall constitute a violation of the DELCORA Standards, Rules and Regulations of the Western Service Area, as amended, and Resolution No. 2011-08, as amended.

This permit shall become effective on **May 1, 2026**, and shall expire at midnight on **May 31, 2028** (2-year term to last day of permit month).

If the permittee wishes to continue to discharge after the expiration date of this permit, an application must be filed for a renewal permit in accordance with the requirements of **Section A, No. 10 – Duty to Reapply**, a minimum of 60 days prior to the expiration date.

By: 
Christopher L. Lenton
Managing Director

Issued this 9th day of April 2026

Rev. 2-2023

**DELCORA
WASTEWATER TREATMENT
SEPTAGE MANAGEMENT PLAN
STANDARD CONDITIONS FOR PERMITS**

SECTION A – GENERAL CONDITIONS

1. Severability

The provisions of this permit are severable, and if any provisions of this permit, or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

2. Duty to Comply

The permittee must comply with all conditions of this permit. Failure to comply with the requirements of this permit may be grounds for administrative action, or enforcement proceedings including civil or criminal penalties, injunctive relief, and summary abatements.

3. Duty to Mitigate

The permittee shall take all reasonable steps to minimize or correct any adverse impact to the publicly owned treatment plant (POTW) or the environment resulting from noncompliance with this permit, including such accelerated or additional monitoring as necessary to determine the nature and impact of the noncomplying discharge.

4. Permit Conditions

To protect the DELCORA WRTP from possible hazardous or problem-causing discharges from waste haulers, the permittee must adhere to the following conditions:

- a. Right of Refusal to Accept Waste – DELCORA has the right to refuse any hauled waste load.
- b. Prohibited Discharges – Waste haulers shall be prohibited from discharging wastes which would violate any prohibited discharge standards of the General Pretreatment Regulations [40 CFR 403.5(b)] or any local prohibited discharges.
- c. Septage Permitting System – Licensed septage haulers shall obtain a valid permit from DELCORA and comply with all the conditions of this permit. The permit may be suspended or revoked according to the policies outlined in the Regulations. Haulers shall apply for this permit on forms provided by DELCORA and shall submit an application containing the following information:

- (1) Name, company name, address, telephone number.

- (2) Vehicle identification, make and capacity.
 - (3) Information on the quantity and type of hauled waste.
 - (4) Signed and notarized statement certifying that the information presented in the application is correct.
- d. Manifest – Haulers shall complete a “Waste Manifest” form upon arrival at the plant. This form is to reflect the complete capacity and actual volume of the truck regardless of whether the truck is full or partially full.
- e. Septage/Hauled Waste Disposal –
- (1) Septage/hauled waste shall only be discharged to DELCORA's septage receiving facility. The hauler shall be responsible for cleaning the area surrounding the discharge disposal location after discharge.
 - (2) Septage/hauled waste shall be discharged only within the hours of 7:00 A.M. and 7:00 P.M., Monday through Saturday; except on certain Holidays as listed in Attachment A. Septage/hauled waste discharge shall be allowed only under the supervision of DELCORA. Gallonage and hours for delivery of waste may be reduced, extended, increased, or otherwise changed or altered by and at the discretion of DELCORA. DELCORA personnel may require that the load be dumped over a period of a half-hour or more, depending upon the flow and characteristics of the incoming sewage at DELCORA's Western Regional Treatment Plant.
 - (3) Each hauler shall furnish the following items to DELCORA personnel upon arrival at the plant:
 - (a) Load manifest form (provided by DELCORA) which states the hauling company, hauler name, vehicle license number, quantity and source (owner and address) of the septage, actual volume and truck capacity, and a certification statement signed by the hauler and generator, attesting to the accuracy of the information provided on the load manifest form.
 - (b) One (1) grab sample of the load taken by the hauler under supervision by DELCORA personnel. DELCORA reserves the right to refuse to accept any load that is suspected of being or has been determined through sampling and analysis to be detrimental to the operations of the plant, the safety of its workers, or to the health or welfare of the public. DELCORA reserves the right to require composite samples.
 - (c) DELCORA may require the waste hauler to provide a waste analysis prior to discharge.
 - (4) The hauler shall maintain a copy of his/her permit.

- (5) The manifest form must be reviewed by DELCORA WRTP personnel prior to discharge. Failure to accurately record every load, falsification of data, or failure to transmit the form to the plant operator prior to discharge may result in revocation of this permit and criminal penalties may be deemed appropriate.
- (6) The capacity of each truck shall be posted on the truck, along with any identification sticker issued by the Pennsylvania Department of Environmental Protection (PADEP) or DELCORA.
- (7) All trucks delivering solid or liquid waste to DELCORA WRTP for processing are subject to all Rules and Regulations of the Pennsylvania Waste Transportation Safety Program (WTSP) (Chapter Section 62 of Act 90 of 2002), which requires all owners of waste transportation vehicles (trucks registered for more than 17,000 pounds and trailers registered for more than 10,000 pounds) that regularly transport municipal or residual waste to a processing disposal facility in the Commonwealth to obtain written authorization from the Department of Environmental Protection.

WTSP authorization is not applicable to vehicles currently registered by the PA-DEP to transport residential septage ("DEP Residential Septage Permit", per §285.225). DELCORA **will not accept** any waste delivered by any vehicle failing to properly display official PA-DEP issued WTSP stickers or does not have a registered Residential Septage Permit Number permanently displayed according to the permit regulations.

- (8) The following trucks may discharge septage and holding tank wastewaters to the DELCORA WRTP:

<u>Vehicle No.</u>	<u>License No.</u>	<u>State</u>	<u>Truck Capacity</u>
#5	CL121524	DE	5,500 Gallons
#6	N/A	DE	5,000 Gallons

- f. Septage Records/Waste Tracking – The permitted waste hauler is responsible for maintaining a record of the waste tracking sources of waste identified on the manifest form for a period of three (3) years beyond the form date. The manifest form will include information such as:
 - Name and address of each customer
 - Types of wastes collected
 - Approximate volume(s) received
 - Known or suspected pollutants
 - Certification that the waste is not hazardous
 - Truck Capacity
- g. Compliance Record – No statement contained in this Section shall exempt the hauler from complying with all Federal, state or local requirements.

5. Permit Modification

This permit may be modified for good causes including, but not limited to, the following:

- a. To incorporate any new or revised Federal, State, or local treatment standards or requirements.
- b. Material or substantial alterations or additions to the discharger's discharge volume or character which were not considered in drafting the effective permit.
- c. A change in any condition in either the septage hauler or the DELCORA W RTP that requires either a temporary or permanent reduction or elimination of the authorized discharge.
- d. Information indicating that the permitted discharge poses a threat to DELCORA's treatment systems, personnel or the receiving waters.
- e. Violation of any terms or conditions of the permit.
- f. Misrepresentation or failure to disclose fully all relevant facts in the permit application or in any required reporting.
- g. To correct typographical or other errors in the permit.
- h. To reflect transfer of the facility ownership and/or operation to a new owner/operator.
- i. Upon request of the permittee, provided such request does not create a violation of any applicable requirements, standards, laws, or rules and regulations.

The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance, does not stay any permit condition.

6. Permit Termination

This permit may be terminated for the following reasons:

- a. Falsifying manifests
- b. Tampering with equipment
- c. Failure to meet effluent limitations
- d. Failure to pay fines
- e. Failure to pay disposal charges
- f. Failure to maintain insurance

7. Permit Appeals – The permittee may petition to appeal the terms of this permit within thirty (30) days of the notice.

This petition must be in writing; failure to submit a petition for review shall be deemed to be a waiver of the appeal. In its petition, the permittee must indicate the permit provisions objected to, the reasons for this objection, and the alternative condition, if any, it seeks to be placed in the permit.

The effectiveness of this permit shall not be stayed pending reconsideration by DELCORA. If, after considering the petition and any arguments put forth by the Superintendent, DELCORA determines that reconsideration is proper, it shall remand the permit and reissue. Those permit provisions being reconsidered by DELCORA shall be stayed pending reissuance.

8. Property Rights

The issuance of this permit does not convey any property rights of any sort, or any exclusive privileges, nor does it authorize any injury to private or any invasion of personal rights, nor any violation of Federal, State, or local laws or regulations.

9. Limitation on Permit Transfer

Permits may be reassigned or transferred to a new owner and/or operator with prior approval of DELCORA:

- a. The permittee must give at least thirty (30) days advance notice to DELCORA.
- b. The notice must include a written certification by the new owner which:
 - (i) States that the new owner has no immediate intent to change the facility's operations and processes.
 - (ii) Identifies the specific date on which the transfer is to occur.
 - (iii) Acknowledge full responsibility for complying with the existing permit.

10. Duty to Reapply

If the permittee wishes to continue an activity regulated by this permit after the expiration date of this permit, the permittee must submit an application for a new permit at least 60 days before the expiration date of this permit.

11. Continuation of Expired Permits

An expired permit will continue to be effective and enforceable until the permit is reissued if:

- a. The permittee has submitted a complete permit application at least thirty (30) days prior to the expiration date of the user's existing permit.

12. Definitions

- a. Composite Sample – A sample that is collected over time, formed either by continuous sampling or by missing discrete samples. The sample may be composited either as a time composite sample: composed of discrete sample aliquots collected in one container at constant time intervals providing representative samples irrespective of stream flow; or as a flow proportional composite sample: collected either as a constant sample volume at time intervals proportional to stream flow, or collected by increasing the volume of each aliquot as the flow increases while maintaining a constant time interval between the aliquots.
- b. Grab Sample – An individual sample collected in less than 15 minutes, without regard for flow or time.
- c. Instantaneous Maximum Concentration – The maximum concentration allowed in any single grab sample.
- d. Upset – Means an exceptional incident in which there is unintentional and temporary noncompliance with technology-based permit effluent limitations because of factors beyond the reasonable control of the permittee, excluding such factors as operational error, improperly designed or inadequate treatment facilities, or improper operation and maintenance or lack thereof.

13. General Prohibitive Standards

The permittee shall comply with all the prohibitive discharge standards in Article 201 and Article 202 of DELCORA's Regulations.

Discharge of wastewaters into the Sewer System of the Western Regional Treatment Plant containing the following constituents is hereby prohibited:

- a. Discharges from any user containing more than 100 mg/L of petroleum oil, non-biodegradable cutting oils, or other products of mineral origin.
- b. Except as otherwise provided, no hauler shall discharge or cause to be discharged into the Sewer System, any Domestic Waste, Industrial Waste or other matter or substance:
 - (1) Having a temperature higher than 120°F or less than 32°F, or containing heat in amounts which will inhibit biological activity in the sewage treatment plant resulting in interference, but in no case heat in such quantities that the temperature of the influent of the treatment plant exceeds 104°F.
 - (2) Containing any liquids, solids or gases, with a closed cup flashpoint of less than 140°F, which by reason of their nature or quantity are, or may be, sufficient either alone or by interaction with other substances to cause fire or explosion or be injurious in any other way to the treatment plant or to the operation of the treatment plant. At no time shall two successive readings on any explosion

hazard meter, at the point of discharge into the system (or at any point in the system) be more than five percent (5%), nor any single reading over ten percent (10%) of the Lower Explosive Limit (LEL) as ready by the meter. Prohibited materials include, but are not limited to: gasoline, benzene, naphtha, fuel oil, paint products, kerosene, toluene, xylene, ethers, ketones, aldehydes, peroxides, chlorates, perchlorates, bromates, carbides, hydrides, sulfides, or any other flammable or explosive substances which DELCORA, the Commonwealth of Pennsylvania, Department of Environmental Protection, or the US Environmental Protection Agency has notified the User is a fire hazard or a hazard to the DELCORA WRTP.

- (3) Containing any noxious or malodorous gas or substance, which either singly or by interaction with other wastes, is in the judgment of DELCORA capable of creating a public nuisance or hazard to life or preventing entry into sewers for their maintenance and repair.
- (4) Containing any solid or viscous substances in quantities or of size capable of causing obstruction to the flow in sewers, or other interference with the proper operation of the wastewater facilities. Such substances include, but are not limited to: ashes, cinders, sand, mud, straw, shavings, metal, glass, bones, rags, feathers, tar, plastic, wood, paunch manure, butchers offal, human whole blood or blood products, betonite, lye, building materials, rubber, hair, leather, porcelain, china, ceramic wastes, asphalt, paint, waxes, or any other solids or viscous substances capable of causing obstruction to the flow in the Sewer System or other interference with the proper operation of the Sewer System or the WRTP.
- (5) Containing garbage that has not been ground to such a degree that all particles will be carried freely in suspension under flow conditions normally prevailing in the public sewers, with no particles under any circumstances, greater than one-half (1/2) inch in any dimension. Garbage grinding for the purpose of discharge to the sewer system shall be applied only to food waste from processors preparing food for consumption on the premises.
- (6) Any substance which may cause the WRTP effluent or any other product of the treatment plant thereof such as residues, sludges, or scums to be unsuitable for reclamation and reuse or to interfere with the reclamation process. In no case, shall a substance discharged to the sewer system cause the WRTP to be in non-compliance with sludge use or disposal criteria, guidelines or regulations affecting sludge use or disposal developed pursuant to the Solid Waste Disposal Act, the Clean Air Act, the Toxic Substances Control Act or Commonwealth criteria applicable to the sludge management method being used.
- (7) Any substance which will cause the treatment plant to violate its NPDES Permit or the receiving water quality standards, causing pass through or interference.
- (8) Containing Total Solids of such character and quantity that unusual attention or expense is required to handle such materials at the WRTP, except as may be approved by DELCORA or as otherwise provided herein.

- (9) Containing any toxic radioactive isotopes in excess of that allowed by State or Federal Law and without special permit.
- (10) Prohibited by any permit issued by the Commonwealth of Pennsylvania, or by the U.S. Environmental Protection Agency or any other Federal Agency.
- (11) Containing wastes which are not amenable to biological treatment or reduction in existing treatment facilities, specifically non-biodegradable complex carbon compounds.
- (12) Any waters which are used for the purpose of diluting wastes which would otherwise exceed applicable maximum concentration limitations. DELCORA may impose mass limitations on Users which are using dilution to meet applicable Categorical Pretreatment Standards or Requirements or in other cases where the imposition of mass limitations are appropriate. DELCORA will also permit categorical industries under the Pretreatment Program.
- (13) Material considered a hazardous waste under the Resource Conservation or Recovery Act (RCRA).
- (14) Medical or infectious wastes, including blood and blood products.
- (15) Radioactive wastes, as defined by the Commonwealth of Pennsylvania.
- (16) Wastes in excess of the limits defined in Attachment B for septic wastes and/or Attachment C for industrial wastewaters.
- (17) Grease in excess of the allotted allocation.

SECTION B. – RECORDS

1. Retention of Records

- a. The permittee shall retain records of copies of all reports required by this permit, and records of all data used to complete the application for this permit, for a period of at least three years from the date of the sample, measurement, report or application.
- b. All records that pertain to matters that are the subject of special orders or any other enforcement or litigation activities brought by DELCORA shall be retained and preserved by the permittee until all enforcement activities have concluded and all periods of limitation with respect to any and all appeals have expired.

2. Record Contents (Applicable when the permittee performs sampling)
 - a. The date, exact place, time and methods of sampling or measurements, and sample preservation techniques or procedures;
 - b. Who performed the sampling or measurements;
 - c. The date(s) analyses were performed;
 - d. Who performed the analyses;
 - e. The analytical techniques or methods used; and
 - f. The results of such analyses.

3. Falsifying Information

Knowingly making any false statement on any report or other document required by this permit or knowingly rendering any monitoring device or method inaccurate, is a crime and may result in the imposition of criminal sanctions and/or civil penalties.

SECTION C. – ADDITIONAL REPORTING REQUIREMENTS

1. Planned Changes

The permittee shall give notice to DELCORA WRTP 60 days prior to any change in the nature of the discharge.

2. Noncompliance Anticipated

The permittee shall give advance notice to DELCORA WRTP of any planned changes or activities which may result in noncompliance with permit requirements.

3. Duty to Provide Information

The permittee shall furnish to DELCORA WRTP any information which DELCORA may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. The permittee shall also, upon request, furnish to DELCORA within 5 days copies of any records required to be kept by this permit.

4. Signatory Requirements (use whichever alternative best applies)

All applications, reports, or information submitted to DELCORA must contain the following certification statement and be signed as required in Sections (a), (b), (c) or (d) below:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of this person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

- a. By a responsible corporate officer, if the User submitting the reports is a corporation. For the purpose of this paragraph, a responsible corporate officer means:
 - (i) a president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision-making functions for the corporation, or;
- b. By a general partner or proprietor if the User submitting the reports is a partnership or sole proprietorship respectively.
- c. By a duly authorized representative of the individual designated in paragraph (a) or (b) of this section if:
 - (i) the authorization is made in writing by the individual designated in paragraph (a) or (b);
 - (ii) the authorization specifies either an individual or a position having responsibility for the overall operation of the company from which the discharge originates, such as the position of the company manager, or a position of equivalent responsibility, or having overall responsibility for environmental matters for the company; and
 - (iii) the written authorization is submitted to DELCORA.
- d. If an authorization under paragraph (c) of this section is no longer accurate because a different individual or position has responsibility for the overall environmental matters for the company, a new authorization satisfying the requirements of paragraph (c) of this section must be submitted to DELCORA prior to or together with any reports to be signed by an authorized representative.

5. Civil and Criminal Liability

Nothing in this permit shall be construed to relieve the permittee from civil and/or criminal penalties for noncompliance under Article 400 of the DELCORA Regulations or State or Federal laws or regulations.

6. Recovery of Costs Incurred

In addition to civil and criminal liability, the permittee violating any of the provisions of this permit or Article 201 and Article 202 of the Regulations or causing damage to or otherwise inhibiting the DELCORA W RTP wastewater disposal system shall be liable to DELCORA for any expense, loss, or damage caused by such violation or discharge. The DELCORA W RTP shall bill the permittee for the costs incurred by DELCORA for any cleaning, repair or replacement work caused by the violation or discharge. Refusal to pay the assessed costs shall constitute a separate violation of Article 502 of the Regulations.

SECTION D – SPECIAL CONDITIONS

1. The permittee must carry liability insurance, and provide satisfactory evidence of it to DELCORA, in such amounts and form as determined by DELCORA. Such insurance shall afford compensation for taking corrective action and for bodily injury, and for property damage to the third persons caused by accidental releases. The permittee shall execute the DELCORA insurance certificate or provide alternate proof of coverage. The permittee may still obtain additional insurance coverage as may be deemed necessary for his or her own protection.

ATTACHMENT A

**DELCORA HOLIDAY SCHEDULE*
DELIVERY HOURS**

**HOLIDAY HOURS
WASTE ACCEPTED 5:00 AM TO 7:00 PM**

**Martin Luther King, Jr. Day
President's Day
Good Friday
Columbus Day
General Election Day
Veteran's Day
Day after Thanksgiving
Day before Christmas**



**HOLIDAY SCHEDULE
NO WASTE ACCEPTED ON THESE HOLIDAYS**

**New Year's Day
Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Christmas Day**

ATTACHMENT B

DELAWARE COUNTY REGIONAL WATER QUALITY CONTROL AUTHORITY (DELCORA)

100 East Fifth Street
Post Office Box 999
Chester, Pennsylvania 19016-0999

ACCEPTANCE CRITERIA FOR HAULED WASTE (SEPTAGE, HOLDING TANKS, GREASE TRAPS)

UP TO AND INCLUDING 15% SOLIDS

Total Metals

<u>Metals</u>	<u>Dry Weight Maximum (mg/kg)</u>
Arsenic	50.0
Cadmium	55.0
Chromium	2000.0
Copper	2850.0
Lead	550.0
Mercury	35.0
Molybdenum	75.0
Nickel	420.0
Selenium	65.0
Zinc	5000.0

Other Parameters/Total Analysis

pH	$5.0 \leq X \leq 11.0$ S.U.
PCBs	5.0
Sulfide (H ₂ S)	200.0
Cyanide	25.0
Oil & Grease ⁽¹⁾	150,000.0
TPH	150,000.0
Phenolics	100.0
Reactive Cyanide	25.0
Reactive Sulfide	200.0
Flashpoint	>150°F
Ignitability	>60°C
Corrosivity	Not Corrosive
Total Solids	<15%
Total Volatile Solids	No Limit

⁽¹⁾ Not applicable to grease trap wastes.

TCLP Parameters

<u>Metals</u>	<u>Maximum Allowable Level, mg/L</u>	
	Arsenic	0.5
Barium	10.0	
Cadmium	0.1	
Chromium	0.5	
Copper	1.9	
Lead		0.5
Mercury	0.02	
Selenium	0.1	
Silver		0.5
Nickel	2.2	
Zinc		3.0
<u>Other</u>		
Phenol	7.0	
Cyanide	2.0	
<u>Volatile Organics</u>		
Benzene	<0.5	
Carbon Tetrachloride	<0.5	
Chloroform	5.0	
1,2-Dichloroethane	<5.0	
1,1-Dichloroethylene	<0.7	
Methyl Ethyl Ketone	5.0	
Pyridine	<5.0	
Tetrachloroethylene	<0.7	
Trichloroethylene	<0.5	
Vinyl Chloride	<0.2	
Chlorobenzene	5.0	
<u>Semi-Volatile Organics</u>		
o-Cresol	5.0	
m-Cresol	5.0	
p-Cresol	5.0	
1,4-Dichlorobenzene	5.0	
2,4-Dinitrotoluene	<0.13	
Hexachlorobenzene	<0.13	
Hexachloro- 1,3-Butadiene	<0.5	
Hexachloroethane	<3.0	
Nitrobenzene	<2.0	
Pentachlorophenol	5.0	
2,4,5-Trichlorophenol	5.0	
2,4,6-Trichlorophenol	<2.0	
<u>Herbicides/Pesticides</u>		
Chlordane	<0.03	
Endrin	<0.02	
Heptachlor	<0.008	
Lindane	<0.4	
Methoxychlor	5.0	
Toxaphene	<0.5	
2,4-D	5.0	
2,4,5-TP (Silvex)	<1.0	

ATTACHMENT C

DELAWARE COUNTY REGIONAL WATER QUALITY CONTROL AUTHORITY (DELCORA)

100 East Fifth Street
Post Office Box 999
Chester, Pennsylvania 19016-0999

ACCEPTANCE CRITERIA FOR INDUSTRIAL WASTEWATERS

In accordance with Section 106 of Resolution No. 2013-12 (Local Limits) - attached.

NOTE: The fats, oil, and grease (F.O.G.) content of wastewaters from food manufacturing facilities cannot exceed 20,000 mg/L of F.O.G. from vegetable and animal sources. All other industrial wastewaters containing F.O.G. from mineral sources must be < 100 mg/L per Resolution No. 2011-04 (DELCORA Standards, Rules & Regulations of 2011), Section 218 – Oils, Greases.

BOND TO ACCOMPANY AND FOR STATE OF DELAWARE
NON-HAZARDOUS LIQUID TRANSPORTERS PERMIT NO. DE-WH-028

Delaware Non-Haz Liquid Transporters Permit Number:	DE-WH-028
Bond Number:	BND0972600
Effective Date:	March 15, 2026
Expiration Date:	March 15, 2027
Principal Name, Address, and Phone Number:	Sawyer's Sanitation Service, Inc. PO Box 538, Smyrna, DE 19977 302-678-8240
Obligee Name and Address:	Delaware Department of Natural Resources and Environmental Control Division of Water Resource Protection Section 89 Kings Highway, Dover DE 19901 (302) 739-9116
Surety Name, Address, Phone Number:	Westfield Insurance Company One Park Circle, PO Box 5001, Westfield Center, OH 44251 800-243-0210
Agent Name, Agent Number, Address, Phone Number:	Pratt Insurance, Inc. 4 Village Square, Smyrna, DE 19977 302-653-6681

Bond Number: BND0972600
Effective Date: March 15, 2026
Expiration Date: March 15, 2027

BOND TO ACCOMPANY AND FOR STATE OF DELAWARE
NON-HAZARDOUS LIQUID TRANSPORTERS PERMIT NO. DE-WH-028

KNOW ALL MEN BY THESE PRESENTS that:

Sawyer's Sanitation Service, Inc. of
PO Box 538 in the County of Kent and State of
Delaware as principal, and Westfield Insurance Company
of One Park Circle, PO Box 5001 in the County of Medina and State of
Ohio as surety, legally authorized to do business in the State of Delaware, are
held firmly bound unto the State of Delaware in the sum of Five Thousand Dollars (\$5,000), to be paid to the
said State of Delaware for the use and benefit of the Department of Natural Resources and Environmental
Control of said State, for which payment well and truly to be made, we do bind ourselves, our and each and
every of our heirs, executors, administrators, successors, and assigns, jointly and severally for and in the whole
firmly by these presents.

THE CONDITION OF THE ABOVE OBLIGATION IS SUCH that if the said above bounden principal,
Sawyer's Sanitation Service, Inc., who has been issued by the
Department of Natural Resources and Environmental Control of the State of Delaware a certain permit
designated as Permit No. DE-WH-028, and dated March 15 2026, for the
transportation of non-hazardous liquid waste, and is required to file with the Department of Natural Resources
and Environmental Control a bond or other security, shall fulfill all the requirements of 7 Del. C. Chapter 60,
the State of Delaware Regulations Governing the Design, Installation, and Operation of On-Site Wastewater
Treatment and Disposal Systems (Section 5.3.32.4) and Permit No. DE-WH-028, then this obligation shall
be void or else to remain in full force and virtue.

Signed and sealed this 23rd day of June, 2026.

SIGNED, SEALED AND DELIVERED IN
the presence of:

CORPORATE SEAL



Witness: Heather Egan

Sawyer's Sanitation Service, Inc.
NAME OF PERMITTEE

BY: Halcyon
President
TITLE

CORPORATE SEAL

Attest:

Westfield Insurance Company
NAME OF SURETY

Rhonda S. Wilson
Rhonda S. Wilson

BY: Cheryl C. Hurlock
Cheryl C. Hurlock, Attorney-In-Fact



NOTE: If Attorney-In-Fact does not hold a current Delaware Agent's License (Resident or Non-Resident), this bond must be countersigned below:

NAME OF DELAWARE LICENSE AGENT
(Resident or Non-Resident)

LICENSE NUMBER

BY: _____

ADDRESS: _____

General
Power
of Attorney

CERTIFIED COPY

POWER NO. 0740461 00

Westfield Insurance Co.
Westfield National Insurance Co.
Ohio Farmers Insurance Co.
Westfield Center, Ohio

Know All Men by These Presents, That WESTFIELD INSURANCE COMPANY, WESTFIELD NATIONAL INSURANCE COMPANY and OHIO FARMERS INSURANCE COMPANY, corporations, hereinafter referred to individually as a "Company" and collectively as "Companies," duly organized and existing under the laws of the State of Ohio, and having its principal office in Westfield Center, Medina County, Ohio, do by these presents make, constitute and appoint

HOWELL F. WALLACE, MICHELE L. CLEVELAND, RHONDA S. WILSON, CHERYL C. HURLOCK, MARK W. BOOLE, JOINTLY OR SEVERALLY

of SMYRNA and State of DE its true and lawful Attorney(s)-in-Fact, with full power and authority hereby conferred in its name, place and stead, to execute, acknowledge and deliver any and all bonds, undertakings, and recognizances; provided, however, that the penal sum of any one such instrument executed hereunder shall not exceed ONE MILLION DOLLARS AND NO CENTS (\$1,000,000)—

LIMITATION: THIS POWER OF ATTORNEY CANNOT BE USED TO EXECUTE NOTE GUARANTEE, MORTGAGE DEFICIENCY, MORTGAGE GUARANTEE, OR BANK DEPOSITORY BONDS.

and to bind any of the Companies thereby as fully and to the same extent as if such bonds were signed by the President, sealed with the corporate seal of the applicable Company and duly attested by its Secretary, hereby ratifying and confirming all that the said Attorney(s)-in-Fact may do in the premises. Said appointment is made under and by authority of the following resolution adopted by the Board of Directors of each of the WESTFIELD INSURANCE COMPANY, WESTFIELD NATIONAL INSURANCE COMPANY and OHIO FARMERS INSURANCE COMPANY:

"Be It Resolved, that the President, any Senior Executive, any Secretary or any Fidelity & Surety Operations Executive or other Executive shall be and is hereby vested with full power and authority to appoint any one or more suitable persons as Attorney(s)-in-Fact to represent and act for and on behalf of the Company subject to the following provisions:

The Attorney-in-Fact, may be given full power and authority for and in the name of and on behalf of the Company, to execute, acknowledge and deliver, any and all bonds, recognizances, contracts, agreements of indemnity and other conditional or obligatory undertakings and any and all notices and documents canceling or terminating the Company's liability thereunder, and any such instruments so executed by any such Attorney-in-Fact shall be as binding upon the Company as if signed by the President and sealed and attested by the Corporate Secretary."

"Be It Further Resolved, that the signature of any such designated person and the seal of the Company heretofore or hereafter affixed to any power of attorney or any certificate relating thereto by facsimile, and any power of attorney or certificate bearing facsimile signatures or facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached." (Each adopted at a meeting held on February 8, 2000)

In Witness Whereof, WESTFIELD INSURANCE COMPANY, WESTFIELD NATIONAL INSURANCE COMPANY and OHIO FARMERS INSURANCE COMPANY have caused these presents to be signed by their National Surety Leader and Senior Executive and their corporate seals to be hereto affixed this 08th day of MAY A.D., 2024.

Corporate
Seals
Affixed



WESTFIELD INSURANCE COMPANY
WESTFIELD NATIONAL INSURANCE COMPANY
OHIO FARMERS INSURANCE COMPANY

By:
Gary W. Stumper, National Surety Leader and
Senior Executive

State of Ohio
County of Medina ss.:

On this 08th day of MAY A.D., 2024, before me personally came Gary W. Stumper to me known, who, being by me duly sworn, did depose and say, that he resides in Medina, OH; that he is National Surety Leader and Senior Executive of WESTFIELD INSURANCE COMPANY, WESTFIELD NATIONAL INSURANCE COMPANY and OHIO FARMERS INSURANCE COMPANY, the companies described in and which executed the above instrument; that he knows the seals of said Companies; that the seals affixed to said instrument are such corporate seals; that they were so affixed by order of the Boards of Directors of said Companies; and that he signed his name thereto by like order.

Notarial
Seal
Affixed



David A. Kotnik, Attorney at Law, Notary Public
My Commission Does Not Expire (Sec. 147.03 Ohio Revised Code)

State of Ohio
County of Medina ss.:

I, Frank A. Carrino, Secretary of WESTFIELD INSURANCE COMPANY, WESTFIELD NATIONAL INSURANCE COMPANY and OHIO FARMERS INSURANCE COMPANY, do hereby certify that the above and foregoing is a true and correct copy of a Power of Attorney, executed by said Companies, which is still in full force and effect; and furthermore, the resolutions of the Boards of Directors, set out in the Power of Attorney are in full force and effect.

In Witness Whereof, I have hereunto set my hand and affixed the seals of said Companies at Westfield Center, Ohio, this 23rd day of June A.D., 2024



Frank A. Carrino, Secretary