



NON-HAZARDOUS LIQUID WASTE TRANSPORTERS PERMIT APPLICATION

Groundwater Discharges Section, Division of Water
DE Department of Natural Resources and Environmental
Control

89 Kings Highway, Dover DE 19901
(302) 739-9948

1. Permit Number (For renewals only):

DE-WH-437

2. Company Information

Company Name: M&D Plumbing & Drain Cleaning
Spec, Inc.

Telephone: 302-382-9940

Fax:

Address (street, city, state and zip code): 1500 Gunter Rd, Marydel, Delaware, 19964

Company Email Address & Contact Name: manddplumbing1@gmail.com, Michael Megill

3. Owner/President Business Information

Name: Michael Megill

Business Telephone: 3023829940

Business Address if different from above (street, city, state and zip code):

4. Vehicle(s) Information (Attach additional sheets if necessary to identify each vehicle used for transport.)

	Make	Model	Year	Vehicle Type (Tank, Trailer, Etc.)	License Plate Number	State of Registration	Capacity (gal)
1	International	4300	2006	tank	CL 24544	Delaware	1,800

* Please submit a Certificate of Insurance for each vehicle listed demonstrating commercial automobile liability insurance with a combined single limit of at least \$100,000.

*Certificate of insurance uploaded: **pump truck cert of insurance.pdf**, **pump truck cert of insurance.pdf***

5. Please Check Type(s) of Waste Being Transported and Provide the Information Requested in the Indicated Sections for Each Waste Type Checked

	✓	Waste Type	Quantity Collected
i.	✓	Septage	1,000,000 gal/yr
ii.	✓	Holding Tank Waste	50,000 gal/yr
iii.		Grease Trap Waste and/or Cooking Oil Waste	gal/yr
iv.		Portable Toilet Waste	gal/yr
v.		Municipal or Industrial Biosolids	# wet tons/yr
vi.		Sludge From Package Treatment Plants	# wet tons/yr
vii.		Other Non-Hazardous Liquid Waste	gal/yr

Documents required for all new permit applications *and* renewals:

- Attach an Operation Plan detailing the following:
 - a spill reporting and clean-up plan,
 - plans for cleaning vehicles,
 - recordkeeping procedures and
 - days and hours of operation.
- Attach a list of all disposal facilities to be used. Include a copy of the permit/authorization letter from each disposal facility stating the company is currently authorized to discharge the requested waste stream (i.e. septage, holding tank waste, portable toilet waste, etc.) to the facility. Authorization documentation is required for both new and renewal applications.

7 DelC §6023(d): No person shall haul, convey or transport any liquid waste in any container without a license issued by the Department.

Septage
1. Attach a list of all Class F Licensees currently working for the company. If there are no Class F licensees currently working for the company, please note according to Section 4.1.6 of the State of Delaware Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, all individuals who will be responsible for removal, transportation or disposal of the solid and liquid contents of septic tanks, cesspools, grease traps, seepage pits, holding tanks, portable toilets or other wastewater treatment or disposal facilities must obtain a Class F license before pumping. In order for an individual to obtain a Class F license.
Class F Licenses uploaded: <i>Tammy Megill On-Site Wastewater Inspector (Class H) License certificate.pdf</i> , <i>MICHAEL MEGILL On-Site Wastewater Liquid Waste Hauler (Class F) License certificate.pdf</i>

Holding Tanks
1. Attach a list of all Class F Licensees currently working for the company. If there are no Class F licensees currently working for the company, please note according to Section 4.1.6 of the State of Delaware Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, all individuals who will be responsible for removal, transportation or disposal of the solid and liquid contents of septic tanks, cesspools, grease traps, seepage pits, holding tanks, portable toilets or other wastewater treatment or disposal facilities must obtain a Class F license before pumping. In order for an individual to obtain a Class F license
Class F Licenses uploaded: <i>Tammy Megill On-Site Wastewater Inspector (Class H) License certificate.pdf</i> , <i>MICHAEL MEGILL On-Site Wastewater Liquid Waste Hauler (Class F) License certificate.pdf</i>

Grease Trap Waste and/or Cooking Oil Waste
--

1. Attach a list of all disposal facilities to be used.
2. Attach a list of all Class F Licensees currently working for the company. If there are no Class F Licensees currently working for the company, please note according to Section 4.1.6 of the State of Delaware Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, all individuals who will be responsible for removal, transportation or disposal of the solid and liquid contents of septic tanks, cesspools, grease traps, seepage pits, holding tanks, portable toilets or other wastewater treatment or disposal facilities must obtain a Class F license before pumping. For a Class F License application, please contact the Licensing Coordinator at 302-739-9948.
Grease Trap Waste Disposal Facilities to be used: Class F Licenses Uploaded:

Portable Toilets
1. Attach a list of all Class F Licensees currently working for the company. If there are no Class F Licensees currently working for the company, please note according to Section 4.1.6 of the State of Delaware Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, all individuals who will be responsible for removal, transportation or disposal of the solid and liquid contents of septic tanks, cesspools, grease traps, seepage pits, holding tanks, portable toilets or other wastewater treatment or disposal facilities must obtain a Class F license before pumping.
Class F Licenses uploaded:
3. Quantity of portable toilets you own:

Municipal and Industrial Biosolids
1. Identify all Facilities the company will service by attaching a table listing the following: Facility Name of Sludge Generator # Estimated Volume of Sludge to be Transported # Disposal Facility* * If sludge is to be land applied, include the current Agricultural Utilization Permit Number for that facility.
Municipal and Industrial Biosolids <i>Disposal Facilities</i> :
2. Provide transportation routes from all generating facilities to all applicable disposal facilities.
Municipal and Industrial Biosolids <i>Transportation Routes</i> :
3. Indicate any treatment the sludge has undergone before transportation (for example anaerobic digestion, aerobic digestion, lime stabilization, composting, or dewatering).
Sludge Treatment Description Upload:

4. Provide results of a laboratory analysis of a representative sample of the sludge which was obtained not more than 6 months before submission of the application unless these results would be submitted as a part of the land application program. The analysis shall include, as a minimum, percent solids, pH, and the dry weight concentration of total nitrogen, ammonium, nitrate, total phosphorous, total potassium, cadmium, copper, mercury, nickel, lead, zinc, arsenic, selenium, and molybdenum.

Sludge From Package Treatment Plants Laboratory Analysis Uploaded:

Sludge From Package Treatment Plants

1. Identify all Facilities the company will service by attaching a table listing the following:
Facility Name of Sludge Generator # Estimated Volume of Sludge to be Transported #
Disposal Facility*

* If sludge is to be land applied, include the current Agricultural Utilization Permit Number for that facility.

Sludge From Package Treatment Plants *Disposal Facilities*:

2. Provide transportation routes from all generating facilities to all applicable disposal facilities.

Sludge From Package Treatment Plants *Transportation Routes*:

3. Indicate any treatment the sludge has undergone before transportation (for example anaerobic digestion, aerobic digestion, lime stabilization, composting, or dewatering).

Sludge Treatment Description Upload:

4. Provide results of a laboratory analysis of a representative sample of the sludge which was obtained not more than 6 months before submission of the application unless these results would be submitted as a part of the land application program. The analysis shall include, as a minimum, percent solids, pH, and the dry weight concentration of total nitrogen, ammonium, nitrate, total phosphorous, total potassium, cadmium, copper, mercury, nickel, lead, zinc, arsenic, selenium, and molybdenum.

Sludge From Package Treatment Plants Laboratory Analysis Uploaded:

Other Non-Hazardous Liquid Wastes

1. Describe the source, nature and make-up of the non-hazardous liquid waste to be transported.

2. Will any of the wastes contain petroleum products (i.e. oil, gas, grease, etc.)?

_____ **Yes** _____ **No** : no

* Transportation of liquid wastes containing any petroleum products will require a permit from the Division of Waste & Hazardous Substances (302-739-9400).

Operating Plan
Attach an Operation Plan detailing the following: a spill reporting and clean-up plan, plans for cleaning vehicles, recordkeeping procedures and days and hours of operation.
Operating Plan Upload: <i>operation plan for pump truck.docx</i>

Disposal Facilities
Attach a list of all disposal facilities to be used. Include a copy of the permit/authorization letter from each disposal facility stating the company is currently authorized to discharge the requested waste stream (i.e. septage, holding tank waste, portable toilet waste, etc.) to the facility.
Disposal Facilities Upload: <i>Letter of Intent to Discharge.pdf</i>

Proof of Bond (If applicable)
Proof of Bond - Part III B, Section 500 of the Guidance and Regulations Governing the Land Treatment of Wastes directs, as a requirement for keeping a permit issued under these Regulations, the permittee to file a bond or other security in the amount of Five Thousand Dollars (\$5,000) with the Department. The bond is to be payable to the Department and the obligation of the bond shall be conditioned upon the fulfillment of all requirements related to the permit. If this application is for permit renewal, please submit a copy of the current Transporters Bond certification.
Proof of Bond Upload: <i>bond non hazardous liquid permit WH-437 2026.pdf , bond non hazardous liquid permit WH-437 2026.pdf</i>

8. Certification	
I certify that all information submitted as part of this application is true and correct to the best of my knowledge and belief.	
Printed Name of Applicant: Michael Megill	Date Submitted via DNREC ePermitting: 2026-07-20 10:20:18



M&DPLUM-01

TWILLIAMS

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

5/27/2026

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER L & W Insurance Inc. 3801 Kennett Pike Ste C 200 Wilmington, DE 19807		CONTACT NAME: PHONE (A/C, No, Ext): (302) 543-7121 E-MAIL ADDRESS: contact@lwinsurance.com FAX (A/C, No): (302) 543-7164		
INSURED M&D Plumbing & Drain Cleaning Specialist, Inc 1500 Gunter Rd Marydel, DE 19964		INSURER(S) AFFORDING COVERAGE		NAIC #
		INSURER A: Harford Mutual Insurance Co		14141
		INSURER B:		
		INSURER C:		
		INSURER D:		
		INSURER E:		
INSURER F:				

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	☒ COMMERCIAL GENERAL LIABILITY ☐ CLAIMS-MADE ☒ OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: ☒ POLICY ☐ PRO-JECT ☐ LOC OTHER:			MP10767085	5/7/2026	5/7/2027	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100,000 MED EXP (Any one person) \$ 5,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000
A	☒ AUTOMOBILE LIABILITY ☒ ANY AUTO ☐ OWNED AUTOS ONLY ☐ SCHEDULED AUTOS ☐ HIRED AUTOS ONLY ☐ NON-OWNED AUTOS ONLY			CA10433386	5/7/2026	5/7/2027	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ EACH OCCURRENCE \$ AGGREGATE \$
	☐ UMBRELLA LIAB ☐ OCCUR ☐ EXCESS LIAB ☐ CLAIMS-MADE DED RETENTION \$						EACH OCCURRENCE \$ AGGREGATE \$
A	☒ WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) ☐ Y / ☒ N If yes, describe under DESCRIPTION OF OPERATIONS below		N / A	WC10433423	5/7/2026	5/7/2027	☒ PER STATUTE ☐ OTH-ER E.L. EACH ACCIDENT \$ 100,000 E.L. DISEASE - EA EMPLOYEE \$ 100,000 E.L. DISEASE - POLICY LIMIT \$ 500,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
RE: 2006 International VIN 1HTMMAA196H181388

CERTIFICATE HOLDER

CANCELLATION

Groundwater Discharge Section Division of Water
DNREC
89 Kings Highway
Dover, DE 19901

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

State of Delaware
Department of Natural Resources and Environmental Control
Division of Water
89 Kings Highway, Dover, Delaware, 19901

This certifies that

MICHAEL MEGILL

has been issued a

On-Site Wastewater Liquid Waste Hauler (Class F) License
License Number: 4236F

Valid from January 01, 2026 through December 31, 2026

In the State of Delaware pursuant to the authorities set forth in 7 Del C Ch 60, Section 6023. Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems Delaware Administrative Code 7101, Section 1.0.



Sarah Silves, Licensing Program Coordinator
DNREC Division of Water

This license may be revoked or suspended if the license holder violates any of the lawful rules or regulations of the board, any condition of this license, or the provisions of the act under which the license is issued.

License Conditions

1) All activity shall be performed in accordance with The Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, amended January 11, 2014.

2) The activity authorized by the license shall only be performed under the name of the person on the face of the license.

3) The licensee is responsible for correct and complete information submitted to the Department (address, telephone number, employer, etc.).

4) The licensee is responsible for providing proof of ten (10) annual continuing education training hours relating to wastewater. Carryover credit hours from a previous year are not accepted.

5) For all new licensees, please refer to the chart below for continuing education training requirements for the current calendar year only. If your license is issued in:

* January - April (required to complete 10 hours)

* May - July (required to complete 8 hours)* August - October (required to complete 6 hours)

* November - December (required to complete 0 hours)

6) Licenses issued are not transferable and expire on December 31st of each year.

7) All Class F licensees shall operate under a valid State of Delaware Non-Hazardous Liquid Waste Transporters Permit.

8) All Class F licensees shall be knowledgeable of the Non-Hazardous Liquid Transporters Permittee's Plan for the Prevention, Control and Clean-up of Accidental Discharges. A copy of the Plan is to be maintained on file with the Department.

9) All Class F licensees shall operate under a \$5,000 performance bond, or other form of security, is maintained on file with the Department for the duration of licensing.

10) All Class F licensees shall keep a copy of their Class F license identification card available for verification while performing any Class F license related work.

11) All Class F licensees shall enter into a "Sewage Holding Tank Maintenance Contract" with the property owner prior to pumping out holding tanks. A copy of the contract document must be submitted to the Department within 15 days of signing the contract.

12) All Class F licensees shall enter into a "Grease Trap Maintenance Contract" with the property owner prior to pumping out grease traps. A copy of the contract document must be submitted to the Department within 15 days of signing the contract. Class F licensees may not enter into a "Grease Trap Maintenance Contract" unless the Class F licensee has an approved facility to dispose of grease trap waste identified in

the Non-Hazardous Liquid Waste Transporters Permit that he/she is operating under.

13) All Class F licensees shall not co-mingle septage and grease trap waste, unless specifically approved, in writing, by the facility(ies) that will be receiving the grease trap waste.

14) All Class F licensees shall conduct business in a manner that is compliant with the Safety, Tank Access and Tank Cleaning provisions of Section 7101 of the Delaware Administrative Code, as amended or revised.

15) All Class F licensees shall submit quarterly reports documenting the location, the 911 mailing address, and amount of septage removed in total gallons. This requirement becomes effective one (1) year after promulgation of these Regulations.

State of Delaware
Department of Natural Resources and Environmental Control
Division of Water
89 Kings Highway, Dover, Delaware, 19901

This certifies that

Tammy Megill

has been issued a

On-Site Wastewater Inspector (Class H) License
License Number: 5704H

Valid from January 01, 2026 through December 31, 2026

In the State of Delaware pursuant to the authorities set forth in 7 Del C Ch 60, Section 6023. Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems Delaware Administrative Code 7101, Section 1.0.



Sarah Silves, Licensing Program Coordinator
DNREC Division of Water

This license may be revoked or suspended if the license holder violates any of the lawful rules or regulations of the board, any condition of this license, or the provisions of the act under which the license is issued.

License Conditions

- 1) All activity shall be performed in accordance with The Regulations Governing the Design, Installation and Operation of On-Site Wastewater Treatment and Disposal Systems, amended January 11, 2014.
- 2) The activity authorized by the license shall only be performed under the name of the person on the face of the license.
- 3) The licensee is responsible for correct and complete information submitted to the Department (address, telephone number, employer, etc.).
- 4) The licensee is responsible for providing proof of ten (10) annual continuing education training hours relating to wastewater. Carryover credit hours from a previous year are not accepted.
- 5) For all new licensees, please refer to the chart below for continuing education training requirements for the current calendar year only.
If your license is issued in:
 - * January - April (required to complete 10 hours)
 - * May - July (required to complete 8 hours)* August - October (required to complete 6 hours)
 - * November - December (required to complete 0 hours)
- 6) Licenses issued are not transferable and expire on December 31st of each year.
- 7) All inspections of on-site wastewater treatment and disposal systems shall be submitted to the Department on forms approved by the Department. These forms shall be submitted within 72 hours of inspection completion.
- 8) The Department may require any Class H system inspector to notify the Department orally or in writing at least 48 hours, excluding Saturdays, Sundays and state holidays, prior to conducting a system inspection.
- 9) All Class H licensed system inspectors shall comply with all applicable regulations and requirements.
- 10) All Class H licensed system inspectors shall be responsible for the work carried out by their employees and on-site during all inspections.
- 11) All Class H licensed system inspectors shall ensure all wastewater and septage is removed from the appropriate tanks by a Class F liquid waste hauler in accordance with the regulations.
- 12) All Class H licensed system inspectors shall repair, add or replace septic tank and/or holding tank risers, baffles, lids, distribution box lids and effluent filters.
- 13) All Class H licensed system inspectors shall notify the Department, when newly licensed, at least 48 hours prior to the initial three (3)

system inspections performed.

14) All Class H licensed system inspectors shall submit additional information and/or paperwork as required by the Department to satisfy these Regulations.



DBA/Megills Septic Service
1500 Gunter Road
Marydel DE 19964

Operation Plan

Large Spills

1. When a large spill happens I then would call another pump truck to assist with cleanup and treat the area with lime , sand or dirt also per regulation 5.3.32 we will Contact DNREC to report the spill that occurred

Small Spill

1. If a small spill would occur we would place an absorbant materials like dirt , sand or lime on the spill to contain the spill. Then use a shovel or scoop to cleanup the absorbant waste and put it into drum or secondary containment unit to keep from spreading into ground water or soil.

Plans for cleaning vehicles

1. We will impliment cleaning of vehicle on a weekly basis out side and in side with soap and water , also will do weekly tank inspections

Record Keeping

1. We keep a spread sheet via excell with Date pumped , 911 address , gallons pumped to keep a record of the activity for each property pumped

Hours of operation

Monday to Saturday 8am to 5pm

Section A Septage and Holding Tanks
List of Licence – Michael Megill #4236

KENT COUNTY

555 Bay Rd Dover, DE 19901 ♿



LEVY COURT

(302) 744-2300 www.kentcountyde.gov

DEPARTMENT OF PUBLIC WORKS

Environmental Programs

(302) 335-6000

Fax (302) 335-0365

139 Milford Neck Rd., Milford, DE 19963

July 07, 2026

M&D Plumbing & Drain Cleaning Inc. DBA Megill's Septic Service

1500 Gunter Road

Marydel, DE 19964

Dear Mr. Michael Megill:

This letter is confirmation and authorization that Megill's Septic Service is permitted to discharge septage waste from your permitted vehicles. Please make sure that you notify DE DNREC and maintain your DE DNREC Waste Hauler's permit. At the present time, the locations for you to discharge are either at Pump Station #1 - 205 Mill St., Smyrna, DE 19977 or at the Kent County Wastewater Facility - 139 Milford Neck Rd., Milford, DE 19963.

If you have any questions, please contact us at 302-335-6000.

Sincerely,

A handwritten signature in blue ink that reads "F. James Burk". The signature is stylized with a large, looping "F" and a cursive "Burk".

F James Burk

Environmental Program Manager

Jim.burk@kentcountyde.gov

Cc: Courtney Prescott, Env. Tech 1

BOND TO ACCOMPANY AND FOR STATE OF DELAWARE
NON-HAZARDOUS LIQUID TRANSPORTERS PERMIT NO. WH-437

Delaware Non-Haz Liquid Transporters Permit Number:	WH-437	
Bond Number:	107453911	
Effective Date:	June 14, 2026	
Expiration Date:	June 14, 2027	
Principal Name, Address, and Phone Number:	M&D PLUMBING AND DRAIN CLEANING SPECIALISTS, INC 1500 Gunter Rd, MARYDEL, DE 19964	
Obligee Name and Address:	Delaware Department of Natural Resources and Environmental Control Division of Water Resource Protection Section 89 Kings Highway, Dover DE 19901 (302) 739-9116	
Surety Name, Address, Phone Number:	Travelers Casualty and Surety Company of America One Tower Square, Hartford, CT 06183	
Agent Name, Agent Number, Address, Phone Number:	L & W INSURANCE INC PO BOX 918	DOVER, DE 19903-0918

Bond Number: 107453911
Effective Date: June 14, 2026
Expiration Date: June 14, 2027

BOND TO ACCOMPANY AND FOR STATE OF DELAWARE
NON-HAZARDOUS LIQUID TRANSPORTERS PERMIT NO. WH-437

KNOW ALL MEN BY THESE PRESENTS that:

M&D PLUMBING AND DRAIN CLEANING SPECIALISTS, INC of
MARYDEL in the County of KENT and State of
DELAWARE as principal, and Travelers Casualty and Surety Company of America
of Hartford in the County of Hartford and State of
CONNECTICUT as surety, legally authorized to do business in the State of Delaware, are
held firmly bound unto the State of Delaware in the sum of Five Thousand Dollars (\$5,000), to be paid to the
said State of Delaware for the use and benefit of the Department of Natural Resources and Environmental
Control of said State, for which payment well and truly to be made, we do bind ourselves, our and each and
every of our heirs, executors, administrators, successors, and assigns, jointly and severally for and in the whole
firmly by these presents.

THE CONDITION OF THE ABOVE OBLIGATION IS SUCH that if the said above bounden principal,
M&D PLUMBING AND DRAIN CLEANING SPECIALISTS, INC, who has been issued by the
Department of Natural Resources and Environmental Control of the State of Delaware a certain permit
designated as Permit No. _____, and dated _____, for the
transportation of non-hazardous liquid waste, and is required to file with the Department of Natural Resources
and Environmental Control a bond or other security, shall fulfill all the requirements of 7 Del. C. Chapter 60,
the State of Delaware Regulations Governing the Design, Installation, and Operation of On-Site Wastewater
Treatment and Disposal Systems (Section 5.3.32.4) and Permit No. WH-437, then this obligation shall
be void or else to remain in full force and virtue.

Signed and sealed this 06 day of March, 2026.

SIGNED, SEALED AND DELIVERED IN
the presence of:

CORPORATE SEAL

Witness: _____

M&D PLUMBING AND DRAIN CLEANING SPECIALISTS, INC
NAME OF PERMITTEE

BY: _____

Michael Megill

Owner
TITLE

CORPORATE SEAL



Attest: _____

Travelers Casualty and Surety Company of America
NAME OF SURETY

BY: _____

Russell E Vance

Russell E. Vance

NOTE: If Attorney-In-Fact does not hold a current Delaware Agent's License (Resident or Non-Resident), this bond must be countersigned below:

Matthew G. Mayer
NAME OF DELAWARE LICENSE AGENT
(Resident or Non-Resident)

3000878534
LICENSE NUMBER

BY: _____

Matthew G. Mayer
ADDRESS: 1154 S. Governors Avenue
Dover, DE 19904



Travelers Casualty and Surety Company of America
Travelers Casualty and Surety Company
St. Paul Fire and Marine Insurance Company
Farmington Casualty Company


POWER OF ATTORNEY

Travelers Casualty and Surety Company of America, Travelers Casualty and Surety Company, St. Paul Fire and Marine Insurance Company, and Farmington Casualty Company are corporations duly organized under the laws of the State of Connecticut (herein collectively called the "Companies"), and the Companies do hereby make, constitute and appoint **Russell E. Vance of Hartford, CT** their true and lawful Attorney(s)-in-Fact to sign, execute, seal and acknowledge the following bond or undertaking, and any riders thereto:

Surety Bond No.: 107453911


Principal: M&D PLUMBING AND DRAIN CLEANING SPECIALISTS, INC

IN WITNESS WHEREOF, the Companies have caused this instrument to be signed, and their corporate seals to be hereto affixed, this **16th** day of **February, 2024**.



State of Connecticut


City of Hartford ss.


By: 
Bryce Grissom, Senior Vice President

On this the **16th** day of **February, 2024**, before me personally appeared **Bryce Grissom**, who acknowledged himself to be the Senior Vice President of each of the Companies, and that he, as such, being authorized so to do, executed the foregoing instrument for the purposes therein contained by signing on behalf of said Companies by himself as a duly authorized officer.

IN WITNESS WHEREOF, I hereunto set my hand and official seal.

My Commission expires the **30th** day of **June, 2026**




Anna P. Nowik, Notary Public

This Power of Attorney is granted under and by the authority of the following resolutions adopted by the Boards of Directors of each of the Companies, which resolutions are now in full force and effect, reading as follows:

RESOLVED, that the Chairman, the President, any Vice Chairman, any Executive Vice President, any Senior Vice President, any Vice President, any Second Vice President, the Treasurer, any Assistant Treasurer, the Corporate Secretary or any Assistant Secretary may appoint Attorneys-in-Fact and Agents to act for and on behalf of the Company and may give such appointee such authority as his or her certificate of authority may prescribe to sign with the Company's name and seal with the Company's seal bonds, recognizances, contracts of indemnity, and other writings obligatory in the nature of a bond, recognizance, or conditional undertaking, and any of said officers or the Board of Directors at any time may remove any such appointee and revoke the power given him or her; and it is


FURTHER RESOLVED, that the Chairman, the President, any Vice Chairman, any Executive Vice President, any Senior Vice President or any Vice President may delegate all or any part of the foregoing authority to one or more officers or employees of this Company, provided that each such delegation is in writing and a copy thereof is filed in the office of the Secretary; and it is


FURTHER RESOLVED, that any bond, recognizance, contract of indemnity, or writing obligatory in the nature of a bond, recognizance, or conditional undertaking shall be valid and binding upon the Company when (a) signed by the President, any Vice Chairman, any Executive Vice President, any Senior Vice President or any Vice President, any Second Vice President, the Treasurer, any Assistant Treasurer, the Corporate Secretary or any Assistant Secretary and duly attested and sealed with the Company's seal by a Secretary or Assistant Secretary; or (b) duly executed (under seal, if required) by one or more Attorneys-in-Fact and Agents pursuant to the power prescribed in his or her certificate or their certificates of authority or by one or more Company officers pursuant to a written delegation of authority; and it is

FURTHER RESOLVED, that the signature of each of the following officers: President, any Executive Vice President, any Senior Vice President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary, and the seal of the Company may be affixed by facsimile to any Power of Attorney or to any certificate relating thereto appointing Resident Vice Presidents, Resident Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such Power of Attorney or certificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding on the Company in the future with respect to any bond or understanding to which it is attached.

I, **Kevin E. Hughes**, the undersigned, Assistant Secretary of each of the Companies, do hereby certify that the above and foregoing is a true and correct copy of the Power of Attorney executed by said Companies, which remains in full force and effect.

Dated this 06 day of March, 2026.




Kevin E. Hughes, Assistant Secretary

To verify the authenticity of this Power of Attorney, please call us at 1-800-421-3880.
Please refer to the above-named Attorney(s)-in-Fact and the details of the bond to which this Power of Attorney is attached.