

Section 1: Applicant Identification

1. Applicant's Name: Brian Gillen / DARLENE GILLEN Telephone #: 646-256-5800
 Mailing Address: 29740 Lakewood Drive Fax #: _____
Millsboro, DE 19966 E-mail: gbdar1@aol.com

2. Consultant's Name: Erin Rogers *AGENT FOR MR. BRIAN GILLEN* Company Name: Martin's Construction, LLC
 Mailing Address: 36832 Old Mill Bridge Road/ Selbyville, DE 19975 Telephone #: 443-235-4565
 Fax #: _____ E-mail: erindekowsky@yahoo.com

3. Contractor's Name: Steven Martin/ Dave Dekowsky Company Name: Martin's Construction, LLC
 Mailing Address: 36828 Old Mill Bridge Road Telephone #: 410-251-5875 / 410-430-0201
Selbyville, DE 19975 Fax #: _____ E-mail: Martinsconstruction336@gmail.com

Section 2: Project Description

4. Check those that apply:
☒ New Project/addition to existing project? ☐ Repair/Replace existing structure? (If checked, must answer #6)

5. Project Purpose (attach additional sheets as necessary):
-100 linear feet of low profile rip-rap along existing lake shoreline (requesting after the fact approval)
-4'x10' pier over rip-rap
-5'x25' parallel dock at end of pier

6. Check each Appendix that is enclosed with this application:

☒ A. Boat Docking Facilities	☐ G. Bulkheads	☐ N. Preliminary Marina Checklist
☐ B. Boat Ramps	☐ H. Fill	☐ O. Marinas
☐ C. Road Crossings	☒ I. Rip-Rap Sills and Revetments	☐ P. Stormwater Management
☐ D. Channel Modifications/Dams	☐ J. Vegetative Stabilization	☐ Q. Ponds and Impoundments
☐ E. Utility Crossings	☐ K. Jetties, Groins, Breakwaters	☐ R. Maintenance Dredging
☐ F. Intake or Outfall Structures	☐ M. Activities in State Wetlands	☐ S. New Dredging

Section 3: Project Location

7. Project Site Address: _____
29740 Lakewood Drive
Millsboro, DE 19966

County: ☐ N.C. ☐ Kent ☒ Sussex
 Site owner name (if different from applicant): _____
 Address of site owner: _____

8. Driving Directions: SEE VICINITY MAP ATTACHED

(Attach a vicinity map identifying road names and the project location)

9. Tax Parcel ID Number: 1-33-19.00-270.00 Subdivision Name: Lake Wood Estates

WSLS Use Only:		Permit #s: _____	
Type	SP ☐ SL ☐ SU ☐ WE ☐ WQ ☐ LA ☐ SA ☐ MP ☐ WA ☐		
Corps Permit: SPGP 18 ☐ 20 ☐ Nationwide Permit #: _____		Individual Permit # _____	
Received Date: _____		Project Scientist: _____	
Fee Received? Yes ☐ No ☐ Amt: \$ _____		Receipt #: _____	
Public Notice #: _____		Public Notice Dates: ON _____ OFF _____	

Section 3: Project Location (Continued)10. Name of waterbody at Project Location: Martin Mill Pond waterbody is a tributary to: _____11. Is the waterbody: ☐ Tidal ☒ Non-tidal Waterbody width at mean low or ordinary high water 588' ±12. Is the project: ☐ On public subaqueous lands? ☒ On private subaqueous lands?*☐ In State-regulated wetlands? ☐ In Federally-regulated wetlands?

*If the project is on private subaqueous lands, provide the name of the subaqueous lands owner: _____

(Written permission from the private subaqueous lands owner must be included with this application)

13. Present Zoning: ☐ Agricultural ☒ Residential ☐ Commercial ☐ Industrial ☐ Other**Section 4: Miscellaneous**

14. A. List the names and complete mailing addresses of the immediately adjoining property owners on all sides of the project (attach additional sheets as necessary):

(29744) Richard/ Martha Carroll/ 29744 Lakewood Drive/ Millsboro, DE 19966(29736) Joseph Shin/ 29736 Lakewood Drive/ Millsboro, DE 19966

B. For wetlands and marina projects, list the names and complete mailing addresses of property owners within a 1,000 foot radius of the project (attach additional sheets as necessary):

N/A

15. Provide the names of DNREC and/or Army Corps of Engineers representatives whom you have discussed the project with:

N/A

A. Have you had a State Jurisdictional Determination performed on the property?

☐ Yes ☒ No

B. Has the project been reviewed in a monthly Joint Permit Processing Meeting?

☐ Yes ☒ No

*If yes, what was the date of the meeting? _____

16. Are there existing structures or fill at the project site in subaqueous lands?

☒ Yes ☐ No

*If yes, provide the permit and/or lease number(s): _____

~~Rip-Rap was installed without previous approval from DNREC. Owner is requesting after the fact approval.~~

*If no, were structures and/or fill in place prior to 1969?

☐ Yes ☐ No

17. Have you applied for or obtained a Federal permit from the Army Corps of Engineers?

☒ No☐ Pending☐ Issued☐ Denied

Date: _____

Type of Permit: _____

Federal Permit or ID #: _____

18. Have you applied for permits from other Sections within DNREC?

☒ No☐ Pending☐ Issued☐ Denied

Date: _____ Permit or ID #: _____

Type of permit (circle all that apply): Septic Well NPDES Storm Water

Other: _____

Section 5: Signature Page

19. Agent Authorization:

If you choose to complete this section, all future correspondence to the Department may be signed by the duly authorized agent. In addition, the agent will become the primary point of contact for all correspondence from the Department.

I do not wish to authorize an agent to act on my behalf ☐

I wish to authorize an agent as indicated below ☒

I, Brian Gillen / DARLENE GILLEN, hereby designate and authorize Martin's Construction, LLC/ Erin Rogers-Agent
(Name of Applicant) (Name of Agent)
to act on my behalf in the processing of this application and to furnish any additional information requested by the Department.

Authorized Agent's Name: Erin Rogers for Martin's Construction, LLC
Mailing Address: 36832 Old Mill Bridge Road
Selbyville, DE 19975

Telephone #: 443-235-4565
Fax #: _____
E-mail: erindekowsky@yahoo.com

20. Agent's Signature:

I hereby certify that the information on this form and on the attached plans are true and accurate to the best of my knowledge. I further understand that the Department may request information in addition to that set forth herein if deemed necessary to appropriately consider this application.

[Signature]
Agent's Signature

1-10-26

Date

21. Applicant's Signature:

I hereby certify that the information on this form and on the attached plans are true and accurate to the best of my knowledge and that I am required to inform the Department of any changes or updates to the information provided in this application. I further understand that the Department may request information in addition to that set forth herein if deemed necessary to appropriately consider this application. I grant permission to authorized Department representatives to enter upon the premises for inspection purposes during working hours.

[Signature]
Applicant's Signature

1-10-26

Date

Brian Gillen

Print Name

22. Contractor's Signature:

I hereby certify that the information on this form and on the attached plans are true and accurate to the best of my knowledge, and that I am required to inform the Department of any changes or updates to the information provided in this application. I further understand that the Department may request information in addition to that set forth herein if deemed necessary to appropriately consider this application.

[Signature]
Contractor's Name

1-10-26

Date

Steven Martin/ Martin's Construction, LLC

Print Name

Rip-Rap Sills and Revetments

Please respond to each question. Questions left blank may result in the application being returned as incomplete. In addition, the answers to all of the questions in this Appendix must correspond accurately to the information on the plan and section view drawings for the project.

NOTE: RIP-RAP WAS INSTALLED W/O PERMIT/REQUEST FOR 'AFTER THE FACT' APPROVAL

1. Will the project be:

- ☒ New Construction (un-stabilized shoreline)
☐ Repair or Replacement of an Existing Rip-Rap Structure or Rubble
☐ Repair or Replacement of an Existing Bulkhead
(If repair or replacement, submit photographs of the entire existing structure).

2. How many linear feet of shoreline are proposed to be stabilized? 100'

3. Is the project a: ☒ Standard rip-rap revetment ☐ Free-standing sill

4. Describe the existing shoreline:

SLOPED SAND/FILL

5. What is the total number of cubic yards of rip-rap that will be used? 600

6. What is the number of cubic yards of rip-rap per running foot of shoreline? 0.222
(See page 4 for a guide to calculating total cubic yards and cubic yards per running foot).

7. What will be the average weight of the stone used for the:

Armor stone: 50 lbs Core stone: 50-100 lbs ±

[If material other than stone, such as prefab geo-grid or other similar product is proposed, please describe here and include photographs or a brochure. The Department strongly discourages the use of broken concrete, cinderblocks or other materials that are less dense than stone, more apt to move off site due to currents or wave action, and/or are not aesthetically pleasing or in keeping with the natural environment.]

Describe:

8. For Standard Revetments answer A–F, below: (for Sill projects, skip to Question #9)

A. How many linear feet will the structure extend channelward of:

Mean High Water: 1' Mean Low Water: 6"

Ordinary High Water: _____ (for non-tidal waters)

B. How many square feet of the structure will be located:

Channelward of Mean High Water: 100 Channelward of Mean Low Water: 50

Channelward of Ordinary High Water: _____ (for non-tidal waters)

On vegetated wetlands: _____

C. Will the revetment be backfilled? ____ Yes ☒ No

If yes, complete Appendix H and include it in your application.

D. Will filter cloth be used behind the rip-rap structure? ☒ Yes ____ NoE. What is the average slope of the existing bank? 2F. What is the proposed slope of the rip-rap revetment? 2

(See page 3 for a guide to calculating slopes).

9. Sill Projects:

A. What is the base width of the proposed structure: _____

B. What is the top width of the proposed structure: _____

C. How many square feet of the structure will be located:

Channelward of Mean High Water: _____ Channelward of Mean Low Water: _____

Channelward of Ordinary High Water: _____ (for non-tidal waters)

On vegetated wetlands: _____

D. What will be the average height of the structure: _____

E. How much of the structure (in inches) will extend vertically above:

Mean High Water: _____ Ordinary High Water: _____ (for non-tidal waters)

F. Are breaks or notches proposed in the sill to allow for greater flushing? ____ Yes ____ No

G. Will fill material be placed behind the sill? ____ Yes ____ No If yes, complete appropriate appendix.

H. Will wetland vegetation be planted behind the sill? ____ Yes ____ No

If yes, complete Appendix H and include it in your application.

10. Construction Techniques (Complete for both Revetment and Sill Projects):

A. Will any dredging be required? ☐ Yes ☒ No

If yes, please include appropriate dredging Appendix with your application).

B. Please describe the sequence of construction and any techniques that will be utilized to minimize adverse impacts on the aquatic environment, and to preserve existing vegetation (particularly woody vegetation) along the shoreline:

NOTE: RIP-RAP WAS INSTALLED W/O APPROVAL. OWNER
IS REQUESTING AN 'AFTER THE FACT' APPROVAL
SEE SITE PHOTOS ATTACHED

CALCULATIONS

RUN = Base width of the structure (in feet) RISE = Vertical height of the structure (in feet)

I. How to calculate total cubic yards:

$$0.5 * \text{RUN} * \text{RISE} * \text{Linear feet of shoreline stabilized}/27 = \text{Total Cubic Yards}$$

II. How to calculate cubic yards per running foot of shoreline:

$$\text{Total \# Cubic Yards/ Linear feet of shoreline} = \text{Cubic yards per running foot}$$

III. How to calculate slope: $\text{Slope} = \text{RUN}/\text{RISE}$

EXAMPLE:

If we propose to stabilize 100 linear feet of shoreline with a rip-rap revetment that has a basewidth of 6 feet and a height of 3 feet:

$$0.5 * 6 * 3 * 100/27 = 33.33 \text{ Total Cubic Yards}$$

$$\text{II. } 33.33/100 = 0.333 \text{ Cubic Yards per running foot}$$

$$\text{III. } 6/3 = \text{Slope of 2}$$

BOAT DOCKING FACILITIES

Any boat docking facility for more than four (4) vessels is considered a marina facility (see definitions and explanations section) and requires the applicant to complete Appendices N and O, and make application to the U. S. Army Corps of Engineers for approval.

Please make sure answers to all of the questions in this appendix correspond with information on the application drawings.

1. Briefly describe the project. (Attach additional sheets as necessary.)

- 4'x10' PIER OVER RIP-RAP
- 5'x25' PARALLEL PLATFORM OVER WATER

2. Please provide numbers and dimensions as follows:

Structure Type	Number of Support Pilings	Dimensions (Channelward of MHW or OHW)		Dimensions (Channelward of MLW- n/a for non-tidal water)		New, repair or maintain
Dock, Pier, Lift, gangway		Width ____ ft.	Length ____ ft.	Width ____ ft.	Length ____ ft.	
PIER	4	5'	5'			NEW
DOCK	6	5'	25'			NEW
Freestanding Pilings	Number					

Mooring Buoy: How many moorings will be installed? N/A

What will be used for the anchor(s)? _____

Anchor/Mooring Block Weight _____

Anchor Line Scope (Length or Ratio) _____

Water Depth at Mooring Location _____

- Approximately how wide is the waterway at this project site? 583 ft. (measured from MLW to MLW)
- What will be the mean low water depth at the most channelward end of the mooring facility? 1 ft.
- What type of material(s) will be used for construction of the mooring facility (e.g. salt treated wood, aluminum, fiberglass floats, etc.) Use of creosote-treated wood is prohibited.
SALT TREATED WOOD (PILES/STRINGERS/HEADERS/DECKING)
- Circle any of the following items that are proposed over subaqueous lands: GALVANIZED HARDWARE
Fish Cleaning Stations/Benches/Ladders/Water Lines/ Satellite/Electric Lines/ Handrails/Other (Describe)
N/A
If any of the items are circled above, include their dimensions and location on the application drawings.

7. What will be the distance from the most channelward end of the docking facility to the edge of any natural or man-made channel? 190 ft.

8. Describe the vessels that will be berthed at the docking facility. Please draw proposed vessel locations on plans and drawings.

Make/model <u>NONE</u>	length _____	width _____	draft _____
Make/model <u>↓</u>	length _____	width _____	draft _____
Make/model <u>↓</u>	length _____	width _____	draft _____
Make/model <u>↓</u>	length _____	width _____	draft _____

9. Please provide a copy of the current state registration or Coast Guard Certificate of Documentation for each motorized vessel listed above. N/A

10. Give the number and type of each Marine Sanitation Device (e.g. MSD III, Portable toilet) that will be used on vessels to be docked at the facility. N/A

11. Is there currently a residence on the property? ☒ Yes ☐ No

12. Do you plan to reach the boat docking facility from your own upland property? ☒ Yes ☐ No If "No", explain your proposed means of access and provide documentation of easement or documentation authorizing access if you intend to cross someone else's property.

13. Will any portion of the structure be located in privately owned underwater land (such as a pond or lagoon) owned by someone other than the applicant? ☒ Yes ☐ No.
If yes, written permission of the underwater land owner must be provided with this application.

14. What is the width of the waterfront property frontage adjacent to subaqueous lands? 100 ft.
Will any portion of the structure or any vessel be placed within 10 feet of your neighbor's property line?
☐ Yes ☒ No
If yes, a letter of no objection from the adjacent property owner must be included with this application.

Melvin L. Joseph Heirs
25136 DuPont Blvd.
Georgetown, DE 19947

Permission Letter

April 29, 2026


To Whom This May Concern,

This letter serves as formal permission for Brian Gillen at 29740 Lakewood Drive in Lakewood Estates to have constructed a pier.

Contact Information:

If you have any questions regarding this permission, please contact Joe Ann J Adams at 1-800-437-7601 or jadams@melvinjoseph.com.

Sincerely,

A handwritten signature in cursive script that reads "Joe Ann J. Adams".

Joe Ann J. Adams

Melvin L. Joseph Heirs

1-33 19.00 270.00
PREPARED BY & RETURN TO:
Sergovic Carmean Weidman
McCartney & Owens, P.A.
25 Chestnut Street
P.O. Box 751
Georgetown, DE 19947-0751
File No. RE-13753

THIS DEED, made this 2nd day of May, 2022,

- BETWEEN -

DANE E. SMITH and SUSAN M. SMITH, of 5745 Meadow Lane, Pfafftown, NC 27040, parties of the first part,

- AND -

BRIAN GILLEN and DARLENE GILLEN, of 33007 Shadeland Avenue, Millsboro, DE 19966, husband and wife, as tenants by the entirety, parties of the second part.

WITNESSETH: That the said parties of the first part, for and in consideration of the sum of One Dollar (\$1.00), lawful money of the United States of America, the receipt whereof is hereby acknowledged, hereby grant and convey unto the parties of the second part, and their heirs and assigns:

ALL that certain lot, piece or parcel of land, situate, lying and being in Dagsboro Hundred, Sussex County and State of Delaware, designated as LOT TWENTY-ONE (21) of LAKE WOOD ESTATES, on a plot of "Lake Wood Estates" prepared by Land Tech, Inc., dated September 19, 1990, and filed for record in the Office of the Recorder of Deeds, Georgetown, Delaware, in Plot Book 46, Page 279, and being more particularly described in accordance with a recent survey prepared by Siteworks Engineering, David Heatwole, Professional Engineer, April 19, 2022, as follows, to wit:

BEGINNING at an iron pipe found along the Southwesterly right-of-way line of Lakewood Drive, said point of beginning being a corner for this lot and Lot 20; thence from said point of beginning and running along and with the line of Lot 20, South 44 degrees 31 minutes 36 seconds West 322.51 feet to a concrete monument found, a corner for this lot and Lot 20 and in line of Martin Mill Pond; thence turning and running with the line of Martin Mill Pond, North 41 degrees 40 minutes 22 seconds West 100.22 feet to a point, a corner for this lot and Lot 22; thence turning and running with the line of Lot 22, North 44 degrees 31 minutes 36 seconds East, passing over an iron pipe found at 8.49 feet, a distance of 315.86 feet to an iron pipe found along the Southwesterly right-of-way line of Lakewood Drive; thence turning and running with the line

of Lakewood Drive, South 45 degrees 28 minutes 24 seconds East 100.00 feet to the point and place of beginning, said to contain 31,919 square feet or 0.733 acres of land, be the same more or less.

BEING the same lands conveyed to Dane E. Smith and Susan M. Smith by Deed of Lake View Estates, Inc. dated December 14, 2001 and filed for record in the Office of the Recorder of Deeds, in and for Sussex County at Georgetown, Delaware, in Deed Book 2680, Page 349.

TOGETHER with a perpetual easement of ingress and egress on and across a private road known as Lake Wood Drive as will more fully and at large appear on a plot of record in the Office of the Recorder of Deeds in and for Sussex County, in Plot Book 46, Page 279.

SUBJECT to the Restrictions set forth for "Lake Wood Estates Subdivision" dated November 5, 1991, as recorded in the Office of the Recorder of Deeds, in and for Sussex County, State of Delaware, in Deed Book 1811, Page 268, and any amendments thereto.

IN WITNESS WHEREOF, the parties of the first part have hereunto set their hands and seals the day and year first above written.

Signed, Sealed and Delivered
in the presence of:

[Signature]
[Signature]


[Signature] (SEAL)
Dane E. Smith

[Signature] (SEAL)
Susan M. Smith


STATE OF North Carolina COUNTY OF Forsyth: to-wit

BE IT REMEMBERED, that on May 2nd, 2022, personally came before me, the subscriber, Dane E. Smith and Susan M. Smith, parties of the first part to this Indenture, known to me personally to be such, and acknowledged this Indenture to be their act and deed.

Given under my Hand and Seal of office the day and year aforesaid.



[Signature]
Notary Public
Printed Name: Kelly L. Graves
My Commission Expires: 12/18/2024



LEGEND

IRON PIPE FOUND



CONCRETE MONUMENT FOUND



PROPERTY LINE




PROP. LINE ADJ.



BUILDING SETBACK



DRAINAGE/UTILITY ESMT.




CHAIN LINK FENCE



NOTES

1. CLASS - SUBURBAN SURVEY
2. PROPERTY REFERENCE: DEED 2680 / 349 AND PLOT 49 / 139
3. THIS PROPERTY IS LOCATED IN ZONE X PER THE FEMA FLOOD MAP NUMBER 10005C0453J, EFFECTIVE DATE: JANUARY 6, 2005.
4. THIS BOUNDARY SURVEY WAS PREPARED WITHOUT THE BENEFIT OF A COMPLETE TITLE REPORT AND IS SUBJECT TO ANY ENCUMBRANCES, RESTRICTIONS, EASEMENTS AND/OR RIGHTS OF WAY THAT MIGHT BE REVEALED BY A THOROUGH TITLE SEARCH.
5. PROPERTY ZONE: AR-1 SINGLE FAMILY
6. SETBACKS:
 FRONT 30-FEET
 SIDE 15-FEET
 REAR 20-FEET



DAVID HEATWOLE, PE LICENSE 17760

SITEWORKS

ENGINEERING

PO BOX 2, 19 COMMERCE ST, HARRINGTON, DE 19952 Phone: (302) 841-7901

BOUNDARY SURVEY PLAN

LAKE WOOD ESTATES - LOT 22
 SUSSEX COUNTY, DE - DAGSBORO HUNDRED
 TAX MAP #: 1-33-19.00-270.00
 OWNERS: DANE & SUSAN SMITH

SCALE: 1" = 50'

SURVEY DATE: 4/18/22
 PLAN DATE: 4/18/22

SHEET 1 OF 1

DESIGN BY: CTM

REVIEW BY: DMH

JOB NO. : 22-186



POINT 588' (ML TO ML)

1/7

LAKEWOOD DRIVE

27944

RICHARD/MARTHA CARROLL
27944 LAKEWOOD DRIVE
MILLSBORD, DE 19966

322'


27940

SITE

315'

27936

JOSEPH SHIN
29736 LAKEWOOD DRIVE
MILLSBORD, DE 19966



PROPOSED:

- 4'x10' PERPENDICULAR PIER OVER LOW PROFILE RIP-RAP
- 5'x25' PARALLEL DOCK
- REQUEST FOR 'AFTER THE FACT' APPROVAL FOR EXISTING 6'x100' LOW PROFILE RIP-RAP

SCALE
1"=80'

Martin's Construction, LLC

OWNER: BRIAN GILLEN			
SITE: 29740 LAKEWOOD DR./MILLSBORD, DE			
DATE: 1-10-26	SCALE:	LOT: 21	
PARCEL: 270.00	BLOCK: —	SECTION:	
MAP: 1-33-19.00 PLAT: LAKEWOOD ESTATES			

LOW PROFILE RIP-RAP / PIER / DOCK

CROSS SECTION

SCALE: 1/4"=1'

PIER / DOCK SPECIFICATIONS:

- 6"x6" PILES @ PLASTIC CAPS (2' ABOVE DECKING)
- 2"x8" STRINGERS @ GALV. LAG BOLTS
- 2"x8" HEADERS @ GALV. THRU-BOLTS
- 2"x8" DECKING @ STAINLESS STEEL SCREWS
- (2) CONCRETE FOOTERS ON (2) GROUND POTS

2/7

Martin's Construction, LLC

OWNER:

BRIAN GILLEN

SITE:

29740 LAKEWOOD DR, MILLSBORO, DE 19966

DATE:

1-10-26

SCALE: 1/4"=1'

LOT: 21

PARCEL:


270.00

BLOCK: —

SECTION: —

MAP: 1-33-19.00

PLAT: LAKEWOOD ESTATES




LOW PROFILE RIP-RAP/PIER/DOCK

TOP VIEW

SCALE: 1/4"=1'

DOCK/PIER SPECIFICATIONS:

- 6"x6" PILES @ PLASTIC CAPS
- 2"x8" STRINGERS @ GALV. LAG BOLTS
- 2"x8" HEADERS @ GALV. THRU-BOLTS
- 2"x8" DECKING @ STAINLESS STEEL SCREWS
- (2) CONCRETE FOOTERS ON (2) GROUND POSTS



3/7

Martin's Construction, LLC

OWNER:

BRIAN GILLEN

SITE:

29740 LAKEWOOD DR./MILLSBORD, DE

DATE:

1-10-26

SCALE:

1/4"=1'

LOT:

21

PARCEL:

270.00


BLOCK:


SECTION:

MAP: 1-33-19.00 PLAT: LAKEWOOD ESTATES

(STONES 12" ANG.)
EXISTING 6'x106' LOW
PROFILE RIP-RAP
(REQUESTING AFTER THE
FACT APPROVAL)







Directions

Best routes



A DE-20, Millsboro, DE 19966

B 29740 Lakewood Dr, Millsboro, DE 19966

Leave now

+ Add stop

Via DE-20, Country Living Rd

Fastest route · No delay

Details

7 min

3.6 mi


Via DE-20, Lakeview Rd

No delay

Details

7 min

4.5 mi



7/7