STATE OF THE STATE

START ACTION NOTICE (SAN)

SAN #	2023-03
DOOKET #	0000 D WIL 0007
DOCKET #	2023-R-WH-0007

1. TYPE OF ACTION AND THE REGULATION NUMBER AND NAME:

Amending DE Admin. Code 1352, Aboveground Storage Tanks.

2. PURPOSE OF ACTION:

The Division of Waste and Hazardous Substances (DWHS) is proposing to amend regulatory requirements for owners/operators of aboveground storage tanks to: improve clarity for the regulated community, and to incorporate by reference three documents (Delaware Risk Based Corrective Action Protocol; Hydrogeologic Investigative Guidance; Vapor Intrusion Guidance) to be used as standards for soil sampling and analysis as well as for corrective action purposes.

3. STATUTORY BASIS:

7 Del.C. Chapter 74A, Section 7401A, The Jeffrey Davis Aboveground Storage Tank Act.

4. IS THIS PROPOSED REGULATORY ACTION REQUIRED AS A RESULT OF FEDERAL STATUTE OR REGULATION? IF SO, PROVIDE LINK TO FEDERAL MANDATE.

This proposed regulatory action is not required as a result of federal statute or regulation.

5. DATE OF MOST RECENT AMENDMENT/REVIEW (please indicate if review was pursuant to 29 Del.C. §10407):

The most recent amendment/review for DE Admin. Code 1352 was dated April 1, 2017.

6. LIKELY AFFECTED PUBLIC:

Owners and operators of aboveground storage tanks that are subject to the requirements outlined in 7 **Del.C.**, Chapter 74A in the State of Delaware.

7. PROPOSED SCHEDULE OF ACTIVITIES:

Complete proposed amendments: March 2023 Publication in Register: May 2023 Public Hearing: July 2023

8. REVIEW COMMITTEE:

Compliance and Permitting Section staff Remediation Section staff

RESPONSIBLE STAFF MEMBER (name, physical address, phone number and e-mail address):

Eileen M. Butler 391 Lukens Drive New Castle, DE 19720 302-395-2520 Eileen.Butler@delaware.gov

10. APPROVALS:

2/28/23 Eileen M. Butler

Date

Responsible Staff Member

03/15/23

For Shawn M. Garvin Secretary

Date

3/1/23

Timothy T. Ratsep

Date

Director, Division of Division of Waste & Hazardous

Substances

September 2021