



Standard Detail & Specifications

Soil Stockpile



Source:

Adapted from
Colorado Urban Storm Drain-
age Criteria Manual, Vol 3

Symbol:

———— **SP** ————

Detail No.

DE-ESC-3.7.3

Sheet 1 of 2

Effective July 2023

Standard Detail & Specifications

Soil Stockpile

Construction Notes:

1. Locate stockpiles so that they are 50 feet from any storm drain inlet, open channel, wetland or waterbody. Redirect any concentrated flow around the stockpile using an approved erosion and sediment control measure.
2. Secure the perimeter of the stockpile with an approved erosion and sediment control perimeter device.
3. If stockpile is to remain inactive for more than 14 calendar days, the stockpile must be vegetated. Follow the temporary vegetation specifications. The vegetation chosen shall last the duration of the stockpile; the stockpile shall be restabilized if the temporary vegetation dies or erosion results.

<p>Source:</p> <p>Adapted from Colorado Urban Storm Drain- age Criteria Manual, Vol 3</p>	<p>Symbol:</p> <p>———— SP ————</p>	<p>Detail No.</p> <p>DE-ESC-3.7.3 Sheet 2 of 2 Effective July 2023</p>
---------------------------------------------------------------------------------------------------	-------------------------------------------	---------------------------------------------------------------------------------------