

2025 Delaware Wildlife Action Plan Citations

- Abell, R. , et al. (2008). Freshwater ecoregions of the world: a new map of biogeographic units for freshwater biodiversity conservation. *BioScience* 58(5): 403-414. DOI: 10. (1641). /B580507.
- Abell, R. et al. (2000). Freshwater ecoregions of North America: a conservation assessment. Washington, D. C. Island Press.
- Able K. W. , & S. M. Hagan. (2000). Effects of common reed (*Phragmites australis*) invasion on marsh surface macrofauna: response of fishes & decapod crustaceans. *Estuaries* 23: 633-646.
- Able, K. W. , & M. P. Fahay. (2010). Ecology of estuarine fishes: temperate waters of the Western North Atlantic. The Johns Hopkins University Press, Baltimore, MD.
- Able, K. W. , & S. M. Hagan. (2003). Impact of common reed, *Phragmites australis*, on essential fish habitat: influence on reproduction, embryological development, & larval abundance of mummichog (*Fundulus heteroclitus*). *Estuaries* 26: 40-50. DOI: 10. (1007). /BF02691692.
- Abrams, M. D. (2000). Fire & the ecological history of oak forests in the eastern United States. pp. 46-55 in *Proceedings: workshop on fire, people, & the central hardwoods landscape*. US Forest Service General Technical Report GTR-NE-274.
- Adams, M. J. et al. (2013). Trends in amphibian occupancy in the United States. *PLoS ONE* 8(5):e64347. DOI: 10. (1371). /journal. pone. 0064347.
- Anderson, M. G. , & A. Olivero Sheldon. (2011). Conservation status of fish, wildlife, & natural habitats in the northeast landscape: implementation of the Northeast Monitoring Framework. The Nature Conservancy, Eastern Conservation Science. Executive Summary April (2011).

2025 Delaware Wildlife Action Plan Citations

- Anderson, M. G. , Clark, M. & A. Olivero. (2023). Conservation Status of Natural Habitats in the Northeast. The Nature Conservancy, Center for Resilient Conservation Science. Newburyport, MA.
- Anderson, M. G. , M. Clark, C. E. Ferree, A. Jospe, & A. Olivero Sheldon. (2013)b. Condition of the northeast terrestrial & aquatic habitats: a geospatial analysis & tool set. Submitted to the Regional Conservation Needs Grants Program of the Northeast Association of Fish & Wildlife Agencies. The Nature Conservancy, Eastern Conservation Science, Eastern Regional Office. Boston, MA.
- Anderson, M. G. , M. Clark, C. E. Ferree, A. Jospe, A. Olivero Sheldon, & K. J. Weaver. (2013). Northeast Habitat Guides: a companion to the terrestrial & aquatic habitat maps. Submitted to the Regional Conservation Needs Grants Program of the Northeast Association of Fish & Wildlife Agencies. The Nature Conservancy, Eastern Conservation Science, Eastern Regional Office. Boston, MA.
- Anderson, M. G. , M. Clark, C. E. Ferree, A. Jospe, A. Olivero Sheldon, & K. J. Weaver. 2013a. Northeast Habitat Guides: a companion to the terrestrial & aquatic habitat maps. Submitted to the Regional Conservation Needs Grants Program of the Northeast Association of Fish & Wildlife Agencies. The Nature Conservancy, Eastern Conservation Science, Eastern Regional Office. Boston, MA.
- Anderson, M. G. M. Clark, C. E. Ferree, A. Jospe, A. Olivero Sheldon and K. J. Weaver. (2013). Northeast Habitat Guides: A companion to the terrestrial and aquatic habitat maps. The Nature Conservancy, Eastern Conservation Science, Eastern Regional Office. Boston, MA.
- Andrews, K. M. , J. W. Gibbons, D. M. Jochimsen, & J. Mitchell. (2008). Ecological effects of roads on amphibians & reptiles: a literature review. *Herpetological Conservation* 3: 121-143.
- Askins, R. A. , C. M. Folsom-O'Keefe, & M. C. Hardy. (2012). Effects of vegetation, corridor width & regional land use on early successional

2025 Delaware Wildlife Action Plan Citations

- birds on powerline corridors. PLOS One 7(2): e31520. DOI: 10. (1371). /journal. pone. 0031520.
- Association of Fish & Wildlife Agencies (AFWA). (2012). Best practices for state wildlife action plans: voluntary guidance to states for revision & implementation. Teaming With Wildlife Committee's State Wildlife Action Plan (SWAP) Best Practices Working Group. November (2012).
- Atlantic Coast Joint Venture (ACJV). (2005). NAWMP Atlantic coast joint venture waterfowl implementation plan. June (2005).
- Atlantic Coastal Fish Habitat Partnership [ACFHP]. (2023). Conservation Action Plan (2023). -(2024).
- Atlantic Coastal Fish Habitat Partnership. (2022). Conservation Strategic Plan (2022). -(2026).
- Atlantic Flyway Council Technical Section (AFCTS). (2011). Atlantic flyway resident population canada goose management plan. Prepared by the Canada Goose Committee of the Atlantic Flyway Migratory Game Bird Technical Section. July (2011).
- Atlantic States Marine Fisheries Commission [ASMFC]. (2024). Review of the Interstate Fishery Management Plan; Horseshoe Crab (*Limulus polyphemus*); (2023). Fishing Year.
- Atlantic States Marine Fisheries Commission. "Tautog Regional Stock Assessment Update (2021)." Atlantic Bailey, R. G. (1995). Description of the ecoregions of the United States. United States Forest Service, Rocky Mountain Research Station, Fort Collins, CO.
- Baiser, B. J. , L. Lockwood, D. La Puma, & M. F. J. Aronson. (2008). A perfect storm: two ecosystem engineers interact to degrade deciduous forests of New Jersey. Biological Invasions 10: 785-795. DOI: 10. (1007). /s10530-008-(9247). -9.
- Barbour, M. , J. Gerritsen, B. Snyder, & J. Stribling. (1999). Rapid bioassessment protocols for use in streams & wadeable rivers:

2025 Delaware Wildlife Action Plan Citations

- periphyton, benthic macroinvertebrates, & fish. 2nd edition. Washington, DC, US EPA 841-B-99-002.
- Bart, J. , B. Andres, S. Brown, G. Donaldson, B. Harrington, V. Johnston, S. Jones, G. Morrison, & S. Skagen. (2005). The program for regional & international shorebird monitoring (PRISM). General technical report PSW-GTR-191: 893-901. USDA Forest Service.
- Basilio, L. G. , D. J. Moreno, & A. J. Piratelli. (2020). Main causes of bird-window collisions: a review. *Anais da Academia Brasileira de Ciências* 92:e20180745.
- Basore N. S. , L. B. Best L. B. , & J. B. Wooley. (1986). Bird nesting in Iowa no-tillage & tilled cropland. *The Journal of Wildlife Management* 1: 19-28. DOI: 10. (2307). /3801482.
- Beardmore, T. & R. Winder. (2011). Review of science-based assessments of species vulnerability: contributions to decision-making for assisted migration. *The Forestry Chronicle* 87(6):745-754.
- Beardsley, R. C. , & W. C. Boicourt, (1981). On estuarine & continental-shelf circulation in the Middle Atlantic Bight. Pages 198-233 in B. A. Warren, & C. Wunsch, editors. *Evolution of physical oceanography, scientific surveys in honor of Henry Stommel*. The MIT Press, Cambridge, MA.
- Beck, M. et al. (2009). *Shellfish Reefs at Risk: A Global Analysis of Problems & Solutions*. The Nature Conservancy, Arlington, VA.
- Belfrage, K. , J. Björklund, & L. Salomonsson. (2015). Effects of farm size & on-farm landscape heterogeneity on biodiversity - case study of twelve farms in a Swedish landscape. *Agroecology & Sustainable Food Systems* 39(2): 170-188. DOI: 10. (1579). /(0044). -(7447). -34. 8. 582.
- Bennett, K. A. , P. J. Bowman, C. M. Heckscher, W. A. McAvoy, & E. F. Zuelke. (1999). An ecological characterization of Delmarva's Great Cypress Swamp Conservation Area: Delaware Natural Heritage Program, Document No. 40-05990902.

2025 Delaware Wildlife Action Plan Citations

- Best, L. B. (1983). Bird use of fencerows: implications of contemporary fencerow management practices. *Wildlife Society Bulletin* 11: 343-347.
- Besterman, A. F. , R. W. Jakuba, W. Ferguson, D. Brennan, J. E. Costa, & L. A. Deegan. (2022). Buying time with runnels: A climate adaptation tool for salt marshes. *Estuaries & coasts: journal of the Estuarine Research Federation* 45:(1491). –(1501).
- Beston, J. A. , T. C. Nichols, P. M. Castelli, & C. K. Williams. (2014). Survival of Atlantic Flyway resident population Canada geese in New Jersey. *The Journal of Wildlife Management* 78(4): 612-619. DOI: 10. (1002). /jwmg. 707.
- Bland, L. M. , B. Collen, C. D. L. Orme, & J. Bielby. (2014). Predicting the conservation status of data-deficient species. DOI: 10. (1111). /cobi. 12372.
- Boakes, E. H. , P. J. K. McGowan, R. A. Fuller, D. Chang-qing, N. E. Clark, K. O'Connor, & G. M. Mace. (2010). Distorted views of biodiversity: spatial & temporal bias in species occurrence data. *PLoS Biology* 8(6): e1000385. DOI: 10. (1371). /journal. pbio. 1000385.
- Bowman, P. J. W. A. McAvoy, C. M. Heckscher, & K. A. Bennett. (2005). Development of a remote site selection model for assessing the quality of Coastal Plain seasonal pond wetlands. Unpublished report. Submitted to U. S. Environmental Protection Agency, Philadelphia, PA.
- Bradshaw, E. L. , M. S. Allen, & M. Netherland. (2014). Spatial & temporal occurrence of hypoxia influences fish habitat quality in dense *Hydrilla verticillata*. *Journal of Freshwater Ecology* (2014). : in press. DOI: 10. (1080). /02705060. (2014). 982726.
- Breece, M. W. , M. J. Oliver, M. A. Cimino, D. A. Fox. (2013). Shifting distributions of adult Atlantic sturgeon amidst post-industrialization & future impacts in the Delaware River: a maximum entropy approach. *PLoS ONE* 8(11): e81321. DOI: 10. (1371). /journal. pone. 0081321.

2025 Delaware Wildlife Action Plan Citations

- Brooks, R. T. , & D. M. DiGiovanni. (1998). Forest wildlife habitat statistics for Maryland & Delaware-(1986). , USDA Forest Service, Northeastern Forest Experiment Station. Broomall, PA.
- Brown, J. J. , & G. W. Murphy. (2010). Atlantic sturgeon vessel-strike mortalities in the Delaware Estuary. *Fisheries* 35(2): 72-83.
- Brown, J. R. (2009). Recruitment, post-settlement, & reef distribution of *Sabellaria vulgaris* in Delaware Bay. Dissertation. University of Delaware.
- Brown, S. , C. Hickey, B. Harrington, & R. Gill, eds. (2001). The United States shorebird conservation plan. Manomet Center for Conservation Sciences. May (2001). 2nd Edition.
- Byles, Richard Allan. (1988). Behavior & ecology of sea turtles from Chesapeake Bay, Virginia Dissertation, William & Mary.
- Cabrera-Cruz, S. A. , J. A. Smolinsky, & J. J. Buler. (2018). Light pollution is greatest within migration passage areas for nocturnally-migrating birds around the world. *Scientific Reports* 8:4–11.
- Cadotte, M. W. , K. Carscadden, & N. Mirotchnick. (2011). Beyond species: functional diversity & the maintenance of ecological processes & services. *Journal of Applied Ecology*, 48(5), (1079). -(1087). DOI: 10. (1111). /j. (1365). -(2664). (2011). 02048. x.
- Calhoun, A. J. K. & M. W. Klemens. (2002). Best development practices: conserving pool-breeding amphibians in residential & commercial developments in the northeastern United States. Metropolitan Conservation Alliance. Wildlife Conservation Society, New York.
- Camhi, M. D. , S. V. Valenti, S. V. Fordham, S. L. Fowler, & C. Gibson. (2009). The conservation status of pelagic sharks & rays: report of the IUCN Shark Specialist Group Pelagic Shark Red List Workshop. IUCN. Species Survival Commission. Shark Specialist Group. University of Oxford. Newbury, UK.

2025 Delaware Wildlife Action Plan Citations

- Catts, W. P. , & T. Mancl. (2013). To keep the banks, dams & sluices in repair: an historical context for Delaware River Dikes, New Castle County, Delaware. Prepared for the New Castle Conservation District & the Delaware Department of Natural Resources by John Milner Associates.
- Choat, J. H. , & D. Pollard. (2010). *Tautoga onitis*. The IUCN Red List of Threatened Species. Version (2015). 2.
- Clark, K E. , L. J. Niles, & J. Burger. (1993). Abundance & distribution of migrant shorebirds in Delaware Bay. *Condor* 95: 694-705.
- Clark, K. E. , & L. J. Niles. (2001). Northern Atlantic regional shorebird plan. Version 1. 0. New Jersey Division of Fish & Wildlife. Woodbine, NJ.
- Coen, L. D. , & R. Grizzle, ASMFC, (2007). The importance of habitat created by shellfish & shell beds along the Atlantic Coast of the U. S. , with contributions by J. Lowery & K. T. Paynter, Jr. , Habitat Management Series #8.
- Colburn, E. A. (2004). Vernal pools: natural history & conservation. The McDonald & Woodward Publishing Company, Granville, OH.
- Cole, J. C. , P. A. Townsend, & K. N. Eshleman. (2008). Predicting flow & temperature regimes at three *Alasmidonta heterodon* locations in the Delaware River. Technical Report NPS/NER/NRTR- (2008). /109. National Park Service. Philadelphia, PA.
- Cole, R. W. & L. W. Spence. (1976). Shellfish survey of Rehoboth Bay & Indian River Bay. Technical report. Delaware Department of Natural Resources & Environmental Control, Division of Fish & Wildlife, Dover, DE.
- Colling, O. M. , C. G. Guglielmo, S. J. Bonner, & Y. E. Morbey. (2022). Migratory songbirds & urban window collision mortality: vulnerability depends on species, diel timing of migration, & age class. *Avian Conservation & Ecology* 17:22.

2025 Delaware Wildlife Action Plan Citations

- Collins, S. & N. McIntyre. (2017). Extreme loss of diversity of riverine dragonflies in the northeastern U. S. is predicted in the face of climate change. *Bulletin of American Odonatology*. 12(2): 7-19.
- Comer, P. D. et al. (2010). *Ecological Systems of the United States: A Working Classification of U. S. Terrestrial Systems*. NatureServe, Arlington, VA.
- Connecticut Department of Environmental Protection (CTDEP). (2003). *A field guide to the freshwater mussels of Connecticut*. CTDEP, Bureau of Natural Resources, Wildlife Division. Hartford, CT.
- Conway, C. J. (2009). *Standardized North American marsh bird monitoring protocols, version (2009)*. -2. Wildlife Research Report #(2009). -02. U. S. Geological Survey, Arizona Cooperative Fish & Wildlife Research Unit, Tucson, AZ.
- Cooper, E. L. (1983). *Fishes of Pennsylvania & the Northeastern United States*. The Pennsylvania State University Press & University Park & London.
- Cornelisse, T. M. , & J. E. Hafernik. (2009). Effects of soil characteristics & human disturbance on tiger beetle oviposition. *Ecological Entomology*, 34: 495-503. DOI: 10. (1111). /j. (1365). -(2311). (2009). 01093. x.
- Correll, M. D. , W. A. Wiest, T. P. Hodgman, W. G. Shriver, C. S. Elphick, B. J. McGill, K. M. O'Brien, & B. J. Olsen. (2017). Predictors of specialist avifaunal decline in coastal marshes. *Conservation biology: the journal of the Society for Conservation Biology* 31:172–182.
- Coulter, D. P. , M. S. Sepúlveda, C. D. Troy, & T. O. Höök. (2014). Thermal habitat quality of aquatic organisms near power plant discharges: potential exacerbating effects of climate warming. *Fisheries Management & Ecology* 21(3): 196-210. DOI: 10. (1111). /fme. 12064.
- Coxe, R. (2014). *Guide to Delaware Vegetation Communities & Land Covers*, Fall (2014).
- Crisfield, E & the Northeast Fish & Wildlife Diversity Technical Committee. (2022). *The (2022). Northeast Lexicon: Terminology Conventions & Data*

2025 Delaware Wildlife Action Plan Citations

- Framework for State Wildlife Action Plans in the Northeast Region.
Northeast Association of Fish & Wildlife Agencies, Washington, D. C.
- Culver, D. C. , J. R. Holsinger, & D. J. Feller. (2012). The fauna of seepage springs & other shallow subterranean habitats in the mid-Atlantic piedmont & coastal Plain. *Northeastern Naturalist* 19(m9): 1-42.
- Cusa, M. , D. A. Jackson, & M. Mesure. (2015). Window collisions by migratory bird species: urban geographical patterns & habitat associations. *Urban Ecosystems* 18:(1427). –(1446).
- Dalerum, F. , E. Z. Cameron, K. Kunkel, & M. J. Somers. (2009). Diversity & depletions in continental carnivore guilds: implications for prioritizing global carnivore conservation. *Biology Letters*, 5(1), 35–38. DOI: 10. (1098). /rsbl. (2008). (0520).
- deCalesta, D. S. (1994). Effect of white-tailed deer on songbirds within managed forests in Pennsylvania. *Journal of Wildlife Management* 58(4): 711-718.
- Delaware Board Game & Fish Comm. (1942). Status of Delaware wildlife – conservation: in relation to the seed stock refuge program, three-year summary under Pittman-Robertson Federal Aid in Wildlife Restoration Act. Bulletin No. 4. Dover, DE, Aug (1942).
- Delaware Center for the Inland Bays, Rehoboth Beach, DE. September 28, (2012).
- Delaware Center for the Inland Bays. (2021). Delaware Inland Bays Comprehensive Conservation & Management Plan. [Inlandbays.org](http://inlandbays.org)
Delaware Center for the Inland Bays. 2012a. Addendum to the Delaware Inland Bays comprehensive conservation & management plan.
- Delaware Coastal Programs. (2014). Benthic mapping of Delaware’s coastal areas for natural resource management: compilation of RoxAnn benthic sediment data. June (2014). Unpublished Report. Delaware Coastal

2025 Delaware Wildlife Action Plan Citations

Programs, Delaware Division of Natural Resources & Environmental Control.

Delaware Department of Natural Resources & Environmental Control (DNREC) & Delaware National Estuarine Research Reserve. (1999). Estuarine profile. June (1999).

Delaware Department of Natural Resources & Environmental Control (DNREC). (2013). The State of Delaware (2012). Combined watershed assessment report (305(b)) & determination for the clean water act section 303(d) list of waters needing TMDLs. April, (2013).

Delaware Department of Natural Resources & Environmental Control (DNREC). (2015). Delaware wetlands conservation strategy. Dover, DE.

Delaware Department of Natural Resources & Environmental Control, Delaware's Climate Action Plan, by Jennifer de Mooy, Margaret Pletta, & Ian Yue (Dover, DE, November (2021)).

Delaware Department of Natural Resources & Environmental Control, Division of Fish & Wildlife [DNREC DFW]. (2014). Draft Delaware Delmarva fox squirrel conservation plan.

Delaware Department of Natural Resources and Environmental Control, Open Space Program. (2020). *Open Space Program 5-Year Report*.

Delaware Department of Natural Resources and Environmental Control. (2015). 2015-2025 Delaware Wildlife Action Plan (DEWAP). Dover, Delaware, USA.

Delaware Department of Natural Resources and Environmental Control. (n.d.). *Marsh migration & wetland stewardship*.

Delaware Division of Fish & Wildlife. (2014). Delaware reef guide (2013). - (2014).

2025 Delaware Wildlife Action Plan Citations

- Delaware Estuary Regional Sediment Management Plan Workgroup. (2013). Delaware Estuary regional sediment management plan, August 8, (2013).
- Delaware Forest Service. (2020). Delaware Forest Resource Assessment. Report to the U. S. Forest Service.
- Delaware River Basin Commission (DRBC) (2025). Water Resources Program FY 2026-(2028). (DRBC Report No: 2025-3). West Trenton, New Jersey. Delaware River Basin Commission.
- Delaware River Basin Commission (DRBC). (2008). Delaware River State of the Basin Report.
- Denny, C. S. , & J. P. Owens. (1979). Sand dunes on the central Delmarva Peninsula, Maryland & Delaware: U. S. Geological Survey Professional Paper (1067). -C.
- Denny, C. S. , J. P. Owens, L. A. Sirkin, & M. Rubin. (1979). The Parsonsburg Sand in the central Delmarva Peninsula, Maryland & Delaware: US Geological Survey Professional Paper (1067). -B.
- Devictor, V. , D. Mouillot, C. Meynard, F. Jiguet, W. Thuiller, & N. Mouquet. (2010). Spatial mismatch & congruence between taxonomic, phylogenetic & functional diversity: the need for integrative conservation strategies in a changing world. *Ecology Letters*, 13: (1030). -(1040). DOI: 10. (1111). /j. (1461). -(0248). (2010). 01493. x.
- Dove, L. E. , & R. M. Nyman, eds. (1995). Living Resources of the Delaware Estuary. The Delaware Estuary program. 530pp. & appendices.
- Dunn, R. R. (2005). Modern insect extinctions, the neglected majority. *Conservation Biology* 19: (1030). -(1036). DOI: 10. (1111). /j. (1523). - (1739). (2005). 00078. x.
- Ellis, J. C. , & T. P. Good. (2006). Nest attributes, aggression, & breeding success of gulls in single & mixed species sub colonies. *The Condor*, 108: 211-219.

2025 Delaware Wildlife Action Plan Citations

- Elmore, J. A. , S. B. Hager, B. J. Cosentino, T. J. O’Connell, C. S. Riding, M. L. Anderson, M. H. Bakermans, T. J. Boves, D. Brandes, E. M. Butler, M. W. Butler, N. L. Cagle, R. Calderón-Parra, A. P. Capparella, A. Chen, K. Cipollini, A. A. T. Conkey, T. A. Contreras, R. I. Cooper, C. E. Corbin, R. L. Curry, J. J. Dosch, K. L. Dyson, E. E. Fraser, R. A. Furbush, N. D. G. Hagemeyer, K. N. Hopfensperger, D. Klem, E. A. Lago, A. S. Lahey, C. S. Machtans, J. M. Madosky, T. J. Maness, K. J. McKay, S. B. Menke, N. Ocampo-Peñuela, R. Ortega-Álvarez, A. L. Pitt, A. Puga-Caballero, J. E. Quinn, A. M. Roth, R. T. Schmitz, J. L. Schnurr, M. E. Simmons, A. D. Smith, C. W. Varian-Ramos, E. L. Walters, L. A. Walters, J. T. Weir, K. Winnett-Murray, I. Zuria, J. Vigliotti, & S. R. Loss. (2021). Correlates of bird collisions with buildings across three North American countries. *Conservation Biology*
- Erb, L. (2019). Bog turtle conservation plan for the Northern population. A report to the Pennsylvania Division of Fisheries & Wildlife & the U. S. Fish & Wildlife Service. 102 pp.
- Fairbrother, A. , J. Purdy, T. Anderson, & R. Fell. (2014). Risks of neonicotinoid insecticides to honeybees. *Environmental Toxicology & Chemistry* 33(4): 719-731. DOI: 10. (1002). /etc. (2527).
- Fairchild, G. W. , A. M. Faulds, & J. F. Matta. (2000). Beetle assemblages in ponds: effects of habitat & site age. *Freshwater Biology*, 44: 523-534. DOI: 10. (1046). /j. (1365). -(2427). (2000). 00601. x.
- Falk, L. L. (1971). Bird census surveys of the Hoopes Reservoir Area, New Castle County, Delaware during 1943, 1944, 1945, & 1964. Monograph Number 1, Delmarva Ornithological Society, Wilmington, DE.
- Fan, Y. , P. J. Weisberg, & R. S. Nowak. (2014). Spatio-temporal analysis of remotely-sensed forest mortality associated with road de-icing salts. *Science of the Total Environment* 472: 929-938. DOI: 10. (1016). /j. scitotenv. (2013). 11. 103.

2025 Delaware Wildlife Action Plan Citations

- FGDC (Federal Geographic Data Committee). (2012). FGDC-STD-018-(2012). Coastal & marine ecological classification standard. Reston, VA. Federal Geographic Data Committee, June (2012).
- Findlay, S. E. , & V. R. Kelly. (2011). Emerging indirect & long-term road salt effects on ecosystems. *Annals of the New York Academy of Sciences* (1223). (1): 58-68. DOI: 10. (1111). /j. (1749). -(6632). (2010). 05942. x.
- Fink, D. , T. Auer, A. Johnston, M. Strimas-Mackey, S. Ligocki, O. Robinson, W. Hochachka, L. Jaromczyk, C. Crowley, K. Dunham, A. Stillman, I. Davies, A. Rodewald, V. Ruiz-Gutierrez, C. Wood. (2023). *EBird Status & Trends*, Data Version: (2022). ; Released: (2023). Cornell Lab of Ornithology, Ithaca, New York.
- Firebaugh, A. , & K. J. Haynes. (2016). Experimental tests of light-pollution impacts on nocturnal insect courtship & dispersal. *Oecologia* 182:(1203). -(1211).
- Fleming, L. M. (1978). Delaware's outstanding natural areas & their preservation. Hockessin, Delaware Nature Education Society.
- Fonseca, M. S. , W. J. Kenworthy, & G. W. Thayer. (1998). Guidelines for the Conservation & Restoration of Seagrasses in the United States & Adjacent Waters. NOAA Coastal Ocean Program Decision Analysis Series No. 12. NOAA Coastal Ocean Office, Silver Spring, MD.
- Fowler, J. (2016). Specialist Bees of the Northeast: Host Plants & Habitat Conservation. *Northeastern Naturalist*. 23(2):305-320.
- Fox, D. A. , B. M. Wetherbee, L. Brown, M. S. Shivji, K. Sulak, & J. Moore. (2009). Coastal movements of sand tiger sharks (*Carcharias taurus*) in the northwest Atlantic as determined by acoustic & satellite telemetry. *Oceanography Faculty Proceedings, Presentations, Speeches, Lectures*. Paper 124. Nova Southeastern University.

2025 Delaware Wildlife Action Plan Citations

- Francis, C. D. (2015). Vocal traits & diet explain avian sensitivities to anthropogenic noise. *Global Change Biology* 21(5): (1809). -(1820). DOI: 10. (1111). /gcb. 12862.
- Fürst, M. A. , D. P. McMahon, J. L. Osborne, R. J. Paxton, & M. J. F. Brown. (2014). Disease associations between honeybees & bumblebees as a threat to wild pollinators. *Nature* 506((7488).): 364-366. DOI: 10. (1038). /nature12977.
- Galuardi, B. , & M. Lutcavage. (2012). Dispersal routes & habitat utilization of juvenile Atlantic bluefin tuna, *Thunnus thynnus*, tracked with mini PSAT & archival tags. *PLoS ONE* 7(5): e37829. DOI: 10. (1371). /journal. pone. 0037829.
- Gaston, K. J. , J. Bennie, T. W. Davies, & J. Hopkins. (2013). The ecological impacts of nighttime light pollution: A mechanistic appraisal. *Biological Reviews* 88:912–927.
- Gawler, S. C. (2008). Northeastern terrestrial wildlife habitat classification. Report to the Virginia Department of Game & Inland Fisheries on behalf of the Northeast Association of Fish & Wildlife Agencies & the National Fish & Wildlife Foundation. NatureServe, Boston, MA. November (2008).
- Gedlinske, B. (2013). Road salt use & groundwater quality: an empirical study. *Environmental Quality Management* 22: 35–49. DOI: 10. (1002). /tqem. 21333.
- Gelb, Y. , & N. Delacretaz. (2009). Windows & Vegetation: Primary Factors in Manhattan Bird Collisions. *Northeastern Naturalist* 16:455–470.
- Gibbons, D. , C. Morrissey, & P. Mineau. (2015). A review of the direct & indirect effects of neonicotinoids & fipronil on vertebrate wildlife. *Environmental Science & Pollution Research* 22(1): 103-118. DOI: 10. (1007). /s11356-014-(3180). -5.
- Gibbons, J. W. et al. (2000). The global decline of reptiles, déjà vu amphibians. *BioScience* 50 (8): 653-666.

2025 Delaware Wildlife Action Plan Citations

- Grabarkiewicz, J. & W. Davis. (2008). An introduction to freshwater mussels as biological indicators. EPA-260-R- 08-015. U. S. Environmental Protection Agency, Office of Environmental Information, Washington, DC.
- Green, J. W. (1957). A revision of the nearctic species of *Pyrractomena* (Coleoptera: Lampyridae). *The Wasmann Journal of Biology* 15:237-284.
- Greenberg, R. & S. Droege. (1999). On the decline of the rusty blackbird & the use of ornithological literature to document long-term population trends. *Conservation Biology*, 13(3): 553–559.
- Greene, J. K. , M. G. Anderson, J. Odell, & N. Steinberg, eds. (2010). The Northwest Atlantic marine ecoregional assessment: species, habitats & ecosystems, phase one report. The Nature Conservancy, Eastern U. S. Division, Boston, MA.
- Greene, K. E. , J. L. Zimmerman, R. W. Laney, & J. C. Thomas-Blate. (2009). Atlantic Coast diadromous fish habitat: a review of utilization, threats, recommendations for conservation & research needs. Atlantic States Marine Fisheries Commission Habitat Management Series #9, Washington, D. C. January (2009).
- Groves, C. R. et al. (2002). Planning for biodiversity conservation: putting conservation science into practice - a seven-step framework for developing regional plans to conserve biological diversity, based upon principles of conservation biology & ecology, is being used extensively by the nature conservancy to identify priority areas for conservation. *BioScience* 52(6): 499-512.
- Haag, W. R. (2012). North American freshwater mussels: natural history, ecology, & conservation. Cambridge University Press, MA.
- Hager, S. B. , B. J. Cosentino, K. J. McKay, C. Monson, W. Zuurdeeg, & B. Blevins. (2013). Window Area & Development Drive Spatial Variation in Bird-Window Collisions in an Urban Landscape. *PLoS ONE* 8:e53371.

2025 Delaware Wildlife Action Plan Citations

- Hall, G. F. , D. F. Hill, B. P. Horton, S. E. Engelhart, & W. R. Peltier. (2013). A high-resolution study of tides in the Delaware Bay: past conditions & future scenarios. *Geophysical Research Letters* 40(2): 338-342. DOI: 10. (1029)./2012GL054675.
- Harrison, J. W. , & W. M. Knapp. (2010). Ecological classification of groundwater-fed wetlands of the Maryland Coastal Plain. Maryland Department of Natural Resources, Wildlife & Heritage Service, Natural Heritage Program, Annapolis, MD. June (2010).
- Heckscher, C. M. (2000). Forest-dependent birds of the Great Cypress (North Pocomoke) Swamp: species composition & implications for conservation. *Northeastern Naturalist*, 7 (2), 113-130. DOI: 10. (1656). /(1092). - (6194). ((2000).)007[(0113). :FDBOTG]2. 0. CO;2.
- Heckscher, C. M. (2010). Delaware Photuris fireflies (Coleoptera: Lampyridae): new state records, conservation status, & habitat associations. *Entomological News* 121:498-505.
- Heckscher, C. M. (2013). Photuris mysticalampas (Coleoptera: Lampyridae): a new firefly from peatland floodplain forests of the Delmarva Peninsula. *Entomological News* 123:93-99. DOI: 10. (3157). /021. 123. (0202).
- Heckscher, C. M. (2014). Northern Range Extension of Psorthaspis sanguinea (Smith) (Hymenoptera: Pompilidae) & a Record of Psorthaspis mariae (Cresson) From the Delmarva Peninsula. *Northeastern Naturalist* 21(4): N53-N55.
- Heckscher, C. M. (2014). Northern range extension of Psorthaspis sanguinea (Smith) (Hymenoptera: Pompilidae) & a record of Psorthaspis mariae (Cresson) from the Delmarva Peninsula. *Northeastern Naturalist* 21(4):N53 – N55. DOI: 10. (1656). /045. 021. (0413).
- Heckscher, C. M. , & C. R. Bartlett. (2004). Rediscovery & habitat associations of Photuris bethaniensis McDermott (Coleoptera: Lampyridae). *The Coleopterists Bulletin* 58:349-353.

2025 Delaware Wildlife Action Plan Citations

- Heckscher, C. M. , & J. E. Lloyd. (2015). An isolated occurrence of *Pyrractomena ecostata* (LeConte) (Coleoptera: Lampyridae) in the Mid-Atlantic with records from New Jersey & Delaware. *Northeastern Naturalist*: 22(4). DOI: 10. (1656). /045. 022. (0418).
- Heckscher, C. M. , & K. A. Bennett. (1999). Delaware's freshwater mussel surveys (1997). -(1999). : results & implications for conservation. Final report submitted to U. S. Fish & Wildlife Service, Dec. (1999).
- Herzon, I. , & Helenius, J. (2008). Agricultural drainage ditches, their biological importance & functioning. *Biological Conservation*, 141(5), (1171). - (1183).
- Hess, G. K. , R. L. West, M. V. Barnhill, & L. M. Fleming. (2000). *Birds of Delaware*. University of Pittsburgh Press, Pittsburgh, PA.
- Hoback, W. W. , D. A. Golick, T. M. Svatos, S. M. Spomer, & L. G. Higley. (2000). Salinity & shade preferences result in ovipositional differences between sympatric tiger beetle species. *Ecological Entomology*, 25(2), 180-187. DOI: 10. (1046). /j. (1365). -(2311). (2000). 00256. x.
- Hollander FA, Van Dyck H, San Martin G, Titeux N ((2011).) Maladaptive Habitat Selection of a Migratory Passerine Bird in a Human-Modified Landscape. *PLoS ONE* 6(9): e25703. doi:10. (1371). /journal. pone. 0025703.
- Horváth, G. , M. Blaho, A. Egri, G. Kriska, I. Seres, I. , & B. Robertson. (2010). Reducing the maladaptive attractiveness of solar panels to polarotactic insects. *Conservation Biology* 24(6): (1644). -(1653).
- Horwitz, R. , P. Overbeck, D. Keller, & S. Moser. (2008). Fish inventories of Delaware Water Gap National Recreation Area & Upper Delaware Scenic & Recreational River. *Academy of Natural Sciences Report No. 08-06*. Prepared for U. S. Department of the Interior, National Park Service, Northeast Region. Philadelphia, PA.

2025 Delaware Wildlife Action Plan Citations

- Hossler, R. (1994). The Northern Delaware wetlands rehabilitation plan: the Christina & Delaware Rivers urban wetland corridor rehabilitation. DNREC Division of Fish & Wildlife.
- Hunter, K. L. , D. A. Fox, L. M. Brown, & K. W. Able. (2006). Responses of resident marsh fishes to stages of *Phragmites australis* invasion in three mid Atlantic estuaries. *Estuaries & Coasts* 29: 487-498.
- Ireland, Jr. , W. , & E. D. Matthews. (1974). Soil survey of Sussex County, Delaware. USDA, Soil Conservation Service, Washington, DC.
- James-Pirri, M. J. , H. S. Ginsberg, R. M. Erwin, & J. Taylor. (2009). Effects of Open Marsh Water Management on Numbers of Larval Salt Marsh Mosquitoes. *J. Med. Entomol.* 46(6): (1392). -(1399).
- James-Pirri, M. J. , R. M. Erwin, D. J. Prosser, & J. D. Taylor. (2012). Responses of salt marsh ecosystems to mosquito control management practices along the Atlantic Coast (USA). *Restoration Ecology* 20(3): 395-404.
- Jennette, M. A. , L. Haaf, A. B. Rogerson, A. M. Howard, D. Kreeger, A. Padeletti, K. Cheng, & J. Buckner. (2014). Condition of wetlands in the Christiana River watershed. Delaware Department of Natural Resources & Environmental Control, Watershed Assessment & Management Section, Dover, DE & the Partnership for the Delaware Estuary, Wilmington, DE.
- Jivoff, P. R. , Able, K. W. (2003). Blue crab, *Callinectes sapidus*, response to the invasive common reed, *Phragmites australis*: abundance, size, sex ratio, & molting frequency. *Estuaries* 26: 587-595. DOI: 10. (1007). /BF02823733.
- Johnson, D. H. et al. (2009). A sampling design framework for monitoring secretive marshbirds. *Waterbirds* 32:203–215.
- Jones, C. , J. McCann, & S. McConville. (2000). A guide to the conservation of forest interior dwelling birds in the Chesapeake Bay Critical Area.

2025 Delaware Wildlife Action Plan Citations

- Critical Area Commission for the Chesapeake & Atlantic Coastal Bays.
Annapolis, MD.
- Kahn, D. M. (2008). Impacts of impingement & entrainment mortality by the Delaware City Refinery on fish stocks & fisheries in the Delaware River & Bay. Unpublished Report. Delaware Division of Fish & Wildlife. October 9, (2008).
- Karraker, N. E. , J. P. Gibbs, & J. R. Vonesh. (2008). Impacts of road deicing salt on the demography of vernal pool-breeding amphibians. *Ecological Applications* 18(3): 724-734.
- Kaufman, M. G. , & D. M. Fonseca. (2013). Invasion biology of *Aedes japonicus japonicus* (Diptera: Culicidae). *Annual review of entomology* 59: 31-49.
- Kaushal, S. S. et al. (2010). Rising stream & river temperatures in the United States. *Frontiers in Ecology & the Environment* 8(9): 461-466. DOI: 10. (1890). /090037.
- Klem Jr. , D. (1990). Collisions between birds & windows: mortality & prevention. *Journal of Field Ornithology* 61:120–128.
- Klopper, S. (2012). Final report: identifying relationships between invasive species & SGCN in the northeast. Conservation Management Institute.
- Knight, T. M. , J. L. Dunn, L. A. Smith, J. Davis, & S. Kalisz. (2009). Deer facilitate invasive plant success in Pennsylvania forest understory. *Natural Areas Journal* 29(2): 110-116.
- Knisley, C. B. , & T. D. Schultz. (1997). The biology of tiger beetles & a guide to the species of the South Atlantic states. Special Publication No. 5. Virginia Museum of Natural History, Martinsville, VA.
- Kornreich, A. , D. Partridge, M. Youngblood, & K. Parkins. (2024). Rehabilitation outcomes of bird-building collision victims in the Northeastern United States. *PLOS ONE* 19:e0306362.

2025 Delaware Wildlife Action Plan Citations

- Kreeger, D. , A. T. Padeletti, & D. C. Miller. September (2010). Delaware estuary benthic inventory (DEBI): an exploration of what lies beneath the Delaware Bay & River. Partnership for the Delaware Estuary, PDE Report No. 11-06.
- Kreeger, D. , A. T. Padeletti, & D. C. Miller. September (2010). Delaware estuary benthic inventory (DEBI): an exploration of what lies beneath the Delaware Bay & River. Partnership for the Delaware Estuary, PDE Report No. 11-06.
- Kushlan, J. A. et al. (2002). Waterbird conservation for the Americas: the North American waterbird conservation plan, version 1. Waterbird Conservation for the Americas, Washington, DC.
- Ladin, Z. S. , W. A. Wiest, M. D. Correll, E. L. Tymkiw, M. Conway, B. J. Olsen, C. S. Elphick, W. L. Thompson, & W.G. Shriver. (2020). Detection of local-scale population declines through optimized tidal marsh bird monitoring design. *Global Ecology & Conservation* 23:e01128.
- Laidig, K. J. (2012). Simulating the effect of groundwater withdrawals on intermittent-pond vegetation communities. *Ecohydrology* 5(6): 841-852. DOI: 10. (1002). /eco. 277.
- Lake, R. W. (1980). Distribution of the stoneflies (Plecoptera) of Delaware. *Entomological News* 91: 43-48.
- Lake, R. W. (1984). Distribution of the caddisflies (Trichoptera) of Delaware. *Entomological News* 95: 215-224.
- LANDFIRE, (2016). , Fire Regime Group Layer, LANDFIRE 2. 0. 0, U. S. Department of the Interior, Geological Survey, & U. S. Department of Agriculture. Accessed 29 May (2025).
- Lao, S. , B. A. Robertson, A. W. Anderson, R. B. Blair, J. W. Eckles, R. J. Turner, & S. R. Loss. (2020). The influence of artificial light at night & polarized light on bird-building collisions. *Biological Conservation* 241:108358.

2025 Delaware Wildlife Action Plan Citations

- LaRoe, E. T. , G. S. Farris, C. E. Puckett, P. D. Doran & M. J. Mac. eds. (1995).
Our living resources: a report to the nation on the distribution,
abundance, & health of U. S. plants, animals, & ecosystems.
Washington, DC. U. S. Dept. of the Interior, National Biological Service.
- Leathers, D. (2015). Delaware Climate Information. Office of the State
Climatologist.
- Lesser, C. R. (2007). Open marsh water management: a source reduction
technique for mosquito control. Delaware Mosquito Control Section.
- Lorimer, C. G. (2001). Historical & ecological roles of disturbance in eastern
North American forests: 9, 000 years of change. Wildlife Society Bulletin
29(2):425-439.
- Loss, S. R. , S. Lao, J. W. Eckles, A. W. Anderson, R. B. Blair, & R. J. Turner.
(2019). Factors influencing bird-building collisions in the downtown
area of a major North American city. PLOS ONE 14:e0224164.
- Loss, S. R. , T. Will, & P. P. Marra. (2013). Estimates of bird collision mortality at
wind facilities in the contiguous United States. Biological Conservation
168: 201-209. DOI: 10. (1016). /j. biocon. (2013). 10. 007.
- Loss, S. R. , T. Will, & P. P. Marra. (2014). Estimation of bird-vehicle collision
mortality on US roads. The Journal of Wildlife Management 78(5): 763-
771. DOI: 10. (1002). /jwmg. 721.
- Loss, S. R. , T. Will, S. S. Loss, & P. P. Marra. (2014). Bird–building collisions in
the United States: Estimates of annual mortality & species vulnerability.
The Condor 116:8–23.
- Mackenzie, J. (2009). Land-use/land cover changes in Delaware, (2002). -
(2007). University of Delaware, Newark, DE.
- Marler, S. C. (2024). , July 10. Bird-Window Strike Trends & Mitigation.
University of Saint Joseph, West Hartford, Connecticut.

2025 Delaware Wildlife Action Plan Citations

- Martin, C. (2010). Turtles in trouble. pages 3-9 in Outdoor Delaware, summer issue. Department of Natural Resources & Environmental Control. Dover, DE.
- Massal, L. R. , J. W. Snodgrass, & R. E. Casey. (2007). Nitrogen pollution of stormwater ponds: Potential for toxic effects on amphibian embryos & larvae. *Applied Herpetology* 4: 19-29. DOI: 10. (1163). /157075407779766714.
- Matthews, E. D. , & O. L. Lavoie. (1970). Soil survey of New Castle County, Delaware. USDA, Soil Conservation Service, Washington, D. C.
- McAvoy, W. (2001). Invasive plant species in Delaware. Delaware Natural Heritage Program. June (2001).
- McAvoy, W.A. (2025). The Flora of Delaware Online Database. Delaware Division of Fish and Wildlife, Species Conservation and Research Program, Smyrna, Delaware.
- McAvoy, W. A. & P. Bowman. (2002). The flora of coastal plain pond herbaceous communities on the Delmarva Peninsula. *Bartonia* 61: 81-91.
- McAvoy, W. A. , P. Bowman, K. Bennett. (2006). Delaware forest habitat quality assessment: coastal plain forests on private lands. Unpublished report, Delaware Department of Natural Resources, Division of Fish & Wildlife.
- McCann, J. M. , S. E. Mabey, L. J. Niles, C. Bartlett, & P. Kerlinger. (1993). A regional study of coastal migratory stopover habitat for neotropical migrant songbirds: land management implications. *Transactions of the North American Wildlife & Natural Resources Conference* 58: 398-407.
- McCorkle, R. C. , J. N. Gorham, & D. A. Rasberry. (2006). Gap Analysis of Animal Species Distributions in Maryland, Delaware, & New Jersey. Final Report – Part 2. U. S. Fish & Wildlife Service, Delaware Bay Estuary Project, & USGS Biological Resources Division, Gap Analysis Program. 229 pp.

2025 Delaware Wildlife Action Plan Citations

- McCorkle, R. C. , J. N. Gorham, & D. A. Rasberry. (2006). Gap analysis of animal species distributions in Maryland, Delaware, & New Jersey: final report – part 2. U. S. Fish & Wildlife Service, Delaware Bay Estuary Project, & USGS Biological Resources Division, Gap Analysis Program.
- McDermott, F. A. (1953). *Photuris bethaniensis*, a new Lampyrid firefly. *Proceedings of the U. S. National Museum*. 103:35-37.
- McDermott, F. A. (1967). The North American fireflies of the genus *Photuris* DeJean a modification of Barber's key (Coleoptera: Lampyridae). *The Coleopterists Bulletin* 21:106-116.
- McIntosh IV, C. E. , & A. E. Z. Short. (2012). New Delaware, USA records & notes about the endangered Seth Forest water scavenger beetle (Coleoptera: Hydrochidae). *The Coleopterists Bulletin* 66(3): 294-296.
- Meredith, W. H. (2000). Delaware's coastal impoundments & their birds. Pages 133-135 in G. K. Hess, R. L. West, M. V. Barnhill & L. M. Fleming, editors. *Birds of Delaware*. University of Pittsburgh Press, Pittsburgh, PA.
- Meredith, W. H. , & C. R. Lesser. (2007). Open marsh water management in Delaware: (1979). -(2007). *Annual proceedings*. New Jersey Mosquito Control Association 94: 55-69.
- Meredith, W. H. , D. E. Saveikis, & C. J. Stachecki. (1985). Guidelines for implementing Open Marsh Water Management, a mosquito control technique, on Delaware's tidal wetlands. *Wetlands* 5:119-133.
- Merritt, R. W. , K. W. Cummins, & M. B. Berg, editors. (2008). *An introduction to the aquatic insects of North America*, 4th edition. Kendall/Hunt Publishing Company, Dubuque, IA.
- Merson, R. R. , & H. L. Pratt Jr. (2001). Distribution, movements & growth of young sandbar sharks, *Carcharhinus plumbeus*, in the nursery grounds of Delaware Bay. *Environmental Biology of Fishes*, 61: 13-24.
- Mid-Atlantic Fishery Management Council [MAFMC]. *Fishery management plans*.

2025 Delaware Wildlife Action Plan Citations

- Mid-Atlantic Fishery Management Council, and National Marine Fisheries Service (NMFS). "Amendement 16 to the Atlantic Mackerel, Squid, and Butterfish Fishery Management Plan. " (2016).
- Mid-Atlantic Regional Council on the Ocean [MARCO]. Data Portal.
- Miller, D. C. , & D. Kreeger. (2009). Hard-bottom sampling methodology & characterization of a “sponge garden” in the Broadkill Slough as part of the Delaware Estuary Benthic Inventory. Page 96, abstract, in P. Cole & D. Kreeger, editors. Proceedings of the (2009). Delaware Estuary Science & Environmental Summit. Partnership for the Delaware Estuary Report No. 09-01.
- Miller, H. E. , & M. J. Jordan. (2011). Relationship between exotic invasive shrubs & American woodcock (*Scolopax minor*) nest success & habitat selection. *Journal of the Pennsylvania Academy of Science* 85(4): 132-139.
- Mitchell, L. R. , S. Gabrey, P. P. Marra, & R. M Erwin. (2006). Impacts of marsh management on coastal-marsh bird habitat. *Studies in Avian Biology* 32: 155- 175. DOI: 10. (1656). /058. 011. (0218).
- Murray, C. G. , & A. J. Hamilton. REVIEW: Perspectives on wastewater treatment wetlands & waterbird conservation. *Journal of Applied Ecology* 47: 976–985. DOI: 10. (1111). /j. (1365). -(2664). (2010). 01853. x.
- Narvaez, M. C. , G. J. Kauffman, R. Lonsdorf, & M. H. S. Nelson. (2010). Restoration of shad & anadromous fish to the White Clay Creek National Wild & Scenic River: a feasibility report. June (2010).
- National Fish Habitat Partnership [NFHP]. (2006). National Fish Habitat Action Plan.
- National Fish Habitat Partnership [NFHP]. (2015). Through a Fish’s Eye: The Status of Fish Habitats in the United States (2015).

2025 Delaware Wildlife Action Plan Citations

- National Marine Fisheries Service. (2010). NMFS habitat assessment improvement plan. Report of the National Marine Fisheries Service Habitat Assessment Improvement Plan Team. U. S. Department of Commerce, NOAA Technical memo. NMFS-F/SPO-108.
- National Marine Fisheries Service. (n. d.). *Marine mammal acoustic technical guidance & other acoustic tools*.
- National Oceanic & Atmospheric Administration & National Marine Fisheries Service [NMFS]. (2012). Endangered & threatened wildlife & plants; threatened & endangered status for distinct population segments of Atlantic sturgeon in the northeast region; final rule. Feb. 6, (2012). Federal Register 77(24): (5880). -(5912). DOI: 77 FR (5880).
- Natural Resources Conservation Service (NRCS). (2007). Pollinators. Fish & Wildlife Habitat Management Leaflet. No. 34, pp. 1-10.
- Nebel, S. , A. Mills, J. D. McCracken, & P. D. Taylor. (2010). Declines of aerial insectivores in North America follow a geographic gradient. *Avian Conservation & Ecology - Écologie et conservation des oiseaux* 5(2): 1.
- Neddeau, E. J. , M. A. McCollough, & B. I. Swartz. (2000). The freshwater mussels of Maine. Maine Department of Inland Fisheries & Wildlife, Augusta, ME.
- Nekola, J. C. (2003). Large-scale terrestrial gastropod community composition patterns in the Great Lakes region of North America. *Diversity & Distributions* 9(1): 55-71.
- Nekola, J. C. (2005). Geographic variation in richness & shell size of eastern North American land snail communities. *Records of the Western Australian Museum Supplement* No. 68: 39-51.
- Niles L. J. , J. Bart, H. P. Sitters, A. D. Dey, K. E. Clark, P. W. Atkinson, A. J. Baker, K. A. Bennett, K. S. Kalasz, N. A. Clark, J. Clark, S. Gillings, A. S. Gates, P. M. González, D. E. Hernandez, C. D. T. Minton, R. I. G. Morrison, R. R. Porter, R. K. Ross, C. R. Veitch. (2009). Effects of Horseshoe Crab

2025 Delaware Wildlife Action Plan Citations

- Harvest in Delaware Bay on Red Knots: Are Harvest Restrictions Working?, *BioScience* 59(2):153–164.
- Niles, L. , H. Sitters, A. Dey, & Red Knot Status Assessment Group. (2010). Red Knot Conservation Plan for the Western Hemisphere (*Calidris canutus*), Version 1. 1. Manomet Center for Conservation Sciences, Manomet, Massachusetts, USA.
- NOAA National Marine Fisheries Service (NMFS). (2012). Atlantic Sturgeon New York Bight Distinct Population Segment: Endangered.
- North American Bird Conservation Initiative [NABCI]. (2025). The State of the Birds, United States of America, (2025).
- North American Landscape Conservation Cooperative (NALCC). (2015). Marine Bird Mapping & Assessment.
- North American Waterfowl Management Plan Partnership. (2024). North American Waterfowl Management Plan Update: Expanding the Partnership. Available at:
- Northeast Fish & Wildlife Diversity Technical Committee [NEFWDTTC]. (2024). Northeast Regional Species of Greatest Conservation Need (RSGCN) Database, version 4. 1. Prepared for the Northeast Association of Fish & Wildlife Agencies by Terwilliger Consulting, Inc.
- Northeast Fish & Wildlife Diversity Technical Committee. (2024). Northeast Regional Species of Greatest Conservation Need (RSGCN) Database, version 4. 1. Prepared for the Northeast Association of Fish & Wildlife Agencies by Terwilliger Consulting, Inc.
- Northeast Partners for Amphibian & Reptile Conservation (NEPARC). (2004). Model state herpetofauna regulatory guidelines.
- Northeast Partners for Amphibian & Reptile Conservation (NEPARC). (2009). Habitat management guidelines.

2025 Delaware Wildlife Action Plan Citations

- Noss, R. F. , W. J. Platt, B. A. Sorrie, A. S. Weakley, B. D. Means, J. Costanza, & R. K. Peet. (2015). How global biodiversity hotspots may go unrecognized: lessons from the North American Coastal Plain. *Diversity & Distributions* 21(2): 236-244.
- Nowacki, G. J. , & M. D. Abrams. (2008). The demise of fire & “mesophication” of forests in the eastern United States. *BioScience* 58(2): 123-138. DOI: 10. (1641). /B580207.
- Nuttall, T. , A. A. Royo, M. B. Adams, & W. P. Carson. (2013). Historic disturbance regimes promote tree diversity only under low browsing regimes in eastern deciduous forest. *Ecological Monographs* 83(1): 3-17.
- Nuttall, T. , A. A. Royo, M. B. Adams, & W. P. Carson. (2013). Historic disturbance regimes promote tree diversity only under low browsing regimes in eastern deciduous forest. *Ecological Monographs* 83(1): 3-17.
- Odum, W. E. (1988). Comparative ecology of tidal freshwater & salt marshes. *Annual Review of Ecology, Evolution, & Systematics*. 19:147-176.
- Olivero, A. P. , & M. G. Anderson. (2008). Northeast aquatic habitat classification system. The Nature Conservancy, in collaboration with the Northeast Association of Fish & Wildlife Agencies.
- Olivero-Sheldon, A. A. Jospe, & M. G. Anderson. (2014). Northeast lake & pond classification system. The Nature Conservancy, Eastern Conservation Science, Eastern Regional Office. Boston, MA.
- Ortega, C. (2012). Effects of noise pollution on birds: a brief review of our knowledge. *Ornithological Monographs* 74: 6-22. 10. (1525). /om. (2012). 74. 1. 6.
- Osowski, S. L. , L. W. Brewer, O. E. Baker, & G. P. Cobb. (1995). The decline of mink in Georgia, North Carolina, & South Carolina: the role of

2025 Delaware Wildlife Action Plan Citations

- contaminants. Archives of Environmental Contamination & Toxicology 29(3): 418-423.
- Owens, A. C. S. , & S. M. Lewis. (2018). The impact of artificial light at night on nocturnal insects: A review & synthesis. Ecology & Evolution 8:11337–11358.
- Parkins, K. L. , S. B. Elbin, & E. Barnes. (2015). Light, Glass, & Bird—Building Collisions in an Urban Park. Northeastern Naturalist 22:84–94.
- Parsons, K. C. (2002). Integrated management of waterbird habitats at impounded wetlands in Delaware Bay, USA. Waterbirds 25: 25-41.
- Partnership for the Delaware Estuary [PDE]. (2022). Technical Report for the Delaware Estuary & Basin. L. Haaf, L. Morgan, & D. Kreeger (eds). PDE Report No. 22-05. 445 pages.
- Partnership for the Delaware Estuary. (2008). State of the estuary report. Partnership for the Delaware Estuary, Report No. 08-0.
- Partnership for the Delaware Estuary. (2012). Technical report for the Delaware Estuary & Basin. PDE Report No. 12-01.
- Pavlikova, A. , & M. Konvicka. (2012). An ecological classification of Central European macromoths: habitat associations & conservation status returned from life history attributes. Journal of Insect Conservation 16(2): 187-206. DOI: 10. (1007). /s10841-011-(9405). -8.
- Peemoeller, B. J. , & B. G. Stevens. (2013). Age, size, & sexual maturity of channeled whelk (*Busycotypus canaliculatus*) in Buzzards Bay, Massachusetts. Fishery Bulletin 111(3): 265-278.
- Peterson, C. H. , M. J. Bishop, L. M. D'Anna, & G. A. Johnson. (2014). Multi-year persistence of beach habitat degradation from nourishment using coarse shelly sediments. Science of the Total Environment 487: 481-492. DOI: 10. (1016). /j. scitotenv. (2014). 04. 046.

2025 Delaware Wildlife Action Plan Citations

- Pettis, J. S. , E. M. Lichtenberg, M. Andree, J. Stitzinger, R. Rose, & D. Vanengelsdorp. (2013). Crop pollination exposes honey bees to pesticides which alters their susceptibility to the gut pathogen *Nosema ceranae*. PLoS One 8(7): e70182. DOI: 10. (1371). /journal. pone. 0070182.
- Pisa, L. W. et al. (2014). Effects of neonicotinoids & fipronil on non-target invertebrates. Environmental Science & Pollution Research 22(1): 68-102. DOI: 10. (1007). /s11356-014-(3471). -x.
- Pleasants, J. M. , & K. S. Oberhauser. (2013). Milkweed loss in agricultural fields because of herbicide use: effect on the monarch butterfly population. Insect Conservation & Diversity 6(2): 135-144. DOI: 10. (1111). /j. (1752). - (4598). (2012). 00196. x.
- Pollock, M. M. , M. Heim, & D. Werner. (2003). Hydrologic & geomorphic effects of beaver dams & their influence on fishes. Pp. 213–233 in S. V. Gregory, K. Boyer, & A. Gurnell, editors. The ecology & management of wood in world rivers. American Fisheries Society Symposium, Bethesda, MD.
- Raasch, M. S. (1997). Delaware's freshwater & brackish-water fishes, a popular account, 3rd edition. Delaware Nature Society, Hockessin, DE.
- Raposa, K. B. , R. L. Weber, W. Ferguson, J. Hollister, R. Rozsa, N. Maher, & A. Gettman. (2019). Drainage enhancement effects on a waterlogged Rhode Island (USA) salt marsh. Estuarine, coastal & shelf science 231:106435.
- Rawlins, J. & C. Bier. (1998). Invertebrates: review of status in Pennsylvania. Pages 85-120 in Hassinger, J. D. , R.J. Hill, G. L. Storm, & R. H. Yahner, editors. Inventory & monitoring of biotic resources in Pennsylvania. Current Ecological & Landscape Topics, volume 1. Pennsylvania Biological Survey. Pennsylvania State University, University Park, PA.

2025 Delaware Wildlife Action Plan Citations

- Rebolo-Ifran, N. , A. di Virgilio, & S. Lambertucci. (2019). Drivers of bird-window collisions in southern South America: a two-scale assessment applying citizen science. *Scientific Reports* 9.
- Rechisky, E. L. , & B. M. Wetherbee. (2003). Short-term movements of juvenile & neonate sandbar sharks, *Carcharhinus plumbeus*, on their nursery grounds in Delaware Bay. *Environmental Biology of Fishes* 68: 113-128.
- Reed, M. S. et al. (2014). Improving the link between payments & the provision of ecosystem services in agri-environment schemes. *Ecosystem Services* 9: 44-53.
- Reine, K. et al. (2014). Assessing impacts of navigation dredging on Atlantic sturgeon (*Acipenser oxyrinchus*). Environmental Lab No. ERDC/EL-TR-14-12. November (2014). U. S. Army Corps of Engineers, Engineer Research & Development Center, Vicksburg, MS.
- Reynolds, D. (2018). , September 10. Atlantic Coast Joint Venture. Black Rail.
- Rice, T. M. (2015). Inventory of habitat modifications to sandy oceanfront beaches in the U. S. Atlantic Coast breeding range of the piping plover (*Charadrius melodus*) prior to hurricane Sandy: South Shore of Long Island to Virginia. Unpublished Report. Terwilliger Consulting, Inc.
- Riding, C. S. , T. J. O'Connell, & S. R. Loss. (2020). Building façade-level correlates of bird–window collisions in a small urban area. *The Condor* 122:duz065.
- Robbins, C. S. , D. K. Dawson, & B. A. Dowell. (1989). Habitat area requirements of breeding forest birds of the Middle Atlantic States. *Wildlife Monographs* 103:1-34.
- Robinson, G. R. (2012). Distributions of natural heritage program communities & their use as surrogates for rare species in New York State Parks. *Northeastern Naturalist* 19(sp6): 115-128. DOI: 10. (1656). /045. 019. s609.

2025 Delaware Wildlife Action Plan Citations

- Rochlin, I. , M. J. James-Pirri, S. C. Adamowicz, M. E. Dempsey, T. Iwanejko, & D. V. Ninivaggi. (2012). The effects of integrated marsh management (IMM) on salt marsh vegetation, nekton, & birds. *Estuaries & Coasts* 35(3): 727-742.
- Rochlin, I. , M. -J. James-Pirri, S. C. Adamowicz, R. J. Wolfe, P. Capotosto, M. E. Dempsey, T. Iwanejko, & D. V. Ninivaggi. (2012). Integrated Marsh Management (IMM): a new perspective on mosquito control & best management practices for salt marsh restoration. *Wetlands ecology & management* 20:219–232.
- Rogerson, J. (2010). Delaware deer management plan (2010). – (2019). : a guide to how & why deer are managed in the First State. Delaware Department of Natural Resources & Environmental Control, Division of Fish & Wildlife, Game Species Management Program.
- Rosenberg K. V. , J. A. Kennedy, R. Dettmers, R. P. Ford, D. Reynolds, J. D. Alexander, C. J. Beardmore, P. J. Blancher, R. E. Bogart, G. S. Butcher, A. F. Camfield, A. Couturier, D. W. Demarest, W. E. Easton, J. J. Giocomo, R.
- H. Keller, A. E. Mini, A. O. Panjabi, D. N. Pashley, T. D. Rich, J. M. Ruth, H. Stabins, J. Stanton, T. Will. (2016). Partners in Flight Landbird Conservation Plan: (2016). Revision for Canada & Continental United States. Partners in Flight Science Committee. 119 pp.
- Rosenberg, K. V. , A. M. Dokter, P. J. Blancher, J. R. Sauer, A. C. Smith, P. A. Smith, J. C. Stanton, A. Panjabi, L.
- Helft, M. Parr, & P. P. Marra. (2019). Decline of the North American avifauna. *Science* 366:120–124.
- Ross, A. C. , R. G. Najjar, M. Li, M. E. Mann, S. E. Ford, & B. Katz. (2015). Sea-level rise & other influences on decadal-scale salinity variability in a coastal plain estuary. *Estuarine, Coastal & Shelf Science* 157: 79-92.

2025 Delaware Wildlife Action Plan Citations

- Rout, T. M. , E. McDonald-Madden, T. G. Martin, N. J. Mitchell, H. P. Possingham, & D. P. Armstrong. (2013). How to decide whether to move species threatened by climate change. *PLOS one*. 8(10). 1-7.
- Royo, A. A. , S. L. Stout, D. S. deCalesta, T. G. Pierson. (2010). Restoring forest herb communities through landscape-level deer herd reductions: Is recovery limited by legacy effects? *Biological Conservation* 143: (2425). - (2434).
- Sabo, A. M. , N. D. G. Hagemeyer, A. S. Lahey, & E. L. Walters. (2016). Local avian density influences risk of mortality from window strikes. *PeerJ* 4:e2170.
- Salafsky, N. D. et al. (2008). A standard lexicon for biodiversity conservation: unified classifications of threats & actions. *Conservation Biology* 22 (4): 897–911. DOI: 10. (1111). /j. (1523). -(1739). (2008). 00937. x.
- Sanzo, D. , & S. J. Hecnar. (2006). Effects of road de-icing salt (NaCl) on larval wood frogs (*Rana sylvatica*). *Environmental Pollution* 140(2): 247-256.
- Sattler, T. , G. B. Pezzatti, M. P. Nobis, M. K. Obrist, T. Roth, & M. Moretti. (2014). Selection of multiple umbrella species for functional & taxonomic diversity to represent urban biodiversity. *Conservation Biology* 28: 414–426. DOI: 10. (1111). /cobi. 12213.
- Sauer, J. R. , Hines, J. E. & Fallon, J. (2007). The North American Breeding Bird Survey, results & analysis (1966).–(2007). Version 10. 13. (2007). USGS Patuxent Wildlife Research Centre, Laurel, MD.
- Savidge, D. K. , & W. B. Savidge. (2014). Seasonal export of South Atlantic Bight & Mid-Atlantic Bight shelf waters at Cape Hatteras. *Continental Shelf Research* 74:50-59. DOI: 10. (1016). /j. csr. (2013). 12. 008.
- Schroeder, J. , S. Nakagawa, I. R. Cleasby, & T. Burke. (2012). Passerine birds breeding under chronic noise experience reduced fitness. *PLoS One* 7(7): e39200-e39200. DOI: 10. (1371). /journal. pone. 0039200.

2025 Delaware Wildlife Action Plan Citations

- Schulte, S. , S. Brown, D. Reynolds, & the American Oystercatcher Working Group. (2007). Version 2. 0. A conservation action plan for the American oystercatcher (*Haematopus palliatus*) for the Atlantic & Gulf Coasts of the United States.
- Schultz, T. (1998). The utilization of patchy thermal microhabitats by the ectothermic insect predator, *Cicindela sexguttata*. *Ecological Entomology* 23(4): 444-450. DOI: 10. (1046). /j. (1365). -(2311). (1998). 00154. x.
- Schultz, T. D. (1989). Habitat preferences & seasonal abundances of eight sympatric species of tiger beetle, genus *Cicindela* (Coleoptera: Cicindelidae), in Bastrop State Park, Texas. *The Southwestern Naturalist* 34(4): 468-477.
- Schwegmann, S. , M. Mörsdorf, M. Bhardwaj, & I. Storch. (2023). Effects of understory characteristics on browsing patterns of roe deer in central European mountain forests. *Ecology & Evolution*. 13(8)e10431. DOI:10. (1002). /ece3. 10431.
- Schweitzer, D. F. , M. C. Minno, & D. L. Wagner. (2011). Rare, declining, & poorly known butterflies & moths (Lepidoptera) of forests & woodlands in the Eastern United States. U. S. Forest Service, Forest Health Technology Enterprise Team, FHTET-(2011). -01.
- Schweitzer, S. H. , & C. M. Gillin (eds.) (2020). Toolkit to Address Free-ranging Domestic Cats (*Felis catus*) on Agency Lands Managed for Native Wildlife & Ecosystem Health. 32 pages.
- Secrist, M. A. (2013). Tax ditch restoration on the Nanticoke River. Presentation at: Mid-Atlantic Stream Restoration Conference (2013).
- Semlitsch, R. D. (1998). Biological delineation of terrestrial buffer zones for pond-breeding salamanders. *Conservation Biology*. 12(5):(1113). - (1119).

2025 Delaware Wildlife Action Plan Citations

- Shriver, G. , S. Roberts, & Z. Ladin. (2023). Estimating spatially explicit occupancy & density for Saltmarsh & Nelson's sparrows. Final Report: USFWS Award # F20AC11346. Hadley, MA. 52 pp.
- Smith, D. G. (1985). Recent range expansion of the freshwater mussel *Anodonta imbecilis* & its relationship to clupeid fish restoration in the Connecticut River system. *Freshwater Invertebrate Biology*, 4: 105-108.
- Smith, M. A. 1996a. Shorebird studies at the Port of Wilmington, Delaware. *Delmarva Ornithologist* 28: 7-14.
- Smith, M. A. 1996b. Avian botulism at the Port of Wilmington, Delaware in (1996). *Delmarva Ornithologist* 28: 15-19.
- Smith, Paul A, et al. "Accelerating Declines of North America's Shorebirds Signal for the Need for Urgent Conservation Action. " *Ornithological Applications*, vol. 125, no. 2, 8 Feb. 2023.
- Snell-Rood, E. C. , A. Espeset, C. J. Boser, W. A. White, & R. Smykalski. (2014). Anthropogenic changes in sodium affect neural & muscle development in butterflies. *Proceedings of the National Academy of Sciences* 111(28): 10221-10226. DOI: 10. (1073). /pnas. 1323607111.
- Sophocleous, M. (2002). Chapter 4: environmental implications of intensive groundwater use with special regard to streams & wetlands. Pages 93-112 in Llamas, R. & E. Custodio, editors. *Intensive use of groundwater: challenges & opportunities*. Balkemas, Netherlands.
- Soroka, A. M. , Reyes, B. , Fleming, B. , & Brownley, M. , (2024). , Comparison of water quality in shallow groundwater near agricultural areas in the Delaware Coastal Plain, (2014). & (2019). : U. S. Geological Survey Scientific Investigations Report (2024). -(5076). , 23 p.
- Spalding, M. D. et al. (2007). Marine ecoregions of the world: a bioregionalization of coastal & shelf areas. *BioScience* 57(7): 573-583. DOI: 10. (1641). /B570707.

2025 Delaware Wildlife Action Plan Citations

- Sparling, D. W. , J. Eisemann, & W. Kuenzl. (2007). Nesting & foraging behavior of red-winged blackbirds in stormwater wetlands. *Urban Ecosystems* 10(1): 1-15.
- Spotila, J. R. , P. Plotkin, & J. Keinath. (2007). Delaware Bay is an important foraging habitat for loggerhead turtles. Presentation #58. The (2007). Delaware Estuary Science Conference & Environmental Summit Cape May, New Jersey, January 22 – 24, (2007).
- Steiner, W. E. , C. L. Staines, J. M. McCann, & J. L. Hellman, J. L. (2003). The Seth Forest water scavenger beetle, a new species of *Hydrochus* (Coleoptera: Hydrophiloidea: Hydrochidae) from the Chesapeake-Delmarva Region.
- The Coleopterists Bulletin 57(4): 433-443. DOI: 10. (1649). /581.
- Steppe, C. N. , & C. E. Epifanio. (2006). Synoptic distribution of crab larvae near the mouth of Delaware Bay: influence of nearshore hydrographic regimes. *Estuarine, Coastal & Shelf Science* 70 (4): 654-662.
- Stolt, M. H. , & M. C. Rabenhorst. 1987a. Carolina bays on the eastern shore of Maryland: I. soil characterization & classification. *Soil Science Society of America Journal* 51: 395-398.
- Stolt, M. H. , & M. C. Rabenhorst. 1987b. Carolina bays on the eastern shore of Maryland: II. distribution & origin. *Soil Science Society of America Journal* 51: 399-404.
- Stone, E. L. , S. Harris, & G. Jones. (2015). Impacts of artificial lighting on bats: A review of challenges & solutions. *Mammalian Biology* 80:213–219.
- Strayer, D. L, & K. J. Jirka. (1997). The pearly mussels of New York State. *New York State Museum Memoir* 26: 1-113.
- Stuart S. N. , J. S. Chanson, N. A. Cox, B. E. Young, A. S. Rodrigues, D. L. Fischman, R. W. Waller. Status & trends of amphibian declines & extinctions worldwide. *Science*. (2004). Dec 3;306((5702).):(1783). -6.

2025 Delaware Wildlife Action Plan Citations

- Stubbs, M. (2014). Conservation Reserve Program (CRP): status & issues. Congressional Research Service Report 42783.
- Summerville, K. S. (2004). Functional groups & species replacement: testing for the effects of habitat loss on moth communities. *Journal of the Lepidopterists' Society* 58(2): 114-117.
- Summerville, K. S. , & T. O. Crist. (2002). Effects of timber harvest on forest Lepidoptera: community, guild, & species responses. *Ecological Applications* 12:820-835. DOI: 10. (1890). /(1051). -(0761). ((2002).)012[(0820).:EOTHOF]2. 0. CO;2.
- Summerville, K. S. , & T. O. Crist. (2003). Determinants of lepidopteran community composition & species diversity in eastern deciduous forests: roles of season, ecoregion, & patch size. *Oikos* 100:134-148. DOI: 10. (1034). /j. (1600). -(0706). (2003). 11992. x.
- Terwilliger Consulting, Inc. & the Northeast Fish & Wildlife Diversity Technical Committee [NEFWDTTC]. (2023). Northeast Regional Conservation Synthesis for (2025). State Wildlife Action Plans. Northeast Association of Fish & Wildlife Agencies, Washington, D. C.
- Teter, S. M. , B. M. Wetherbee, D. A. Fox, C. H. Lam, D. A. Kiefer, & M. Shivji, M. (2015). Migratory patterns & habitat use of the sand tiger shark (*Carcharias taurus*) in the western North Atlantic. *Marine & Freshwater Research* 66(2): 158-169. DOI: 10. (1071). /MF14129.
- The Center for Conservation Biology. (2014). Black rail population status.
- The Heinz Center. (2013). Pollinators & the state wildlife action plans voluntary guidance for state wildlife agencies. Washington, DC.
- The National Bobwhite Technical Committee. (2011). Palmer, W. E. , T. M. Terhune, & D. F. McKenzie editors. The national bobwhite conservation initiative: a range-wide plan for recovering bobwhites. National Bobwhite Technical Committee Technical Publication, version 2. 0, Knoxville, TN.

2025 Delaware Wildlife Action Plan Citations

- The Nature Conservancy (TNC). (1996). Priorities for conservation: (1996). Annual report card for U. S. plant & animal species. The Nature Conservancy, Arlington, Virginia.
- Thomas-Van Gundy, M. , J. Rentch, M. B. Adams, & W. Carson. (2014). Reversing legacy effects in the understory of an oak-dominated forest. *Canadian Journal of Forest Research* 44(4): 350-364. DOI: 10. (1139). /cjfr-(2013). - (0375).
- Tiner, R. W. , M. A. Biddle, A. D. Jacobs, A. B. Rogerson, & K. G. McGuckin. (2011). Delaware wetlands: status & changes from (1992). To (2007). Cooperative National Wetlands Inventory Publication. U. S. Fish & Wildlife Service, Northeast Region, Hadley, MA & the Delaware Department of Natural Resources & Environmental Control, Dover, DE.
- Todd, A. K. , & M. G. Kaltenecker. (2012). Warm season chloride concentrations in stream habitats of freshwater mussel species at risk. *Environmental Pollution* 171: 199-206.
- Trombulak, S. C. , & C. A. Frissell. (2000). Review of ecological effects of roads on terrestrial & aquatic communities. *Conservation Biology* 14(1): 18-30. DOI: 10. (1046). /j. (1523). -(1739). (2000). 99084. x.
- Tuttle, J. P. (2007). The hawk moths of North America. The Wedge Entomological Research Foundation, Washington DC.
- Tuttle, J. P. (2007). The hawk moths of North America: A natural history study of the Sphingidae of the United States & Canada. The Wedge Entomological Research Foundation, Washington, D. C. 253 pp.
- Tymkiw, E. L. , J. L. Bowman, & W. G. Shriver. (2013). The effect of white-tailed deer density on breeding songbirds in Delaware. *Wildlife Society Bulletin* 37: 714–724. DOI: 10. (1002). /wsb. 328.
- U. S. Department of Agriculture [USDA]. (2024). CRP Practices by County January (2024).

2025 Delaware Wildlife Action Plan Citations

- U. S. Department of Agriculture, Animal and Plant Health Inspection Service. (n. d.). *Highly Pathogenic Avian Influenza detections in commercial and backyard flocks*.
- U. S. Environmental Protection Agency. (n. d.). *National priorities list (NPL) sites by state: Delaware*.
- U. S. Fish & Wildlife Service [USFWS]. (1993). Delmarva fox squirrel (*Sciurus niger cinereus*) recovery plan, 2nd revision. Prepared by Delmarva Fox Squirrel Recovery Team. Northeast Region, U. S. Fish & Wildlife Service, Hadley, MA. June (1993).
- U. S. Fish & Wildlife Service [USFWS]. (1993). Endangered & Threatened Wildlife & Plants; Determination of Endangered Status for the Dwarf Wedge Mussel. Federal Register 55(50) (9447). -(9451).
- U. S. Fish & Wildlife Service [USFWS]. (1994). Northeastern beach tiger beetle (*Cicindela dorsalis dorsalis* Say) recovery plan. U. S. Fish & Wildlife Service, Hadley, MA. September (1994).
- U. S. Fish & Wildlife Service [USFWS]. (1998). Endangered & Threatened Wildlife & Plants; Determination of *Helonias bullata* (Swamp Pink) to be a Threatened Species. Federal Register 53(175):35076-35080.
- U. S. Fish & Wildlife Service [USFWS]. (2012). The Delmarva Peninsula fox squirrel (*Sciurus niger cinereus*): 5-year status review: summary & evaluation. Chesapeake Bay Field Office, Annapolis, MD. September (2012).
- U. S. Fish & Wildlife Service [USFWS]. (2014). Draft post delisting monitoring plan for the Delmarva Peninsula fox squirrel (*Sciurus niger cinereus*). Chesapeake Bay Field Office, Annapolis, MD.
- U. S. Fish & Wildlife Service [USFWS]. (2015). Endangered & threatened wildlife & plants; threatened species status for the northern long-eared bat with 4(d) rule; final rule & interim rule. Federal Register 80(63): 17973-18033.

2025 Delaware Wildlife Action Plan Citations

- U. S. Fish & Wildlife Service [USFWS]. (2020). , October 8. Endangered & Threatened Wildlife & Plants; Threatened Species Status for Eastern Black Rail With a Section 4(d) Rule.
- U. S. Fish & Wildlife Service [USFWS]. (2022). Endangered & Threatened Wildlife & Plants: Endangered Species Status for Tricolored Bat. Federal Register 87(177): 56381-56393.
- U. S. Fish & Wildlife Service [USFWS]. (2022). Endangered & Threatened Wildlife & Plants; Endangered Species Status for Northern Long-Eared Bat. Federal Register 87(229): 73488-73504.
- U. S. Fish & Wildlife Service [USFWS]. (2024). Endangered & Threatened Wildlife & Plants; Threatened Species Status with Section 4(d) Rule for Monarch Butterfly & Designation of Critical Habitat. Federal Register 89(239):100662-100716.
- U. S. Fish & Wildlife Service [USFWS]. (2024). Waterfowl population status, (2024). U. S. Department of the Interior, Washington, D. C. USA.
- U. S. Fish & Wildlife Service. (1996). Piping plover (*Charadrius melodus*) revised recovery plan. Prepared by the Atlantic Coast Piping Plover Recovery Team. U. S. Fish & Wildlife Service, Hadley, MA. May (1996).
- U. S. Fish & Wildlife Service. (2001). Bog turtle (*Clemmys muhlenbergii*), northern population, recovery plan. Hadley, MA. May (2001).
- U. S. Fish & Wildlife Service. (2007). The Delmarva Peninsula fox squirrel (*Sciurus niger cinereus*): 5-year status review. Chesapeake Bay Field Office, Annapolis, MD.
- U. S. Fish & Wildlife Service. (2013). Prime Hook National Wildlife Refuge Comprehensive Conservation Plan. Prime Hook National Wildlife Refuge, Milton, Delaware, March (2013).
- U. S. Fish & Wildlife Service. (2014). Aquatic Representative Species Selected at Southern New England Workshop for the North Atlantic Landscape Conservation Cooperative.

2025 Delaware Wildlife Action Plan Citations

- U. S. Fish & Wildlife Service. (2014). Rufa red knot (*Calidris canutus rufa*) listing.
- U. S. Fish & Wildlife Service. (2024). Monarch Butterfly (*Danaus plexippus*) Species Status Assessment Report, version 2. 3. Midwest Regional Office.
- U. S. Fish & Wildlife Service. (2024). Waterfowl population status, (2024). U. S. Department of the Interior, Washington, D. C. USA.
- U. S. Forest Service. (2022). *Delaware Forest Health Highlights 2022*.
- U. S. Geological Survey [USGS]. (2015). U. S. Geological Survey Patuxent Wildlife Research Center. Data compiled from: Delaware breeding bird atlas (2008). -(2012). Delmarva Ornithological Society. Interim results used with permission.
- USGCRP (2023). Fifth National Climate Assessment. Crimmins, A. R. , C. W. Avery, D. R. Easterling, K. E. Kunkel, B.C. Stewart, & T. K. Maycock, Eds. U. S. Global Change Research Program, Washington, DC, USA.
- Van Doren, B. M. , D. E. Willard, M. Hennen, K. G. Horton, E. F. Stuber, D. Sheldon, A. H. Sivakumar, J. Wang, A. Farnsworth, & B. M. Winger. (2021). Drivers of fatal bird collisions in an urban center. *Proceedings of the National Academy of Sciences* 118:e2101666118.
- Van Vliet, M. T. H. , F. Ludwig, J. J. G. Zwolsman, G. P. Weedon, & P. Kabat. (2011). Global river temperatures & sensitivity to atmospheric warming & changes in river flow. *Water Resources Research* 47: W02544. DOI: 10. (1029). /2010WR009198.
- VanGessel, M. J. (2001). Glyphosate-resistant horseweed from Delaware. *Weed Science* 49(6): 703-705.
- Vincent, R. E. , M. Dionne, D. M. Burdick, & E. A. Hobbie. (2015). Fish Productivity & Trophic Transfer in Created & Naturally Occurring Salt Marsh Habitat. *Estuaries & Coasts* 38. 4: (1233). -(1250).

2025 Delaware Wildlife Action Plan Citations

- Wagner, D. L. , D. F. Schweitzer, J. B. Sullivan, & R. C. Reardon. (2011). *Owlet caterpillars of eastern North America (Lepidoptera: Noctuidae)*. Princeton University Press.
- Wagner, D. L. , K. J. Metzler, S. A. Leicht-Young, & G. Motzkin. (2014). Vegetation composition along a New England transmission line corridor & its implications for other trophic levels. *Forest Ecology & Management* 327: 231-239.
- Walch, M. A. McGowan, L. Swanger, C. Chaney, & M. Goss. (2023). State of the Delaware Inland Bays, (2021). Delaware Center for the Inland Bays, March (2023). , 104 pp.
- Wallace, J. B. , & N. H. Anderson. (1996). Habitat, life history, & behavioral adaptations of aquatic insects. Chapter 5, pp. 41-73, in R. W. Merritt & K. W. Cummins (editors). *An Introduction to the Aquatic Insects of North America*. 3rd edition. Kendall/Hunt, Dubuque, Iowa.
- Wang, J. C. S. , & R. J. Kernehan. (1979). *Fishes of the Delaware estuaries a guide to the early life histories*. Ecological Analysts, Inc. , Towson, MD.
- Weaver, K. J. , E. J. Shumchenia, K. H. Ford, M. A. Rousseau, J. K. Greene, M. G. Anderson, & J. W. King. (2013). *Application of the Coastal & Marine Ecological Classification Standard (CMECS) to the Northwest Atlantic*. The Nature Conservancy, Eastern Division Conservation Science, Eastern Regional Office. Boston, MA.
- Weber, T. (2013). *Landscape assessment for conservation priorities in Delaware, U. S. A*. Unpublished draft manuscript, 9/18/13.
- Weber, T. C. (2007). Development & application of a statewide conservation network in Delaware, U. S. A. *Journal of Conservation Planning* 3: 17-46.
- White, E. L. , P. D. Hunt, M. D. Schlesinger, J. D. Corser, & P. G. deMaynadier. (2014). *A conservation status assessment of Odonata for the northeastern United States*. New York Natural Heritage Program, Albany, NY.

2025 Delaware Wildlife Action Plan Citations

- White, H. B. (2011). Natural history of Delmarva dragonflies & damselflies: essays of a lifelong observer. University of Delaware Press & Delaware Nature Society.
- White, J. F. , Jr. & A. W. White. (2007). Amphibians & Reptiles of Delmarva. 2nd edition. Tidewater Publishers, Centreville, MD.
- White, M. A. (2012). Long-term effects of deer browsing: composition, structure, & productivity in a northeastern Minnesota old-growth forest. *Forest Ecology & Management* 269:222-228.
- Wiest, W. A. , M. D. Correll, B. J. Olsen, C. S. Elphick, T. P. Hodgman, D. R. Curson, & W. G. Shriver. (2016). Population estimates for tidal marsh birds of high conservation concern in the northeastern USA from a design-based survey. *The Condor* 118:274–288.
- Wiley, L. L. , M. K. Parren, & M. T. Jones (eds.). (2022). Status Assessment & Conservation Plan for Spotted Turtles in the Eastern United States. Technical Report to the Virginia Dept. of Wildlife Resources & the U. S. Fish & Wildlife Service.
- Williams, S. C. , & J. S. Ward. (2006). Exotic seed dispersal by white-tailed deer in southern Connecticut. *Natural Areas Journal* 26(4): 383-390.
- Wilson, B. D. , D. G. Bruce, & J. A. Madsen. (2006). Mapping the distribution & habitat of oysters in Delaware Bay. *Proceedings of the 26th Annual Esri International User Conference*, August 7–11, (2006).
- Winger, B. M. , B. C. Weeks, A. Farnsworth, A. W. Jones, M. Hennen, & D. E. Willard. (2019). Nocturnal flight-calling behaviour predicts vulnerability to artificial light in migratory birds. *Proceedings of the Royal Society B* 286:20190364.
- Wolfe, R. , P. Zarebicki, & W. Meredith. (2022). The evolution of saltmarsh mosquito control water management practices relative to coastal resiliency in the Mid-Atlantic & northeastern United States. *Wetlands ecology & management* 30:(1099). –(1108).

2025 Delaware Wildlife Action Plan Citations

- Wong, R. & B. A. Wasserman. (2024). Assessment of the Delaware Bay Blue Crab Stock: (2024). Stock Assessment Update. Report to NOAA, Coastal Fisheries Management Assistance.
- Wood, R. C. , & R. Herlands. (1997). Turtles & tires: the impact of roadkills on northern diamondback terrapins, *Malaclemys terrapin* terrapin, populations on the Cape May Peninsula, Southern New Jersey. Pages 46-53 in J. Van Abbema, editor. Proceedings: conservation, restoration, & management of tortoises & turtles - an International Conference, (1993). New York Turtle & Tortoise Society. State University of New York, Purchase, NY.
- Woods, A. J. , J. M. Omernik, & D. D. Brown. (1999). Level III & IV Ecoregions of Delaware, Maryland, Pennsylvania, Virginia, & West Virginia. U. S. Environmental Protection Agency, National Health & Environmental Effects Research Laboratory, Corvallis, OR.
- Xerces Society for Invertebrate Conservation (Xerces Society). (2014). Red list of bees: native bees in decline.
- Young, K. E. (1985). The effect of greater snow geese, *Anser caerulescens atlantica*, (Aves: Anatidae: Anserini) grazing on a Delaware tidal marsh. Master's thesis. University of Delaware.
- Zankel, M. , & A. Olivero. (1999). Mapping & assessing the conservation status of Delmarva bay wetlands in Delaware. Unpublished report by the Eastern Conservation Office of The Nature Conservancy, Boston, MA.
- Zhang, X. , D. Haidvogel, D. Munroe, E. N. Powell, J. Klinck, R. Mann, & F. S. Castruccio. (2015). Modeling larval connectivity of the Atlantic surfclams within the Middle Atlantic Bight: model development, larval dispersal & metapopulation connectivity. *Estuarine, Coastal & Shelf Science* 153: 38-53.