



Department of Natural Resources and Environmental Control

Division of Water  
89 Kings Hwy  
Dover, DE 19901  
Ph: 302-739-9944  
Fax: 302-739-7764  
www.dnrec.delaware.gov

**REQUEST FOR REDUCED ISOLATION  
DISTANCE TO PROPERTY LINE**

Tax Map/Parcel #: \_\_\_\_\_

I, \_\_\_\_\_ of \_\_\_\_\_, understand the isolation requirement of 10 feet, as written in Delaware Regulations Governing the Use and Construction of Wells, Section 4.01(A)(1) states:

*“Ten (10) feet from a property line (except as required in Section 4.01(J) of these Regulations) to allow access to the well without encroaching on adjoining properties. Wells may be constructed less than ten (10) feet from the property line if prior approval is granted by the Department for the purpose of maximizing other horizontal separation distances as required by this Section.”*

I request the separation distance be lessened to \_\_\_\_\_ feet to the property line for the purpose of maximizing the horizontal separation distances from \_\_\_\_\_ as required by this Section.

I, \_\_\_\_\_, hereby affirm this application and any plans, reports, or documents submitted with this application to be true and correct to the best of my knowledge and belief.

Signature

\_\_\_\_\_ Date \_\_\_\_\_

SWORN TO AND SUBSCRIBED before me the \_\_\_\_\_ day of \_\_\_\_\_, A.D.,  
\_\_\_\_\_.

NOTARY PUBLIC